

activities in Italy, thus limiting job opportunities for young meteorologists of both sexes.

Acknowledgements

The authors thank the Italian Ministry of Equal Opportunities and the Italian Society of Applied Meteorology that sponsored the investigation. The authors wish to acknowledge the institutions responding to the questionnaire. We are also grateful to Dr Mary Sharer and Prof. Sabino Palmieri for their helpful comments and suggestions.

References

- BRUNETTI, M., L. BUFFONI, F. MANGIANTI, M. MAUGERI, T. NANNI, 2001: "Variazioni climatiche in Italia negli ultimi 130 anni", *Bollettino Geofisico*, 3-4, 129-136.
- CAMUFFO D., 1995: "La nascita delle reti meteorologiche", *Proc. Padre Francesco Denza nel centenario della morte* (Moncalieri, 13-15 dicembre 1994), Torino, Tipolito Subalpina, 111-115.
- DE MARCHI, L. 1884: "Ricerche sulla teoria matematica dei venti". In: *Annali della Meteorologia Italiana*, Part I.
- DE MARCHI, L. 1886: "Sulla costanza della rotazione totale in un sistema di venti". In: *Annali della Meteorologia Italiana*.
- FIOCCO, G., G.W. GRAMS, 1964: Observation of the aerosol layer at 20 km by optical radar, *z*, 21, 322.
- KHRGIAN, Kh., 1970: *Meteorology. A historical survey*. Gerusalemme, Israel Program for Scientific Translation.
- MANGIANTI, F., M.C. BELTRANO, 1991: *Il Collegio Romano, 100 anni di osservazioni meteorologiche*. Ministero dell'Agricoltura e delle Foreste.
- MANGIANTI, F., M.C. BELTRANO, 1991: *La neve a Roma dal 1741 al 1990*. Ministero dell'Agricoltura e delle Foreste.
- MELONI D., G. R. CASALE, A.M. SIANI, S. PALMIERI, F. CAPPELLANI, 2000: UV dose patterns in Italy. *Photochem. Photobiol.*, 71, 681-690.
- OBASI, G.O.P., 1997: *Statement at the International expert meeting on the participation of women in meteorology and hydrology*. Bangkok, Thailand.
- PACCAGNELLA, T., P. PATRUNO P. and C. CACCIAMANI, 1994: Operational quantitative precipitation forecasting at the regional meteorological service of Emilia Romagna region (northern Italy): the flood event in Piedmont occurred on November 1994. *Proc. Atmospheric physics and dynamics in the analysis and prognosis of precipitation fields*. Rome, 15-18 November, 294-307.
- PALMIERI, S., Il '900: la simulazione numerica della dinamica dell'atmosfera. In: *Il Mistero del tempo e del clima*, 118-126, Cuen Editori, 2000.
- PALMIERI, S., C. Finizio, 1972: A numerical model of the Adriatic sea for the prediction of high tides at Venice, *Quarterly Journal of the Royal Meteor. Society*, XCVIII, 415.
- PALMIERI, S., A.M. SIANI, A. D'AGOSTINO: Climate fluctuations and trends in Italy within the last hundred years. *Ann. Geophysicae*, 9, 769-776, 1991.
- PIGATTO, L., 2000: Giuseppe Toaldo: profilo bibliografico. *Proc. Giuseppe Toaldo e il suo tempo*, 5-105.
- SIANI, A.M., F. MANGIANTI, 1997: *Women in meteorology, hydrology and related fields: the case of Italy*. International expert meeting on the participation of women in meteorology and hydrology", Bangkok, Thailand.
- SPERANZA, A., A. BUZZI, A. TREVISAN and P. MALGUZZI, 1985: A theory of deep cyclogenesis in the lee of the Alps: modifications of baroclinic instability by localized topography. *J. Atmos. Sci.* 42, 1521-1535.
- TREVISAN, A., 1976: Numerical experiments on the influence of orography on cyclone formation with an isentropic primitive equation model. *J. Atmos. Sci.*, 33, 768-780.
- VERCELLI, F., 1918: Presagi meteorici in rapporto alle operazioni di guerra. In: *Tipografia della III Armata*.
- VERCELLI, F., 1928: Nuovi esperimenti di previsioni meteorologiche. In: *Arti Grafiche*.
- World Meteorological Organization, 1997: Report on the participation of women in the fields of meteorology, operational hydrology and related geophysical sciences (<http://www.wmo.ch/web/wmoh/women.pdf>).

Second JCOMM Workshop on Advances in Marine Climatology (CLIMAR-II)

By D. PARKER¹, E. KENT², S. WOODRUFF³, D. DEHENAUX⁴, D.E. HARRISON⁵, T. MANABE⁶, M. MIETUS⁷, V. SWAIL⁸, S. WORLEY⁹

Background

The Second Joint WMO/IOC Technical Commission for Oceanography and Marine Meteorology (JCOMM) Workshop on Advances in Marine Climatology (CLI-

MAR-II) was held in Brussels, Belgium, on 17-22 November 2003 with more than 80 people from 20 WMO Member countries attending. CLIMAR-II was organized jointly by JCOMM and the Royal Meteorological Institute of Belgium, and sponsored by the

1 Met Office, United Kingdom

2 Southampton Oceanography Centre, United Kingdom

3 National Oceanic and Atmospheric Administration (NOAA) Climate Diagnostics Center, USA

4 Royal Meteorological Institute of Belgium

5 NOAA Pacific Marine Environmental Laboratory, USA

6 WMO Secretariat

7 Institute of Meteorology and Water Management, Poland

8 Environment Canada

9 National Center for Atmospheric Research, USA




Figure 1 — Abstract log of the US Frigate Constitution, 1854-1855 (Naval Observatory Volume No. 345; Deutscher Wetterdienst Registration No. 8148 (reprinted from Braun, 2000))

Belgian Federal Science Policy Office, Environment Canada, the Japan Meteorological Agency and the US National Oceanic and Atmospheric Administration.

Proceedings

CLIMAR-II was divided into three main sessions on cross-cutting issues; sea-level pressure (SLP), wind and waves; and marine temperatures and sea ice. Estimation of uncertainty was a common theme in all the sessions. Many of the presentations were based on the International Comprehensive Ocean-Atmosphere Data Set (ICOADS) (initially named I-COADS but now renamed as ICOADS to ease citation and Web paging). ICOADS incorporates the Met Office's Marine Data Bank and millions of newly digitized logbook records, with careful elimination of duplicates (Diaz et al., 2002).

Comparison with the recommendations of the Workshop on Advances in the Use of Historical Marine Climate Data (Boulder, USA, January/February 2002) (Diaz et al., 2002) revealed that good progress had been made in many areas: data coverage; understanding and reducing biases; specification of uncertainties; quality-control (QC) techniques; availability of additional land-station sea-level pressure (SLP) data; and development of

techniques for reanalysis of atmospheric circulation in the pre-radiosonde era.

Other areas where some progress had been achieved were: the approval by the WMO Executive Council of a format for metadata from Ocean Data Acquisition Systems (ODAS) including buoys; analysis of diurnal cycles in sea-surface temperatures (SST) using geostationary satellite data; availability of satellite-based temperatures for inland seas and large lakes; research to improve the specification of SST in marginal ice zones; assembly of the first version of a blended sea-ice dataset for the Arctic for 1950-1998 by the JCOMM Expert Team on Sea Ice; improvement of cloud-clearing techniques for satellite-based SST; and assessment of biases in the Maury SLP data.

There had also been a substantial international effort to prepare recommendations for enhancements to GCOS (GCOS, 2003).

Much, however, remains to be done: millions of marine observations remain to be located and digitized from logbooks (e.g. Figure 1), and millions that are already digitized remain to be blended into ICOADS; the biases in marine temperatures around 1939-1945 are still poorly understood. Daytime marine air temperature (MAT) data need to be made useable (application of the GCOS Climate Monitoring Principles (Appendix 2 of GCOS, 2003)); assessments of uncertainties and assessment techniques need to be improved; target accuracies need to be identified; large areas at and below the ocean surface remain unobserved. All these recommendations are applications of the GCOS Climate Monitoring Principles (Appendix 2 of GCOS, 2003).

Certain Boulder recommendations, such as creation of sub-monthly analyses of SST and sea ice, and adjustment of historical wind-speed data, are still at an early stage. CLIMAR-II supported the need for sub-monthly (pentad) analyses. Pentad SST analyses based on satellite data (e.g. Reynolds et al., 2002) are valuable but require in situ data for validation and often for calibration also. Adjustment of historical wind speeds is par-




Figure 2 (from left to right) — US steam frigate Mississippi, in the Gulf of Mexico, March 1847 (Library of Congress, Prints & Photographs Division [reproduction number LC-USZC2-3129] (originally published by N. Currier, New York, 1848)); Florida peninsula, January 1985 (NASA Space Shuttle Earth Observations Photography database [photo STS51C-44-0026]); Tropical Ocean Atmosphere (TAO) buoy and anemometers on NOAA ship Ka'imimoana (Photo by Jason Poe, courtesy of TAO Project Office)

ticularly difficult without metadata. Some useful work has been done for the post-World War II period (e.g. Ward and Hoskins, 1996), which showed that the problems in the raw data are indeed serious, but this needs extending throughout the ICOADS period. QC techniques for all parameters need to be fully and consistently documented; if possible, QC methods used throughout ICOADS should be homogeneous.

There were seen to be shortcomings in the access to ICOADS data. There are many, overlapping sources of data and products, and the problem of optimising data provision is complex. Many users are working with outdated versions of COADS. Often data are available, but it is difficult for the uninitiated to discover what is there. There should be a Web-based "route map" to the best available data which should be widely advertised to all the various user communities.

Recommendations by CLIMAR-II

Various recommendations were made in the areas of climate monitoring, metadata, homogenization and data availability. Ideally, all the recommendations (except that for holding CLIMAR-III) should be implemented within two years. The consolidated Boulder and CLIMAR-II recommendations are available at

<http://www.cdc.noaa.gov/coads/climar2/recs.html>. The need to improve GCOS, and to adhere to the GCOS Climate Monitoring Principles is implicit, bearing in mind that any distinction between "operational" and "climate" observations is artificial. The recommendations should be implemented in collaboration with the various GCOS Panels and/or JCOMM.

Conclusions

Presentations made at CLIMAR-II will be incorporated into a JCOMM Technical Report (JCOMM,

2004) and a selection of papers will be published in a special issue of the International Journal of Climatology, which will form an update of the Dynamic Part of the WMO Guide to the Applications of Marine Climatology (WMO-No. 781). CLIMAR-II will thus provide guidance and technical support to National Meteorological Services in their acquisition, processing, analysis and application of marine meteorological data.

Acknowledgements

We are grateful to the Royal Meteorological Institute of Belgium for hosting this important event. We thank Chris Folland and Dick Reynolds for useful comments on this paper.

References

- BRAUN, D.S., 2000: Scientific vision, a passion for observation, and the impetus for change: Germany loans Maury logs to the National Climatic Data Center. *Earth System Monitor*, 11, No. 1, 4-7.
- DIAZ, H., C. FOLLAND, T. MANABE, D. PARKER, R. REYNOLDS and S. WOODRUFF, 2002: Workshop on Advances in the Use of Historical Marine Climate Data, *WMO Bulletin* 51 (4), 377-380.
- GCOS (WMO/IOC/UNEP/ICSU), 2003: The Second Report on the Adequacy of the Global Observing Systems for Climate in Support of the UNFCCC, GCOS-82, WMO/TD No. 1143. [Available from: <http://www.wmo.int/web/gcos/gcoshome.html>.]
- JCOMM, 2004: *Proceedings of CLIMAR-II*. JCOMM Technical Report No.22. WMO/TD No. 1199, on CD-ROM.
- REYNOLDS, R.W., N.A. RAYNER, T.M. SMITH, D.C. STOKES and W. WANG, 2002: An Improved In Situ and Satellite SST Analysis for Climate. *J. Climate*, 15, 1609-1625.
- WARD, M.N. and B.J. HOSKINS, 1996: Near-surface wind over the global ocean 1949-1988. *J. Climate*, 9, 1877-1895.

WMO programme news

WORLD WEATHER WATCH PROGRAMME

GLOBAL DATA-PROCESSING AND FORECASTING SYSTEM (GDPFS)

RA II/V Training Seminar on Interpretation of GDPFS Products

A Regional Training Seminar on Interpretation of GDPFS products was held in Brunei Darussalam from

8 to 13 December 2003 for 22 participants from 11 RA II and five RA V countries. The status of the Global Data-processing and Forecasting System was presented and a description of the steps that NMCs have to undertake to develop useful local NWP models. The various statistical interpretation and verification techniques were explained with the different scores, especially those used to verify the probabilistic forecasts. The technique of ensemble predictions systems (EPS) and their use for medium-range forecasting was