

# RRS CHALLENGER CRUISE 12/83

**27 AUGUST - 12 SEPTEMBER 1983** 

MOORING DEPLOYMENTS
AND ASSOCIATED STUDIES IN THE
FAEROE-SHETLAND CHANNEL

CRUISE REPORT NO. 154 1983

INSTITUTE OF OCEANOGRAPHIC SCIENCES

# INSTITUTE OF OCEANOGRAPHIC SCIENCES

Wormley, Godalming, Surrey, GU8 5UB. (0428 - 79 - 4141)

(Director: Dr. A.S. Laughton FRS)

Bidston Observatory, Birkenhead, Merseyside, L43 7RA. (051 - 653 - 8633)

(Assistant Director: Dr. D.E. Cartwright)

Crossway, Taunton, Somerset, TA1 2DW. (0823 - 86211)

(Assistant Director: M.J. Tucker)

When citing this document in a bibliography the reference should be given as

GOULD, W.J. et al 1983 RRS Challenger Cruise 12/83: 27 August - 12 September 1983. Mooring deployments and associated studies in the Faeroe-Shetland Channel. Institute of Oceanographic Sciences, Cruise Report, No. 154, 15pp.

# INSTITUTE OF OCEANOGRAPHIC SCIENCES

# WORMLEY

RRS CHALLENGER
Cruise 12/83
27 August - 12 September 1983

Mooring deployments and associated studies in the Faeroe-Shetland Channel

Principal Scientist
W.J. Gould

CRUISE REPORT NO. 154 1983

	partians we s	

# CONTENTS

	Page			
Cruise objectives	4			
Scientific Personnel				
Acknowledgements	4			
Narrative	5			
IOS Bidston	5			
IOS Wormley	6			
Individual Project Reports	8			
Mooring Operations	8			
CTD Operations	9			
Coring	10			
Dragging Operations	10			
Navigation & echo sounding	10			
Table 1: Mooring laid Faeroe Shetland Channel	12			
Table 2: CTD stations	13			
Track chart	14			
Bathymetry and mooring positions	15			

# Cruise Objectives

- (1) To deploy two test moorings off Tiree for IOS Bidston.
- (2) To deploy a pressure recorder in the Rockall Trough
- (3) To attempt recovery of moorings lost during the winter 1982/3 CONSLEX experiment.
- (4) To deploy a line of six subsurface current meter moorings in the Faeroe-Shetland Channel.
- (5) To occupy CTD stations in the Faeroe-Shetland Channel.
- (6) To obtain gravity cores in association with (4) and (5).

#### Scientific Personnel

- A.J. Harrison IOS Bidston Left in Stornoway 31-VIII-83
- D.L. Leighton " " " " " "
- W.J. Gould (Pri.Sci) IOS Wormley Joined in "
- J.W. Cherriman " " " " " "
- A.N. Cutler
- J. Loynes
- M. Sawkins
- I. Waddington

#### Acknowledgements

The willing help and cooperation of the Master (J.J. Moran) his officers and crew is greatly appreciated and contributed to the success of the cruise despite the poor weather. The fishing skipper F. Dunning was of great help in planning and deploying the dragging rig and it is unfortunate that the weather did not allow the technique to be fully evaluated.

# Narrative IOS Bidston

RRS Challenger sailed from Dunstaffnage at 1500z on Saturday August 17th 1983 en route to Stations  $T_1$  and  $T_2$  off the northwest coast of Tiree. The PES fish was deployed at 0435z the following morning and the ship then approached  $T_1$  to start deployment of a moored meteorological buoy in 50m of water at 0500z. The deployment was completed in only 15 minutes. Deployment of an experimental mooring at  $T_2$ , within half a mile of  $T_1$  started at 0605z and was completed by 0629z at which time the ship left the area and proceeded towards Station N at the continental shelf edge.

During this passage acoustic testing was carried out on an acoustic transponder floating 10m below the surface in 130m of water off Barra Head. A freely floating buoyancy unit with a release pinger attached and the transponder suspended 10m below was launched at 1210z, the ship then steamed away using the PES 8 element fish and Mufax to receive the signals. They were heard out to a maximum range of 1.1nm. The tests were completed by 1430z when the equipment was recovered and the ship resumed course towards station N.

The position was reached at 2230z/28th and a CTD cast to 1900m occupied followed by wire tests of three sets of acoustic releases. The wire tests were successfuly completed by 0630z/29th. A pressure recorder was then deployed at 0654z and after it had reached the sea bed (in 2019m of water) range tests were carried out on the transponder fitted to the pressure gauge. The vessel left Stn. N at 0809z and headed towards SMBA stn. A3.

The acoustic release of the mooring lost at A3 was located at 0955z and after position fixing an attempt to drag for the mooring using a single wire and Gifford graphels was started at 1100z. After  $1^{3/4}$  hrs the attempt at recovery was abandoned due to deteriorating weather and the ship proceeded to the shelter of St. Kilda.

Mark the second of the second

At 0615z/30th the ship left St. Kilda for Stn. Bl but on arrival it was clear that no attempt to recover the lost mooring at that site could be made due to the poor weather and with little prospect of improvement in the next 24 hrs the ship headed for Stornoway to transfer scientific personnel.

# IOS Wormley

After transfer of scientists by boat the Challenger sailed from Stornoway at 1700z/31st on passage towards the launch position of a line of six subsurface current meter moorings across the continental slope west of Shetland. Passage continued during September 1st with preparations being made for the mooring deployments. An echo sounding survey of the area around the proposed mooring sites was started at 1500z/lst, at the deepest part of the survey the ship hove to (in 1100m) between 1830 and 2100z to do wire tests of the remaining acoustic releases for the moorings. Two tests were made, each of two units, to complete the six releases required. The echo sounding runs continued until 0630z/2nd when deployment of the first mooring shallowest, in 400m of water) was commenced. Mooring deployments continued throughout the day (details are given in the notes on mooring operations) the last (deepest) mooring being completed by 1900z. In light of the poor weather forecast the ship ran for the shelter of St. Magnus Bay on the west coast of Shetland. During the following day Sept. 3rd the dragging rig using trawl doors was prepared and tested and an experimental CTD station worked to test the degree of interference of a 10kHz pinger with the Bissett Berman 9040 CTD unit.

The vessel sailed from St. Magnus Bay at 0400z/4th in northwest F 6-7 winds and arrived at the site of mooring F2 (a mooring lost during the winter of 1982-3) at 1230z. The acoustic release beacon was eventually turned on and two drags across its position made using a length of chain and

graphels towed between two trawl doors. The mooring line was not retrieved but a considerable length of long line was caught on each of the two attempts. The work was suspended at 2230z and the ship remained hove to overnight.

A third dragging attempt started at 0530z/5th but in increasing crosswinds and seas the ship had insufficient power to keep the trawl open and the dragging rig was recovered at 1000z in a very tangled state. operations were abandoned and a start made on a cross-slope section of CTD stations starting on the continental shelf and spaced at 7 mile intervals. The CTDs were started at 1300Z in a W-NW F7 wind. During the section 90m of the CTD wire had to be cut off owing to its generally poor and rusty state which had resulted in strands breaking. After the 8th station of the section at 0700z weather conditions had deteriorated to a point where continuation of the section proved impossible and course was set towards shelter on the east side of the Shetlands. The ship ran before heavy seas and a NW F8-9 wind rounding Muckle Flugga at 1600z/6th. vessel anchored on the south side of Fetlar at 1900z. Ву 2200z the wind had abated to 25 kts.

On the morning of September 7th the wind was still strong from the NW but passage was made through the Yell Sound past Sullom Voe between 0800 and 1200z. Despite heavy swells that had closed the oil terminal, course was set towards the northernmost of the moorings laid on this cruise with the intention of fixing the mooring positions and working CTD stations near to them. The prospect of only a brief lull in the weather precluded working the section across to the Faeroes side of the Channel. mooring was reached at 2030z, its position fixed and a CTD station worked lnm to the NE of the mooring. A core was also taken at that site. Throughout the night and the forenoon of September 8th moorings were fixed, CTD stations worked and occasional cores taken. The line of CTD stations ended on the shelf edge by 1215z/8th and in view of a

forecast of easterly gales the vessel proceeded to St. Magnus Bay for shelter.

During the evening of 8th the automatic steering gear failed and hand steering had to be used for the remainder of the cruise. Ву 0830z/9th the weather had abated sufficiently to allow passage to be made towards the site  ${\tt E2}$ of a lost mooring. This was found and its position confirmed at 1900z/9th. Weather prospects were poor and precluded any dragging operations on the following day and so two lines of CTD stations were worked, northwestwards through E2 and then southwards on  $6^{\circ}\,\mathrm{W}$ . These stations were accomplished despite strong to gale force northerly winds. The final station was completed by 1830z/10th and in view of the now heavy swell and marginal working conditions course was set for the Minch for shelter.

Passage southwards continued throughout the remainder of the 10th and 11th towards the moorings set near Tiree at the start of the cruise. These were recovered in fresh winds in the early evening of the 12th and the vessel then proceeded towards Coan. After anchoring overnight the ship berthed on the North pier at 0600z/12th, equipment was offloaded and the vessel proceeded to Dunstaffnage.

#### INDIVIDUAL PROJECT REPORTS

# Mooring operations

Six moorings were deployed on a cross-slope section between 400 and 1100m. The moorings were deployed buoy first using the ship's auxiliary winches. Buoyancy for each was provided by a 4' dia steel sphere giving a lift of 700kg. Wire was 6mm dia. polyurethane jacketed produced by British Ropes Ltd. and with swaged steel terminations. All stainless steel/titanium/galvanised steel junctions were insulated with polythene bushes.

Acoustic releases were of IOS 200 series manufacture and employed titanium hardware. Current meters were

Aanderaa RCM 5 units with pressure transducers on the uppermost instrument of each mooring.

Navigation was by Decca North Scottish 6C main chain crossed with LORAN C (SL3006 Rate W) line. Accepted positions of each mooring are those of the closest approach to the acoustic release beacon on 7th and 8th September.

#### CTD Operations

CTD stations were worked using the Bidston 9040 CTD sea unit. Data for temperature, pressure and conductivity were recorded at 1 second intervals on a RAPCO data logger together with Decca coordinates during the station. The data were also plotted in real time on a Leeds and Northrup recorder.

The first CTD station (on leg 1) was worked using a 10 kHz pinger clamped to the wire immediately above the CTD but this resulted in severe spikes appearing in the data. During the time spent hove to in St. Magnus Bay another trial station was worked with the pinger hung 5m below the CTD. No spikes were seen and for all the subsequent stations this configuration was used.

Calibration data were via an NIO bottle clamped 1m above the CTD and triggered by messenger.

The stations were worked generally without difficulty despite the often severe weather. However the condition of the CTD wire was very poor. The winch driver and scientist working at the ship's side were deluged with a stream of sea water and rust. More seriously on two occasions strands in the wire broke and trapped the descending messenger. Eventually a total of 600m of wire were cut off and dumped. The remaining wire, while slightly less rusty was badly kinked (from being laid on the sea bed?) The new metering system is a great improvement on the old one.

The positions of the CTD stations worked are given in table 2.

#### Coring

Three cores were obtained using a 1m gravity cover. These were at the positions of CTD stations 10, 12 and 13. The first two were successful in obtaining a good length of core but the third achieved only partial penetration. Subsequent attempts to obtain cores on the upper slopes of the transect through the mooring positions were unsuccessful due to either hitting rocks on the sea bed or to the bottom being composed of sand and shingle which washed out of the corer.

#### Dragging Operations

It was planned to drag for the remains of two moorings E2 and F2 each in 500m of water. Both were lying on the sea bed when recovery was attempted in March 1983. Both acoustic beacons were relocated on this cruise. Three attempts were made to recover F2 using a chain and grapnels spread between trawl doors. On the first two attempts large pieces of long line were recovered. (Were these the cause of the mooring losing its buoyancy?). On the final attempt no long line was recovered and the dragging rig was badly tangled, perhaps due to having to trawl cross winch in heavy seas.

No opportunity was afforded to drag for E2 due to the continuing poor weather. Challenger does not have the power to tow such a dragging rig in anything but the lightest airs and thus, unfortunately, the recovery attempts were unsuccessful.

#### Navigation and echo sounding

The echo sounder was run on all passage legs off the Continental Shelf. Good results were obtained but in some of the worst weather the data were significantly affected by aeration and changes in the attitude of the fish.

Navigation was in general by means of Decca 6C or OE chain crossed with the Norwegian LORAN C lines supported by

satellite navigation.

The provision of a data logger and line printer (based on a microcomputer) would greatly reduce the work load of the deck officers in noting positions.

The second secon

Table 1

MOORINGS LAID FAEROE SHETLAND CHANNEL

IOS Mooring No	Designation	Lat	Long	Water depth	Date/time in place	Instruments depths
361	F	61° 01'.1N	03 <sup>©</sup> 29'.5W	1103	1829z 2-IX-83	Aa 6222 98m Aa 3630 399m
						Aa 6221 700m Aa 6224 1051m
360	s	60° 56'.9N	03 <sup>0</sup> 21'.4W	899	1557 <b>z</b> 1-IX-83	Aa 469 93m Aa 3728 294m Aa 2452 595m Aa 1078 847m
359	C	60° 53'.3N	03 <sup>o</sup> 16'.3W	697	1333z 2-IX-83	Aa28092mAa421294mAa1260496mAa1259645m
358	Н	60° 50'.4N	03° 12'.5W	605	1118z 2-IX-83	Aa 2107 101m Aa 3727 353m TC 354-554m Aa 3726 554m
357	A	60° 46'.4N	03° 07'.2W	502	0907z 2-IX-83	Aa 3725 99m Aa 156 300m Aa 155 451m
356	N	60° 43'.2N	03° 03'.4W	398	0738z 2-IX-83	Aa 3622 94m Aa 420 195m Aa 1622 347m

Table 2

# CTD STATIONS

Station	Date 1983		Time z		at. N	L	ong. W	Max wire out m		Ht.off bottom m
CTD 1 CTD 2 CTD 3 CTD 4 CTD 5 CTD 6 CTD 7 CTD 8	28-V: 5- 5- 5- 5- 5- 5- 6-	IX IX IX IX IX	2342-0055/29 1206-1222 1357-1416 1552-1625 1803-1835 2012-2058 2221-2315 0226-0322	61 61 61 61 61 61	08.5 13.7 19.5 24.3 30.0 33.6 38.4	01 01 01 02 02 02	29.7 39.1 47.9 56.8 06.3 17.4 26.5	33.22(P)F533 164 319 558 746 1178 1389 1524	1961 178 330 569 765 1206 1400 1527	70 5 12 12 15 19
CTD 9  CTD 10+ CTD 11 CTD 12+ CTD 13+ CTD 14 CTD 15 CTD 16 CTD 17  CTD 18 CTD 19	6- 7- 8- 8- 8- 8- 8- 8- 9- 9-	IX IX IX IX IX IX IX IX	0541-0639 2221-2310 0042-0115 0229-0258 0502-0527 0723-0750 0845-0904 1030-1045 1156-1209 2055-2108 2159-2212	61 60 60 60 60 60	44.1 03.5 58.1 54.4 51.7 47.3 44.0 40.0 35.4	03 03 03 03 03 03 02 02	35.3 25.0 19.3 14.5 10.8 04.8 01.4 55.7 50.5	1570 1127 929 725 618 475 383 224 166	1578 1108 848 703 620 485 394 234 177	15-20 0 10 7 10 11 5 10 7
CTD 19 CTD 20  CTD 21 CTD 22 CTD 23 CTD 24 CTD 25 CTD 26 CTD 27 CTD 28 CTD 29 CTD 30 CTD 31	9- 10- 10- 10- 10- 10- 10- 10- 10- 10-	IX I	2159-2212 2309-2330 0027-0046 0146-0217 0317-0349 0456-0529 0927-0949 1044-1126 1218-1258 1345-1423 1558-1624 1708-1724 1807-1822	60 60 60 60 60 60 60 59	08.7 12.2 15.8 19.0 22.7 26.0 19.3 13.4 08.5 03.4 50.8 45.3 40.6	04 04 04 04 06 05 05 05 05	21.5 28.1 35.0 45.9 50.2 58.5 00.0 58.0 58.0 58.4 57.3 58.0 59.1	170 405 597 812 1007 971 571 966 1163 1080 465 301 205	182 406 600 820 961 956 573 947 1166 1092 487 320 217	2 9 7 7 10 12 5 7 5 17 16 8

Footnote: +CORE



