Appendix: Additional References

[1] T. Abram and S. Ion. Generation-iv nuclear power: A review of the state of the science. *Energy Policy*, 36(12):4323 – 4330, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[2] D. Adams. Mapping out the regulatory environment and its interaction with land and property markets. *Energy Policy*, 36(12):4570 – 4574, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[3] O. Amft, R. Medland, M. Foth, P. Petkov, J. Abreu, F. C. Pereira, P. Johnson, R. Brewer, J. Pierce, and E. Paulos. Smart energy systems. *IEEE Pervasive Computing*, 10:63–65, 2011.

[4] A. Arulampalam, M. Barnes, N. Jenkins, and J. Ekanayake. Power quality and stability improvement of a wind farm using statcom supported with hybrid battery energy storage. *Generation, Transmission and Distribution, IEE Proc.-*, 153(6):701 –710, 2006.

[5] S. Ashok and R. Banerjee. An optimization model for industrial load management. *Power Engineering Review, IEEE*, 21(10):63, 2001.

[6] ASHRAE. Standard 55-2004: Thermal environmental conditions for human occupancy, issn 1041-22336, 2010.

[7] D. M. Bagnall and M. Boreland. Photovoltaic technologies. *Energy Policy*, 36(12):4390 – 4396, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[8] J. Baker. New technology and possible advances in energy storage. *Energy Policy*, 36(12):4368 – 4373, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[9] R. Baos, F. Manzano-Agugliaro, F. Montoya, C. Gil, A. Alcayde, and J. Gmez. Optimization methods applied to renewable and sustainable energy: A review. *Renewable and Sustainable Energy Reviews*, 15(4):1753 – 1766, 2011.

[10] M. Barrett, R. Lowe, T. Oreszczyn, and P. Steadman. How to support growth with less energy. *Energy Policy*, 36(12):4592 – 4599, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[11] G. N. Bathurst and G. Strbac. Value of combining energy storage and wind in short-term energy and balancing markets. *Electric Power Systems Research*, 67(1):1–8, 2003.

[12] J. Beddington. Managing energy in the built environment: Rethinking the system. *Energy Policy*, 36(12):4299 – 4300, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[13] A. W. Berger and F. C. Schweppe. Real time pricing to assist in load frequency control. *Power Engineering Review, IEEE*, 9(8):38 – 38, 1989.

[14] F. Bouffard and D. S. Kirschen. Centralised and distributed electricity systems. *Energy Policy*, 36(12):4504 – 4508, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[15] S. Brown, D. Pyke, and P. Steenhof. Electric vehicles: The role and importance of standards in an emerging market. *Energy Policy*, 38(7):3797 – 3806, 2010. Large-scale wind power in electricity markets with Regular Papers.

[16] J. Burgess and M. Nye. Re-materialising energy use through transparent monitoring systems. *Energy Policy*, 36(12):4454 – 4459, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[17] A. Burgio, D. Menniti, A. Pinnarelli, and N. Sorrentino. Reliability studies of a PV-WG hybrid system in presence of multi-micro storage systems, 2009.

[18] J. Cao and A. Emadi. A new battery/ultra-capacitor hybrid energy storage system for electric, hybrid and plug-in hybrid electric vehicles, 2009.

[19] M. Caramanis, R. Bohn, and F. Schweppe. Optimal spot pricing: Practice and theory. *IEEE Transactions on Power Apparatus and Systems*, PAS-101(9):3234 – 3245, 1982.

[20] E. Carayannis, A. Preston, and S. Awerbuch. Technological learning, architectural innovations, and the virtual utility concept, 1996.

[21] S. Chan and F. Schweppe. A generation reallocation and load shedding algorithm. *IEEE Transactions on Power Apparatus and Systems*, PAS-98(1):26 – 34, 1979.

[22] J. A. Clarke, C. M. Johnstone, N. J. Kelly, P. A. Strachan, and P. Tuohy. The role of built environment energy efficiency in a sustainable uk energy economy. *Energy Policy*, 36(12):4605 – 4609, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[23] K. Clement-Nyns, E. Haesen, and J. Driesen. The impact of charging plug-in hybrid electric vehicles on a residential distribution grid. *Power Systems, IEEE Transactions on*, 25(1):371 –380, 2010.

[24] J. Coaffee. Risk, resilience, and environmentally sustainable cities. *Energy Policy*, 36(12):4633 – 4638, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[25] J. Crawford and W. French. A low-carbon future: Spatial planning's role in enhancing technological innovation in the built environment. *Energy Policy*, 36(12):4575 – 4579, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[26] S. Darby. The effectiveness of feedback on energy consumption. Technical report, Environmental Change Institute, University of Oxford, 2006.

[27] B. Daryanian, R. Bohn, and R. Tabors. Optimal demand-side response to electricity spot prices for storage-type customers. *Power Engineering Review, IEEE*, 9(8):36 – 36, 1989.

[28] B. Daryanian, R. Bohn, and R. Tabors. An experiment in real time pricing for control of electric thermal storage systems. *Power Systems, IEEE Transactions on*, 6(4):1356 – 1365, 1991.

[29] M. Davies, P. Steadman, and T. Oreszczyn. Strategies for the modification of the urban climate and the consequent impact on building energy use. *Energy Policy*, 36(12):4548 – 4551, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[30] DECC. Digest of uk energy statistics. Technical report, Department of Energy and Climate Change (DECC), London, UK, 2009.

[31] DECC. Smarter grids: The opportunity. Technical report, UK Department of Energy and Climate Change, 2009.

[32] D. Driver. Making a material difference in energy. *Energy Policy*, 36(12):4302 – 4309, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[33] C. H. Dyer, G. P. Hammond, C. I. Jones, and R. C. McKenna. Enabling technologies for industrial energy demand management. *Energy Policy*, 36(12):4434 – 4443, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[34] P. Edwards, V. Kuznetsov, W. David, and N. Brandon. Hydrogen and fuel cells: Towards a sustainable energy future. *Energy Policy*, 36(12):4356 – 4362, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[35] P. Ekins and E. Lees. The impact of eu policies on energy use in and the evolution of the uk built environment. *Energy Policy*, 36(12):4580 – 4583, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[36] L. Exarchakos, M. Leach, and G. Exarchakos. Modelling electricity storage systems management under the influence of demand-side management programmes. *International Journal of Energy Research*, 33(1):62–76, 2009.

[37] D. Fisk. What are the risk-related barriers to, and opportunities for, innovation from a business perspective in the uk, in the context of energy management in the built environment? *Energy Policy*, 36(12):4615 – 4617, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[38] C. for Politiske Studier. Wind energy: The case of denmark. Technical report, Center for Politiske Studier, 2009.

[39] R. Galvin and K. Yeager. *Perfect Power: How the MicroGrid Revolution Will Unleash Cleaner, Greener, More Abundant Energy.* McGraw-Hill Professional, 2008.

[40] R. Garnett, M. A. Osborne, S. Reece, and S. J. Roberts. Sequential bayesian prediction in the presence of changepoints. *The Computer Journal*, 53(9):1430–1446, 2010.

[41] J. Gibbins and H. Chalmers. Carbon capture and storage. *Energy Policy*, 36(12):4317 – 4322, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[42] J. Glass, A. R. Dainty, and A. G. Gibb. New build: Materials, techniques, skills and innovation. *Energy Policy*, 36(12):4534 – 4538, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[43] C. Gomes. Computational sustainability: Computational methods for a sustainable environment, economy, and society. *The Bridge*, 39(4):5–13, 2009.

[44] I. Gordon. Density and the built environment. *Energy Policy*, 36(12):4652 – 4656, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[45] A. Gouldson. Understanding business decision making on the environment. *Energy Policy*, 36(12):4618 – 4620, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[46] C. Guille and G. Gross. A conceptual framework for the vehicle-to-grid (v2g) implementation. *Energy Policy*, 37(11):4379 – 4390, 2009.

[47] Y. Guo, R. Li, G. Poulton, and A. Zeman. A Simulator for Self-Adaptive Energy Demand Management, 2008.

[48] P. J. Hall. Energy storage: The route to liberation from the fossil fuel economy? *Energy Policy*, 36(12):4363 – 4367, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[49] P. J. Hall and E. J. Bain. Energy-storage technologies and electricity generation. *Energy Policy*, 36(12):4352 – 4355, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[50] V. Hamidi, F. Li, and F. Robinson. Demand response in the uk's domestic sector. *Electric Power Systems Research*, 79(12):1722 – 1726, 2009.

[51] D. Hammerstrom, R. Ambrosio, T. Carlon, J. DeSteese, G. Horst, R. Kajfasz, L. Kiesling, P. Michie, R. Pratt, M. Yao, et al. Pacific Northwest GridWiseô Testbed Demonstration Projects; Part I. Olympic Peninsula Project. Technical report, PNNL-17167, Pacific Northwest National Laboratory (PNNL), Richland, WA (US), 2008.

[52] D. Hammerstrom, J. Brous, D. Chassin, G. Horst, R. Kajfasz, P. Michie, T. Oliver, T. Carlon, C. Eustis, O. Jarvegren, et al. Pacific Northwest GridWise Testbed Demonstration Projects; Part II. Grid Friendlyô Appliance Project. Technical report, PNNL-17079, Pacific Northwest National Laboratory (PNNL), Richland, WA (US), 2007.

[53] N. Hartmann and E. zdemir. Impact of different utilization scenarios of electric vehicles on the german grid in 2030. *Journal of Power Sources*, 196(4):2311 – 2318, 2011.

[54] M. Hinnells. Combined heat and power in industry and buildings. *Energy Policy*, 36(12):4522 – 4526, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[55] M. Hinnells. Technologies to achieve demand reduction and microgeneration in buildings. *Energy Policy*, 36(12):4427 – 4433, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[56] B. F. Hobbs, J. Bushnell, and F. A. Wolak. Is load-based carbon trading less costly than source-based trading?, 2010.

[57] M. Houwing, R. R. Negenborn, P. W. Heijnen, B. D. Schutter, and H. Hellendoorn. Least-cost model predictive control of residential energy resources when applying μchp, 2007.

[58] C. Hutson, G. Venayagamoorthy, and K. Corzine. Intelligent scheduling of hybrid and electric vehicle storage capacity in a parking lot for profit maximization in grid power transactions, 2008.

[59] M. Ilic, J. Black, and J. Watz. Potential benefits of implementing load control, 2002.

[60] D. Infield, J. Short, C. Home, and L. Freris. Potential for domestic dynamic demand-side management in the uk, June 2007.

[61] S. Intille. A new research challenge: persuasive technology to motivate healthy aging. *Information Technology in Biomedicine, IEEE Transactions on*, 8(3):235 –237, 2004.

[62] T. Jamasb, W. J. Nuttall, and M. Pollitt. The case for a new energy research, development and promotion policy for the uk. *Energy Policy*, 36(12):4610 – 4614, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[63] T. Jamasb and M. Pollitt. Security of supply and regulation of energy networks. *Energy Policy*, 36(12):4584 – 4589, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[64] H. Jones. Superconductors in the transmission of electricity and networks. *Energy Policy*, 36(12):4342 – 4345, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[65] A. Keane, L. Ochoa, E. Vittal, C. Dent, and G. Harrison. Enhanced utilization of voltage control resources with distributed generation. *Power Systems, IEEE Transactions on*, 26(1):252 –260, 2011.

[66] J. Keirstead. What changes, if any, would increased levels of low-carbon decentralised energy have on the built environment? *Energy Policy*, 36(12):4518 – 4521, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[67] J. Kok, M. Scheepers, and I. Kamphuis. Intelligence in electricity networks for embedding renewables and distributed generation. *Intelligent Infrastructures*, pages 179–209, 2010.

[68] K. Kok and G. Venekamp. Market-based control in decentralized power systems, 2010.

[69] M. Korpaas, A. T. Holen, and R. Hildrum. Operation and sizing of energy storage for wind power plants in a market system. *International Journal of Electrical Power & Energy Systems*, 25(8):599–606, October 2003.

[70] H. Li and L. Tesfatsion. Development of open source software for power market research: The AMES test bed. *Journal of Energy Markets*, 2(2):111–128, 2009.

[71] D. L. Loveday, T. Bhamra, T. Tang, V. Haines, M. Holmes, and R. Green. The energy and monetary implications of the [']24/7' [']always on' society. *Energy Policy*, 36(12):4639 – 4645, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[72] Low Carbon. The UK low carbon transition plan: National strategy for climate and energy. Technical report, UK Dept. of E & CC, 2009.

[73] R. Lowe and T. Oreszczyn. Regulatory standards and barriers to improved performance for housing. *Energy Policy*, 36(12):4475 – 4481, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[74] Z. Lubosny and J. W. Bialek. Supervisory control of a wind farm. *IEEE Transactions on Power Systems*, 22(3):985 –994, 2007.

[75] Y. Makarov, D. Pengwei, M. C. W. Kintner-Meyer, J. Chunlian, and H. Illian. Optimal size of energy storage to accommodate high penetration of renewable resources in WECC system, 2010.

[76] A. Mazer. *Electric Power Planning for Regulated and Deregulated Markets.* Wiley-IEEE, 2007.

[77] S. McArthur, E. Davidson, V. Catterson, A. Dimeas, N. Hatziargyriou, F. Ponci, and T. Funabashi. Multi-agent systems for power engineering applications;part ii: Technologies, standards, and tools for building multi-agent systems. *Power Systems, IEEE Transactions on*, 22(4):1753 –1759, 2007.

[78] B. Mecrow and A. Jack. Efficiency trends in electric machines and drives. *Energy Policy*, 36(12):4336 – 4341, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[79] A. Middelberg, J. Zhang, and X. Xia. An optimal control model for load shifting - with application in the energy management of a colliery. *Applied Energy*, 86(7-8):1266 – 1273, 2009.

[80] M. Milligan, K. Porter, E. DeMeo, P. Denholm, H. Holttinen, B. Kirby, N. Miller, A. Mills, M. O'Malley, M. Schuerger, and L. Soder. Wind power myths debunked. *IEEE Power and Energy Magazine*, 7(6):89 –99, 2009.

[81] J. Minkel. The 2003 Northeast Blackout–Five Years Later. *Scientific American*, 13, 2008.

[82] J. Morales, A. J. Conejo, and J. Perez-Ruiz. Short-term trading for a wind power producer. *IEEE Transactions on Power Systems*, 25(1):554 –564, 2010.

[83] M. Mueller and R. Wallace. Enabling science and technology for marine renewable energy. *Energy Policy*, 36(12):4376 – 4382, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[84] R. Myerson. *Game Theory: Analysis of Conflict.* Harvard University Press, 1997.

[85] D. G. Ockwell. Energy and economic growth: Grounding our understanding in physical reality. *Energy Policy*, 36(12):4600 – 4604, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[86] U. D. of Energy. *Smart Grid System Report.* US Department of Energy, 2009.

[87] T. Oliver. Clean fossil-fuelled power generation. *Energy Policy*, 36(12):4310 – 4316, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[88] E. L. Olsen and Q. Y. Chen. Energy consumption and comfort analysis for different low-energy cooling systems in a mild climate. *Energy and Buildings*, 35(6):560 – 571, 2003.

[89] S. Owens and L. Driffill. How to change attitudes and behaviours in the context of energy. *Energy Policy*, 36(12):4412 – 4418, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[90] A. Pitts. Future proof construction–future building and systems design for energy and fuel flexibility. *Energy Policy*, 36(12):4539 – 4543, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[91] A. Power. Does demolition or refurbishment of old and inefficient homes help to increase our environmental, social and economic viability? *Energy Policy*, 36(12):4487 – 4501, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[92] A. C. Pratt. What are the factors that could influence the future of work with regard to energy systems and the built environment? *Energy Policy*, 36(12):4646 – 4651, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[93] D. Pudjianto, C. Ramsay, and G. Strbac. Virtual power plant and system integration of distributed energy resources. *Renewable Power Generation, IET*, 1(1):10 –16, 2007.

[94] C. E. Rasmussen and K. I. Williams. *Gaussian Processes for Machine Learning*. The MIT Press, 2006.

[95] J. Ravetz. State of the stock–what do we know about existing buildings and their future prospects? *Energy Policy*, 36(12):4462 – 4470, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[96] M. Rawi and A. Al-Anbuky. Passive house sensor networks: Human centric thermal comfort concept, 2009.

[97] S. Roberts. Altering existing buildings in the uk. *Energy Policy*, 36(12):4482 – 4486, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[98] S. Roberts. Demographics, energy and our homes. *Energy Policy*, 36(12):4630 – 4632, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[99] S. Roberts. Effects of climate change on the built environment. *Energy Policy*, 36(12):4552 – 4557, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[100] S. Roberts. Energy, equity and the future of the fuel poor. *Energy Policy*, 36(12):4471 – 4474, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[101] S. Roberts. Infrastructure challenges for the built environment. *Energy Policy*, 36(12):4563 – 4567, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[102] P. Rourke and F. Schweppe. Space conditioning load under spot or time of day pricing. *IEEE Transactions on Power Apparatus and Systems*, PAS-102(5):1294 – 1301, 1983.

[103] P. Scerri, D. Pynadath, and M. Tambe. Towards adjustable autonomy for the real world. *Journal of Artificial Intelligence Research*, 17(1):171–228, 2002.

[104] I. Schick, P. Usoro, M. Ruane, and F. Schweppe. Modeling and weather-normalization of whole-house metered data for residential end-use load shape estimation. *Power Systems, IEEE Transactions on*, 3(1):213 – 219, 1988.

[105] F. Schweppe, M. Caramanis, and R. Tabors. Evaluation of spot price based electricity rates. *IEEE Transactions on Power Apparatus and Systems*, PAS-104(7):1644 – 1655, 1985.

[106] F. Schweppe, R. Tabors, J. Kirtley, H. Outhred, F. Pickel, and A. Cox. Homeostatic utility control. *IEEE Transactions on Power Apparatus and Systems*, PAS-99(3):1151 – 1163, 1980.

[107] R. Shaw, M. Attree, T. Jackson, and M. Kay. The value of reducing distribution losses by domestic load-shifting: a network perspective. *Energy Policy*, 37(8):3159 – 3167, 2009.

[108] C. Smith and G. Levermore. Designing urban spaces and buildings to improve sustainability and quality of life in a warmer world. *Energy Policy*, 36(12):4558 – 4562, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[109] C. L. Smith and D. Ward. Fusion. *Energy Policy*, 36(12):4331 – 4334, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[110] K. Smith. Energy Demand Research Project - Fifth Progress Report. Technical report, OFGEM, UK, 2010.

[111] R. A. Smith. Enabling technologies for demand management: Transport. *Energy Policy*, 36(12):4444 – 4448, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[112] B. K. Sovacool and R. F. Hirsh. Beyond batteries: An examination of the benefits and barriers to plug-in hybrid electric vehicles (phevs) and a vehicle-to-grid (v2g) transition. *Energy Policy*, 37(3):1095 – 1103, 2009.

[113] L. Steg. Promoting household energy conservation. *Energy Policy*, 36(12):4449 – 4453, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[114] N. Stern. *Stern Review on the Economics of Climate Change*. Cambridge, 2006.

[115] Y. Suhara, T. Nakabe, G. Mine, and H. Nishi. Distributed demand side management system for home energy management. In *IECON 2010-36th Annual Conference on IEEE Industrial Electronics Society*, pages 2430–2435. IEEE, 2010.

[116] J. Sun and L. Tesfatsion. DC optimal power flow formulation and solution using QuadProgJ. In ISU Economics Working Paper No. 06014, 2007.

[117] P. Tavner. Wind power as a clean-energy contributor. *Energy Policy*, 36(12):4397 – 4400, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[118] A. M. Taylor. Science review of internal combustion engines. *Energy Policy*, 36(12):4657 – 4667, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[119] G. Taylor. Bioenergy for heat and electricity in the uk: A research atlas and roadmap. *Energy Policy*, 36(12):4383 – 4389, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[120] G. Taylor. Biofuels and the biorefinery concept. *Energy Policy*, 36(12):4406 – 4409, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[121] J. Taylor, L. de Menezes, and P. McSharry. A comparison of univariate methods for forecasting electricity demand up to a day ahead. *International Journal of Forecasting*, 22:1–16, 2006.

[122] K. H. van Dam, M. Houwing, and I. Bouwmans. Agent-based control of distributed electricity generation with micro combined heat and power–cross-sectoral learning for process and infrastructure engineers. *Computers & Chemical Engineering*, 32(1-2):205 – 217, 2008.

[123] G. Walker. Decentralised systems and fuel poverty: Are there any links or risks? *Energy Policy*, 36(12):4514 – 4517, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[124] G. Walker. What are the barriers and incentives for community-owned means of energy production and use? *Energy Policy*, 36(12):4401 – 4405, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[125] I. C. Ward. What are the energy and power consumption patterns of different types of built environment? *Energy Policy*, 36(12):4622 – 4629, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[126] R. Weron. *Modelling and forecasting electricity loads and prices*. Wiley Finance, 2006.

[127] J. Williams and B. Wright. *Storage and Commodity Markets*. UIT, Cambridge, 1991.

[128] R. D. Williams and F. C. Schweppe. Peak-power-demand limitation through independent consumer coordination. *Systems, Man and Cybernetics, IEEE Transactions on*, 16(4):560 – 569, 1986.

[129] P. Wolfe. The implications of an increasingly decentralised energy system. *Energy Policy*, 36(12):4509 – 4513, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[130] B. Woodman and P. Baker. Regulatory frameworks for decentralised energy. *Energy Policy*, 36(12):4527 – 4531, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[131] A. Wright. What is the relationship between built form and energy use in dwellings? *Energy Policy*, 36(12):4544 – 4547, 2008. Foresight Sustainable Energy Management and the Built Environment Project.

[132] S. You, C. Traeholt, and B. Poulsen. Generic virtual power plants: Management of distributed energy resources under liberalized electricity market, 2009.

[133] T. Yu. Modeling occupancy behavior for energy efficiency and occupants comfort management in intelligent buildings, 2010.

[134] J. L. Zapico, D. Kjelkerud, H. Berggren, M. Turpeinen, and N. Brandt. Carbon.to: Improving the understanding of carbon dioxide information., 2010.