Science Ajar

"The opportunity of Open Science"



Great Expectations

Supporting Inter-, Multi- and Open-Collaborations

Jeremy Frey

Chemistry

Faculty of Natural and Environmental Science
University of Southampton

&

Champion of the Digital Economy IT as a Utility Network


06/07/2012

Talk Outline

- Discuss my experience in some of the research projects I have been involved with over the last 10 years
- Move to increasing openness especially with research data to facilitate collaborations
- How e-Science and related technology can help
- Social vs Technical Rewards!


Southampton


UltraFast Xray Group




Inter or Multi-disciplinary Research (*Is there a difference?*)

- CombeChem
 - Chemistry, Computer Science, Statistics
- Laser based ultrafast Soft X-Ray Imaging
 - Physics and Chemistry
- IT as a Utility
 - Digital Economy
 - Social &Technical Disciplines







Research Universities and the Future of America

National Academies Press

America is driven by innovation — advances in ideas, products, and processes that create new industries and jobs, contribute to our nation's health and security, and support a high standard of living. In the past half-century, innovation itself has been increasingly driven by educated people and the knowledge they produce. Our

nation's primary source of

continues to be our researc

However, these institutions streams and antiquated po universities abroad. It is ess unique partnership that ha government, the states, an industry. In doing so, we w jobs, increased incomes, ar This PDF is available from The National Academies Press at http://www.nap.edu/catalog.php?record_id=13433 An Interim Report on Assuring DoD a Strong Science, Technology, Engineering, and Mathematics (STEM) Workforce

100 A 100 A

Committee on Science, Technology, Engineering, and Mathematics Workforce Needs for the U.S. Department of Defense and the U.S. Defense Industrial Base; Board on Higher Education and Workforce;

Division on Policy and Global Affairs; Division on Engineering and Physical Sciences; National Academy of Engineering; National Research Council

ISBN 978-0-309-26004-6

22 pages 8.5 x 11 2012


06/07/2012

JISC CNI Conference



The academics media profile!

the 21st Century.



We are delighted that a renowned scientist of the standing of Lord Oxburgh has agreed to chair this very strong independent panel and await its findings JISC CNI CONFERENCES. Colleagues in CRU have committed themselves to providing any support required by the panel."

Have Your Sav

Country Profiles

Special Reports

Magazine

In Pictures

DOI: 10.1021/jo901699f © 2009 American Chemical Society



Reporting Analytical Data

The integrity of science as a discipline rests on the ability of scientists to reproduce the claims of others. For organic chemistry, this requires that experiments be described in sufficient detail so a well-trained colleague can repeat published procedures with similar results. While none of the organic chemistry journals go to the same lengths as Organic Syntheses, where each procedure must be reproduced as described in an independent laboratory before publication, most ask that authors provide sufficient detail so that the procedures can be reproduced and provide sufficient data to establish the structures of new compounds that are reported. This information is necessary for the review process and for readers who want to base their experiments on published work.

on the ability of scientists to reproduce the claims of others.

The integrity of science as a discipline rests

While none of the organic chemistry journals go to the same lengths as Organic bare each procedure must be a independent

establishing guid that the Methods are as important as the data examine manuscript.

cannot be done, the na manuscripts were deactivated because une

The Journal of Organic Ch

reports for high-resolution mass spectra or combustion analyses. By June of 2009, 15 of these manuscripts had been published in other journals. In six cases, the original data were replaced by a new set that was consistent with the structures. In the other seven publications, the inconsistent data were left unchanged, were removed, or were replaced with another set of inconsistent data or data obtained by another analytical technique was substituted. Four of the manuscripts were submitted to other journals within only a few days after being deactivated by JOC.


While the number of manuscripts that JOC deactivated in 2008 because of unsatisfactory data and were subsequently published elsewhere was small, it is deeply disturbing that about a third of those authors chose to ignore the problems pointed out by JOC and submitted their manuscripts to other journals without adequately resolving the issues surrounding the data they originally reported. All of these manuscripts were submitted from academic institutions. The responsibility for this behavior clearly rests on the senior authors, who are setting a horrible example for their young colleagues.

> C. Dale Poulter Editor-in-Chief

sufficient detail so that the procedures can be reproduced and provide sufficient data to establish the structures

....non,

This information is necessary for the review process to base their experiments on published work.




Is this really Open?

OPEN SCIENCE & OPEN DATA

ON BEING A SCIENTIST

A GUIDE TO RESPONSIBLE CONDUCT IN RESEARCH

T H I R D E D I T I O N




Faraday's laboratory notebooks are also remarkable in the amount of detail that they give about the design and setting up of experiments, interspersed with comments about their outcome and thoughts of a more philosophical kind. All are couched in plain language, with many vivid phrases of delightful spontaneity....

Peter Day, 'The Philosopher's Tree: A Selection of Michael Faraday's Writings'

06/07/2012

JISC CNI Conference



Adapted from: Awad & Ghaziri and Bellinger, Castro, & Mills

http://en.wikipedia.org/wiki/Bloom's_Taxonomy

OUTPUTS.....

Dissemination

- Methods and emphasis varies with discipline
 - Journal vs Conference
 - Pure vs Applied
 - Research vs Application
- Authorship & Acknowledgements
 - Who goes on the paper?
 - Who is mentioned in the press release?
 - Do you acknowledge the technician?

Validation

- Increasing the value of data
- How to bring all the necessary information together to enable appropriate validation
- Increasingly difficult & expensive to achieve
- Need provenance and context
- Essential step otherwise just a collection of items

Plans and Provenance: Laying the Foundations

How do we communicate?

- Surprisingly difficult to explain what a process involves
- Much of the detail is assumed to be understood and not explicitly discussed
- This is where the missunderstandings usually arise.




If you can't describe what you are doing as a process, you don't know what you're doing.

JISC CNI Conference W. Edwards Deming

Smart Tea Project

the Smart Tea Project



computer scientist.

"I can go anywhere and its, like, this is me and my data. Its all there, bang."

a real chemist, on using Smart Tea instead of a paper lab book.

The Smart Tea project involves researchers from various fields within Chemistry and Computer Science. On the computer science team The Smart Tea project involves researchers from various fields within Chemistry and Computer Science. On the computer science team alone, we have researchers in semantic web information systems, grid computing, intelligent agents, web services, and human computer interpretation. In order for all of us to gain a better understanding of the chemists' lab experiences, and of the experimental design and execution process in narricular, we made too as a chemistry experiment. The experiment was lead by team member Graham Cmith, a chemist a In order for all of us to gain a better understanding of the chemists' lab experiences, and of the experimental design and execution process in particular, we *made tea* as a chemistry experiment. The experiment was lead by team member Graham Smith, a chemist and computer scientist.

Smart Tea is Smart Tea is experimenta

Backgroun

When chemists those hypothe for combining

For all its tech recorded using 200 years: a b

The flexibility (an experiment shelf. The boo information sto for that matte completed: if t information is







Motivation



Part of the world wide eScience Semantic Grid effort is to get the data crafted by

individual scientists out of the lab and onto the Grid, where it can be accessed, Individual sciencists out of the lab and onto the unit, where it compared and processed within the global science community. To that end, the Smart Tea Project is focussing on the experimental process itself in

order to understand how the (usually hand written) information generated in the lab corpor to understand now the (usually mand written) information generated in the can be transformed into information accessible beyond the confines of a single experimental entry in a single paper-based lab book.

An Interesting History A Nice cup of Tea

Chemistry and Tea:

- George Orwell

Chemists seek perfect cup of tea - for Orwell

- London (Reuters)

Trouble in 1

How to make the perfect cup of tea (pdf download)

- The Royal Society of Chemistry provide the "definitive recipe for a cup of tea"

Institute.

or smouch)

pages,

sicists

gs for

With the evolution of the Semantic Grid and Pervasive Computing (information and computers everywhere), it is possible to change our thinking about information away from the lab book to the lab aather The ancient concept of aether was of an invisible medium, all around us. In our concept of a lab aether, the aether is the invisible medium hald an analysis of an invisible medium, all around us. In our concept of a lab aether, the aether is the invisible medium hald an analysis of an invisible medium, all around us. In our concept of a lab aether, the aether is the invisible medium and analysis of a lab aether, the aether is the invisible medium. The ancient concept of aether was of an invisible medium, all around us. In our concept of a lab aether, the aether is the invisible medium holding information being generated within the lab. As chemists build up an experiment, they release the data to the lab aether where it can be cantived reused and displayed in multiple contexts. from plan to publication


We can think in terms of such an aether now because of research developments like web services, intelligent agents and the semantic grid. We use affective information interaction design to support scientists both populate data into the aether and area it bank as We can think in terms of such an aether now because of research developments like web services, intelligent agents and the sema grid. We use effective information interaction design to support scientists both populate data into the aether and grab it back as **Quinion** for the explanation

JISC CNI Conference

on) of this document.

... michael


06/07/2012



06/07/2012

COSHH

Leverage off things we already have to do – "We have a cunning plan"












06/07/2012

JISC CNI Conference

PLAN is a key ingredient to efficient and safe working



Discussions – Is the tea room still the 'heart' of the department



Growing need for the global (virtual) equivalent of the "Tea Room"

Social Space? Space for Discussions? Time for discussions?

Smart Research Framework

My Lab Notebook ■

Introduction

Software Overview

Partners

Vision

SRF Software

LabTrove

mlc a2


The SRF project a shared virtual management.

Providing tools to meet the need reconsibility, co

rojects ental a



06/07/2012



Transformation of plasmid JRH4712/66 into BW25141 by electroporation 11th December 2006 @ 14:31


Transformations were set up according to the following protocol: LB Ampicillin arabinose plates and SOC medium were warmed to 37 °C briefly before the arabinose plates were spread with X-glu (80 µL, 1:1 X-glu and LB) and allowed to continue warming.

BW25141 cells, plasmid JRH4712/66, p042, and electroporator cuvettes were cooled on ice. Items were added to the cuvettes as follows

-	1	+ve ctrl	-ve ctrl
BW25141	40 µL	40 µL	40 µL
plasmid 4712/66	4 µL	0 μL	0 μL
p042	0 μL	4 μL	0 μL

Cuvettes were electroporated at 1.75 kV, immediately had SOC medium (950 uL) added and the transformant transferred to eppendorf. The transformants were incubated at 37 °C for one hour with shaking. The transformants were diluted 1 in 20 with LB and 100 µL added to LB amp arabinose plates and incubated at 37 °C overnight.

Data



Jennifer Hale | Beta-glucuronidase | Comments (3)

Archives January 2007 (24) December 2006 (11) November 2006 (5) Sections beta-galactosidase preparation and assays (18) Beta-glucuronidase (18) Data (Formatting) (1)

Software discussions (2)

Starting materials and reagents (1)

Lab Book Ref

JRH4712-63 (1) JRH4712-64 (2) JRH4712-66 (1)

Test digestions to check the activity of two batches of EcoRI and Ncol

22nd January 2007 @ 11:57

Lab Book Ref: irh4712-89 Sample Parent: irh4712-80_blue Sample Parent2: jrh4712-80_white Digestions were set up as follows:

Digestions were set up as ionows.											
-	1	2	3	4	5	6	7	8	9	10	11
4712/80 blue	8 µL	-	-	8	-	-	-	8 µL	-	-	-
4712/80 white	-	8 µL	-	-	8 µL	-	-	-	8 µL	-	-
p042	-	-	5 μL	-	-	5 μL	5 μL	-	-	5 μL	5 μL
water	7.5 μL	7.5 μL	10.5 μL	7.5 μL		10.5 μL	10 μL	7.5 μL	7.5 μL	10.5 μL	10 μL
EcoRI buffer	2 μL	2 μL	2 μL	-	-	-	2 μL	2 μL	2 μL	2 μL	2 μL
NEB buffer 4	-	-	-	2 µL	2 µL	2 μL	-	-	-	-	-
BSA	2 μL	2 μL	2 μL	2 μL	2 μL	2 μL	2 μL	2 μL	2 μL	2 μL	2 μL
<i>Eco</i> RI (a)	0.5 μL	0.5 μL	0.5 μL	-	-	-	0.5 μL	-	-	-	-
Ncol	-	-	-	0.5 μL	0.5 μL	0.5 μL	0.5 μL	-	-	-	0.5 μL
<i>Eco</i> RI (b)	-	-	-	-	-	-	-	0.5 μL	0.5 μL	0.5 μL	0.5 μL

EcoRI (a) assay date 2/05 EcoRI (b) assay date 7/05

Digestions were incubated in a waterbath at 37 °C for 3 hours.

Archives January 2007 (24) December 2006 (11) November 2006 (5) Sections beta-galactosidase preparation and assavs (18) Beta-glucuronidase (18) Data (Formatting) (1) Software discussions (2) Starting materials and reagents (1) Lab Book Ref JRH4712-63 (1) JRH4712-64 (2) JRH4712-66 (1)

jrh4712-74 (1) jrh4712-76 (1) jrh4712-76a (1)

Product

Mutagenesis of plasmid p042 via Taq and Genemorphl 9th January 2007 @ 14:34


Lab Book Ref: jrh4712-78

Mutagenic PCR reactions were set up according to the following:

-	Taq	Genemorphi	+ve ctrl	-ve ctrl
p042	2.5 µL	1 μL	5 μL	0 μL
Water	10 µL	38 µL	20.5 µL	25.5 µL
5 x GoTaq buffer	10 µL	-	10 µL	10 µL
mutazyme buffer	-	5 μL	-	-
Ordinary dNTPs	-	-	5 μL	5 μL
mutagenic dNTPs	5 μL	-	-	-
Mutazyme dNTP mix	-	1 μL	-	-
MgCl2	2.5 µL	-	3.5 µL	3.5 µL
MnCl2	12.5 µL	-	-	-
Primer fwd	2.5 µL	2 μL	2.5 µL	2.5 µL
Primer rev	2.5 µL	2 μL	2.5 µL	2.5 µL
GoTaq*	1 μL	-	1 μL	1 μL
Mutazyme	-	1 μL	-	-

^{*}GoTaq=1 μ L stock + 3 μ L water.


The reactions were run on program MUTAGEG for 30 cycles. 5 µL product was run on a 1% normal agarose analytical gel. Taq mutagenesis had failed, Genemorph and +ve ctrl had worked. -ve control was correct.



Jennifer Hale | Beta-glucuronidase | Comments (3)

<< Previous Page

Next Page >>



Core of Self describing data

- Store of data that can be viewed and manipulated in different ways
- User interfaces to suite user and occasion

He is charged with expressing contempt for meta-data

Tpp Methyl ester Hydrolysis:- Methord 2

9th April 2009 @ 16:50

Lab Note Book Or Experiment Code: FDH-5405-E7P26

Post Type: Methord_2 Procedural Step: Methord_2 Date Of Experiment: 27-11-08

Experiment Name: Tpp_Methyl_ester_Hydrolysis

Experiment Code:FDH/5405/E7P26 Date of Experiment:27/11/08

· reaction mixture added to 100ml of DCM

solid formed...disolved in DCM/MeOH + water and evaporated to near drype

re desolved in 200ml choroform+20ml meOH, sonicated most desolved.

3oml water added mysells leeding to sold problems and properties.

100ml water added now gives clear layer with my sens below

· transfered to bigger 500ml sep funnle



this picture taken directly after transferance

- aprox. 30ml 2Mhydrocloric added to give emitate seperation, and turn porphyrin protenated green.
- · much bettter behavd now....loverly shade of green too.



protonated prophyrin with 2M HCL

- . HCL reextracted with 100ml CHCl3.
- · fluffly brown noted between interface. contaminant?
- . organic rinced5 times 100ml water, first rinc turns it back to puple



now purple organic with aqueous

- · water re-extracted into chloroform 100ml and rince 5 times h2o.
- · organicfractions combined and dryed over anhydrous sodium sulfate



27-11-08 (2) 30-11-08-1-12-08 (1)

Experiment Name

Prepartation Of Fulleropyrrolidir Alcohol:-Planning And Saftey (E Preparation Of N-Glycine (amino-Ethoxy-Ethanol) Tert Butyl Acetate (4) Preparation Of P-tert Butly (bisi cyanomethoxy) dihyd Calix (2)



Diversity and Disability



What Spotted (L-R):-starting material, mixed spot, reaction mixcture

Spot (no. from bottom)	Height (mm)	Rf	Visible	Short Wave UV	_		Dip Result	Inference
Solvent Front	28mm	1	N/A	N/A	N/A	N/A	N/A	N/A
3	26mm	0.93	yes	N/A	orange	n/a	n/a	Starting material MeOTPP
2	10mm	0.36	yes VV faint (not on Photo present only in mix and reation)	n/a	Blue	n/a	n/a	decomposition?/contaminat?
1	6mm	0.21	yes	n/a	orange	n/a	n/a	product.

1,4-Benzoquinone (1) 5-4-Methyl Benzoate 10,15,20-tri Phenyl Porphyrin

Impact on researchers

- Higher Quality Record
- Easier Collaboration
- Improved planning
- Improved discussions
- Efficiency gain in production of presentations/reports
- Change the nature of Professor/Student interactions

Open Notebook Science

- Not always the way to work!
 - IPR, Commercial, long term projects, recognition issues, etc
- But.....
 - Makes connection much easier if the data and processes are "Open"
 - Use of ChemSpider, GHS Data
 - Linked-Data ideal

Praziquantel - Open Science

Praziquantel - Open Science

Improved Synthesis of an Important Drug via Student Collaboration

Praziquantel Project


- Introduction
- · Project Updates
- · Project Discussion
- ALTC links

Student Collaboration

- · Hydrolysis of PZQ
- Resolution of PZQ
- · Synthesis of Resolving Agents
- Conversion of PZQamine to PZQ

Example Blogs

- Pictet-Spengler route to Praziquantel
- · Racemic Resolution of Praziquantel and Praziquanamine
- Racemization of PZQamine



ourexperiment

Pictet-Spengler route to Praziquantel Synthesis of intermediates and derivatives of PZQ

Search

TfOH catalysed partial PS* reactions to give the enediamide intermediates of PZQ and the N-benzoyl analogue (KAB13-2

Archives February 2012 (18) January 2012 (27) December 2011 (7)


& KAB17-1)

21st February 2012 @ 20:5 PS = Pictet-Spengler

START: 22/02/12 FINISH:

Reducing the catalyst loa <u>Background</u>





Hazard and Risk Assessment As for KAB7-3 and KAB3-17.




Hazard and Risk Assessment KAB3-17



Previous Related Experiments TFOH catalysed PS* reactions to give the dime Tron catalysed Ps* reaction to give PZQ (KAB TfOH catalysed PS* reaction to give the N-be Preparation of the PZQ peptide acetal Ugi-int Preparation of the N-benzoyl PZQ analogue L

Following Experiments

The peptide acetal Ugi-intermediate starting of TrOH at rt. The mixture was immediately heated. The reaction progress was monitored



KAB17-1 (N-benzoyl PZQ analogue). Peptide Acetal KAB6-1: 373.1 mg (0.936 mmol), toluene:

KAB13-2 (PZQ). Peptide Acetal KAB5-2: 394.2 mg (0.974 mmol), toluene: 39 mL, TfOH: 4.32 μL

(0.049 mmol, 5 mol%).













Monitoring the Reaction Progress by TLC

The progress was monitored by TLC of the reaction mixture against the relevant starting material,

the progress was monitored by TLC of the reaction mixture against the relevant starting material,

the progress was monitored by TLC of the reaction mixture against the relevant starting material,

the progress was monitored by TLC of the reaction mixture against the relevant starting material,

the progress was monitored by TLC of the reaction mixture against the relevant starting material,

the progress was monitored by TLC of the reaction mixture against the relevant starting material,

the progress was monitored by TLC of the reaction mixture against the relevant starting material,

the progress was monitored by TLC of the reaction mixture against the relevant starting material,

the progress was monitored by TLC of the reaction mixture against the relevant starting material,

the progress was monitored by TLC of the reaction mixture against the relevant starting material,

the progress was monitored by TLC of the reaction mixture against the relevant starting material,


the progress was monitored by TLC of the reaction mixture against the relevant starting material,

the progress was monitored by TLC of the reaction mixture against the relevant starting material against the reaction material against the relevant starting material against the reaction material against the reaction material agains The progress was monitored by ILC of the reaction mixture against the relevant starting material, the expected product and the completely cyclised product. All TLCs were eluted with EtOAc/hexane, 5:3, v/v and stained with KMnO4.











reaction mixture (30










SHOW OPEN NOTEBOOKS



Welcome to the e-malaria Project!

Project Update

The project isn't currently being supported at the moment - but we hope to return soon with new funding and a bigger and better project website.



Sort By Entere





Molecules - My Molecules


Insert Molecule

Id Name Smile Image Status Jobs Tools

se. As resistance to existing drugs grows ar







Malaria
Introduction
Symptoms
Treatments
Prevention
Target

Threonine thr t
Tryptophan trp w
Tyrosine tyr y
Valine val v
Methionine met m

Malaria
Introduction
Symptoms
Treatments
Prevention
Target
Chemistry
Bonding
JISC CNI COT HOMODINITICITY

06/07/2012



CCDC

Lifecycle e-Malaria Project Background

Schools **Publications**

Malaria Introduction Treatments Prevention

Target


Please feel free to look around the pages on tl we can't make the interactive part available at

In the event of inquiry please contact the proj


What's the problem?


Malaria kills over a million people a year, and the disease. As resistance to existing drugs gr mosquito that need is increasing.

So what has this got to do v



Plasmepsin II (1LF2) scored 62.76 http://emalaria.soton.ac.uk/77772





e_malaria Docking #InChiKey=AULiBBMHHWQWSB-OGSUFGDVSA-N with Plasmepsin II (1LF2) scored 59.05 http://emalaria.soton.ac.uk/77773 laria Docking #InChiKey=AULIBBMHHWQWSB-OGSUFGDVSA-N with Plasmepsin II (1LF2) scored 51.68 http://emalaria.soton.ac.uk/777774 e_malaria Docking <u>#InChiKey</u>=AULiBBMHHWQWSB-OGSUFGDVSA-N with Plasmepsin II (1LF2) scored 59.38 http://emalaria.soton.ac.uk/77777 e_malaria Docking #InChiKey=FUOPKDFMTMTPAS-YOCJRYFPSA-N with Plasmepsin II (1LF2) scored 70.65 http://emalaria.soton.ac.uk/77780 CON Conference malaria Docking #InchiKey=FUOPKDFMTMTPAS-YOCJRYFPSA-N with Plasmepsin II (1LF2) scored 58.92 http://emailaria.solon.ac.uk/77781


Web Interface

- Provide user access to the SOS
- Provides mechanisms to retrieve data and metadata of both the sensors and the features of interest
- Data plotted using the Simile TimePlot software



DATA EXPLOSION CRYSTALLOGRAPHY E-CRYSTALS

The Data Explosion Exponential growth



06/07/2012


Yearly Growth of Total Structures over the bar number of structures can be viewed by hovering mouse over the bar

JISC CNI Conference

450000

Unavailable Information

- Not just lots of data but why are many of the structures unpublished so certainly unavailable?
- The E-Crystals and E-Bank Project looked at how to address this issue
- Is making data available the same as depositing a copy with someone else?



It is not necessary to change. Survival is not mandatory. W. Edwards Deming

START @HOME





literateprogramming.com

Reproducible Papers

Quotes

Literate Programming Software Documentation Design Documentation Agile Documentation

Source Code Comments

Software Aging Quotes - Printer Friendly

Category

CWEB

Articles

Tools Links

Community

Feedback

Literate Programming

Donald Knuth. "Literate Programming (1984)" in Literate Programming.

I believe that the time is ripe for significantly better documentation of programs,

Toelleve that the time is ripe for significantly better occurrentation of program and that we can best achieve this by considering programs to be works of literature. Hence, my title: "Literate Programming."

Let us change our traditional attitude to the construction of programs: Instead Let us change our traditional attitude to the construction of programs; inste of imagining that our main task is to instruct a computer what to do, let us of imagining that our main task is to instruct a computer what to do, let us concentrate rather on explaining to human beings what we want a computer to

The practitioner of main concern is wit thesaurus in hand, each variable mean because its concept understanding, usin each other.



TEACHING

WS 10/11 LMU LSF

Theses RESEARCH

Overview Statistical computing Software

PUBLICATIONS

Books Papers Reports Presentations

LINKS

Bioconductor Journal "Comp. Statistics" Munich R Courses Herbstschule 2008


Sweave is a tool that allows to embed the R code for complete data analyses in latex Sweave is a tool triat allows to embed the K code for complete data analyses documents. The purpose is to create dynamic reports, which can be updated automatically if data or applying change. Instead of inserting a professionated of the code for a polytic change. documents. The purpose is to create dynamic reports, which can be updated automatically if data or analysis change. Instead of inserting a prefabricated graph or abble into the property the property to obtain it. automatically if data or analysis change. Instead of inserting a prerapricated graph of table into the report, the master document contains the R code necessary to obtain it. When run through R, all data analysis output (tables, graphs, etc.) is created on the fly when run through K, all data analysis output (tables, graphs, etc.) is created on the ny and inserted into a final latex document. The report can be automatically updated if data or analysis change, which allows for truly reproducible research.

The Sweave software itself is part of every R installation, see


to get started. This page features additional material that does not ship with standard R, like papers and additional examples.

How do I cite sweaver

JISC CNI Conference



Change in the whole way we design and build



3D Printers

Shared Space?




NATURE | NEWS FEATURE

Science in three dimensions: The print revolution

Three-dimensional printers are opening up new worlds to research.

Nicola Jones

04 July 2012



Research labs use many types of 3D printers to construct everything from fossil replicas to tissues of beating heart cells. Arthur Olson's team at the Scripps Research Institute in La Jolla, California, produces models of molecules; some are shown here partway through the printing process.

ADAM GARDNER, MOLECULAR GRAPHICS LAB AT TSRI



Archiving of data

- Experiments are often repeated
 - Data stored locally on a computer and can't be found
 - Handwriting can't be read
 - Laboratory notebooks lost or damaged
 - Correct data not recorded first time round



http://www.ecs.soton.ac.uk/regenesis/pictures

We must speed up the knowledge discovery process

All I am saying is that now is the time to develop the technology to deflect an asteroid

Thanks

- UK e-Science Programme
- RCUK, EPSRC, JISC, BBSRC, HEFCE, Microsoft & IBM, for funding
- Southampton Colleagues and Students from Chemistry, Electronics & Computer Science, Engineering, Mathematics, iSolutions and the Library
- Colleagues at UKOLN, STFC, University of Reading
- Colleagues from Penn State, Cornell, PNNL, UNSW, USyd



Thank you for listening

Trust me Mort - no electronic communications superhighway, no matter how vast and sophisticated, will ever replace the art of the schmooze