

# Evaluation Metrics for VM Allocation Mechanisms in Desktop Clouds

Abdulelah Alwabel, Robert Walters, Gary Wills

*School of Electronics and Computer Science, University of Southampton, Southampton, UK  
{aa1a10, rjw1, gbw }@ecs.soton.ac.uk*

**Keywords:** Cloud computing, Desktop Clouds, Evaluation metrics, Node failures, Throughput, Availability, Power consumption, DesktopCloudSim

**Abstract:** Desktop Cloud computing is the idea of benefiting from computing resources around us to build a Cloud system in order to have better usage of these resources instead of them being idle. However, such resources are prone to failure at any given time without prior knowledge. Such failure events have a can negative impact on the outcome of a Desktop Cloud system. This paper proposes metrics that can evaluate the behaviour of Virtual Machine (VM) allocation mechanisms in the presence of node failures. The metrics are throughput, power consumption and availability. Three VM allocation mechanisms (Greedy, FCFS and RoundRobin mechanisms) are evaluated using the given metrics.

## 1 INTRODUCTION

Desktop Cloud computing is the idea of benefiting from computing resources around us to build a Cloud system in order to have better usage of these resources instead of them being idle (Abdulelah Alwabel et al., 2014a). Desktop Cloud computing is an alternative to the traditional way of providing Cloud services. Traditionally, Cloud service providers, such as Amazon, dedicate a massive number of computer nodes that are located in one or more data centres to provide services over the Internet (Buyya et al., 2009). The idea of Desktop Cloud is stimulated by the success of Desktop Grid to offer Grid services using resources contributed by people over the Internet (Anderson et al., 2002).

There are several research issues in Desktop Clouds that need further attention from researchers. Research issues are security and privacy; resource management; and node failures (Abdulelah Alwabel et al., 2014a). Node failure rates in Desktop Cloud are reported to be quite high and can affect the performance of Desktop Clouds (Abdulelah Alwabel

et al., 2014b). It is proposed that a Virtual Machine (VM) allocation mechanism can play an important role in order to reduce the negative effect of node failures (Alwabel et al., 2015a). This paper proposes metrics that can be used to evaluate the behaviour of a VM allocation mechanism. Section 2 of this paper gives an overview of Desktop Cloud. Next section proposes and discusses the evaluation metrics. The third section presents our findings of employing the metrics to evaluate several VM allocation mechanisms from the literature. A conclusion and future is presented in the last section.

## 2 DESKTOP CLOUD COMPUTING

Desktop Cloud computing is a new type of Cloud built using resources that would otherwise remain idle and unused (Abdulelah Alwabel et al., 2014a). For example, most PCs in universities remain idle and unused after 5 pm. The idea of Desktop Cloud is motivated by the success of Desktop Grids (Kondo et al., 2004). The concept of Desktop Grid is to

exploit normal computing resources such as PCs and laptops to process and execute Grid tasks. Several Desktop Grid projects have proven success in achieving this goal such as SETI@home (Anderson et al., 2002). Desktop Cloud merges two ideas: Desktop Grids and Cloud computing. Note that “Desktop” term is derived from Desktop Grids because both of Desktop Clouds and Desktop Grids are mainly based on desktop PCs and laptops. While the term “Cloud” comes from Cloud since Desktop Cloud provides services based on the Cloud business model. Several synonyms are used which mean Desktop Cloud, such as Ad-hoc Cloud, Volunteer Clouds and Non-Dedicated Clouds. The literature shows that very little work has been carried out in this research area.

“Ad-hoc Cloud” (Kirby et al., 2010) is the idea of employing distributed resources within an organisation to form a Cloud. “Nebula” (Chandra and Weissman, 2009; Weissman et al., 2011) is a research project that aims to use distributed resources with an aim of creating a volunteer Cloud which offers services free of charge. “Cloud@home” (Cunsolo and Distefano, 2010; V. D. Cunsolo et al., 2009) is a project implementing the “@home” philosophy in Cloud computing. The goal of Cloud@home is to establish a new model of Cloud computing built on resources that are donated by individual users over the Internet. Further to that, CERN has recently announced an initiative to bring their Desktop Grid project, which is called LHC@home, into the Cloud (Harutyunyan et al., 2012). It is suggested that non-dedicated resources can be used by Cloud providers when their local infrastructure cannot meet demands of Cloud consumers at peak times (Andrzejak et al., 2010).

Desktop Clouds can be formed into private Clouds or public Clouds. The first scenario to build a private Desktop Cloud can be considered as follows: suppose a university wishes to benefit from its computing resources to form a Cloud. The resources can be of any type ranging from PCs to servers etc, each computing resource is called a Cloud node when it joins the Cloud. Researchers and staff within the university can benefit from this Desktop Cloud by submitting their requests to acquire Cloud services. Requests are processed in the virtualisation layer on top of Cloud physical nodes. Another scenario that can be considered is a public Desktop Cloud that allows people to contribute their own computing resources to be used by Cloud clients (V. Cunsolo et al., 2009). The people are invited to contribute their machines when these resources become idle in order to form a Desktop Cloud. People can be motivated to

participate by telling them that such projects can serve science and research communities. Another incentive might be being permitted to use the Desktop Cloud resources when they want them.

One of the main issues in Desktop Clouds is the high rate of node failures during run time (Abdulah Alwabel et al., 2014b). In Desktop Cloud computing, node failure events can include any event that causes the node to leave the Cloud for any reason. Next section proposes several metrics that can be used to evaluate the outcome of a VM allocation mechanism in the presence of node failures.

### 3 EVALUATION METRICS

The efficiency of Cloud computing is defined by a set of evaluation metrics. Employing efficient metrics for Cloud computing is vital in order to optimise the Clouds. It has been shown that there is no systematic analysis for evaluation metrics for Cloud Computing (Li et al., 2012). The diversity of architectures of Cloud providers requires evaluation metrics to be platform independent (Giori et al., 2012). However, the literature shows there are several studies assessing the service provided by the Cloud from the perspective of customers. Most of the literature (such as (Lenk et al., 2011), (Stantchev, 2009) and (Villegas et al., 2012)) focuses on the cost-performance of services in order to adopt a better decision-making policy that can help customers to choose a service provider according to their requirements. For example, some customers can tolerate some performance degradation in exchange for low cost of service.

A Virtual Machine (VM) allocation mechanism can play an important part in the outcome of a Cloud system. In this work, we considered three metrics that can be used to evaluate a VM allocation mechanism implemented in a Desktop Cloud. VM allocation mechanism is the process of allocating a VM to a Physical Machine (PM) (Abdulah Alwabel et al., 2014b). The metrics are throughput, power consumption and availability. They are discussed further in the following subsections.

#### 3.1 Throughput

Throughput is an important metric to measure the outcome of a Cloud system in the presence of node failures. Throughput metric calculates the number of successfully completed tasks  $st$  that are submitted by clients out of the total number of submitted tasks  $tt$  (Garg et al., 2013). Throughput is calculated as follows:

$$throughput = 100 * \frac{\sum st}{tt}$$

Most papers in the literature focus on the performance notion which includes attributes such as response time and average turnover time such as (Van et al., 2010) and (Stantchev, 2009). This is because researchers assume that Cloud nodes are very reliable (Buyya et al., 2010). However, we consider throughput because it is known that node failures in Desktop Clouds are norms rather than exceptions (Abdullelah Alwabel et al., 2014b).

### 3.2 Power Consumption

Power consumption metric considers the amount of energy *pwr* that is consumed by each node in the infrastructure layer of a Cloud system. It is measured by Kilo Watt hour (kWh). The metric of power consumption is given as follows:

$$power\ consumption = \sum_{i=0}^n pwr(node_i)$$

Beloglazov et al., (2012) set power consumption as one of the metrics to measure the outcome of their energy-aware resource allocation algorithm for Cloud computing. Energy efficiency can be defined as the number of instructions in billions executed per Watt hour (Bash et al., 2011). The Standard and Performance Evaluation Corporation (SPEC) community released SPECpower metric to measure power consumption (Lange, 2009). SPECpower is a Java application that generates a set of transactions completed per second. SPECpower calculates energy consumed by total number of operations in Watt-hours. Energy consumption is considered a metric for evaluating the proposed model in Desktop Clouds.

### 3.3 Availability

Availability means how much computing power is available to accommodate new VM requests. The failure of nodes can affect the availability of Desktop Clouds. A question in this context is whether the employed VM allocation mechanism can help in improving node availability. Let *avl* denote the availability of a Cloud node while the total computing power of all Cloud nodes is denoted *tot.cp*. The availability is given as follows:

$$availability = \frac{\sum available\ nodes}{tot.cp}$$

## 4 EXPERIMENT

The experiment is conducted to evaluate three VM mechanisms which are First Come First Serve(FCFS) (Schwiegelshohn and Yahyapour, 1998), Greedy (Cunha et al., 2001) and RoundRobin(Rasmussen and Trick, 2008). These mechanisms are evaluated using the metrics proposed in the previous section.

### 4.1 Experiment Design

A Desktop Cloud was simulated using DesktopCloudSim(Alwabel et al., 2015b) simulation extension to CloudSim(Calheiros et al., 2011). CloudSim is a widely used simulation tool to simulate the behaviour of a Cloud System. DesktopCloudSim enables researchers to simulate failure events happening within the infrastructure level of a Cloud (i.e., enabling Cloud nodes to fail during run time). In order to simulate a Desktop Cloud, data of a Desktop Grid system retrieved from Failure Trace Archive was used to simulate both the infrastructure of a Desktop Cloud since both Desktop Cloud and Desktop Grid use infrastructure similar to each other (Alwabel et al., 2015a). Secondly, the archive provides name of the machine that fails along with the time of failure. Another input to the simulation tool is the workload containing tasks submitted to be executed. The workload is collected from PlanetLab archive (Peterson et al., 2006).

The Experiment assumes that 700 instances of VMs are requested to run for 24 hours. The types of VM instances are: *micro*, *small*, *medium* and *large*. The VM instances are similar to VM types that are offered by Amazon EC2. The type of each given VM instance is randomly selected. The number of VM instances and types remain the same for all run experiment sets. Each VM instance processes a bunch of tasks from the given workload.

It is assumed in the experiment that if a node fails then all VMs on this node will be lost. Destroying a VM instance causes all running tasks on the VM to be destroyed which consequently affects the throughput (i.e., these tasks are considered failed tasks). The destroyed VM will be restarted on another PM and begin to receive new tasks. Any failed node which recovers may rejoin the Cloud. The experiment is run 180 times, each time is a run for one day in the simulation. 180 days represents six-month period. The experiment was simulated and run on a Mac i27 (CPU = 2.7 GHz Intel Core i5, 8 GB MHz DDR3) with operating system OS X 10.9.4. The results were processed and analysed using IBM SPSS Statistics v21 software.

Table 1: Throughput Metric

Mechanism	Mean (%)	Median (%)	Variance	Standard Dev.
FCFS	79.21	78.77	37.03	6.09
Greedy	88.61	89.48	16.85	4.1
RoundRobin	85.47	85.29	15.13	3.89

## 4.2 Results and Discussion

Table 1 shows a summary of results obtained when measuring the throughput metric for each VM allocation mechanism in the experiment. Kolmogorov-Smirnov (K-S) test(Field, 2009) of normality shows that the normality assumption was not satisfied because the FCFS and Greedy mechanisms are significantly non-normal,  $P < .05$ . Therefore, the non-parametric test Friedman's ANOVA(Field, 2009) was used to test which mechanism can yield better throughput. Friedman's ANOVA test confirms that throughput varies significantly from mechanism to another,  $X_F^2(2) = 397.14, P < .001$ . Mean, median, variance and standard deviations are report in Table 1.

Three Wilcoxon pairwise comparison tests(Field, 2009) were used to find out which mechanism gave the highest throughput. Note that three tests are required to compare threepairs of mechanisms which are FCFS vs. Greedy, FCFS vs. RoundRobin and Greedy vs. RoundRobin mechanisms. The level of significance was set to 0.017 using Bonferroni correction(Field, 2009) method because there were three post-hoc tests required ( $.05/3 \approx .017$ ). The tests show that there is a statistically significant difference between each mechanism with its counterparts. Therefore, we can conclude that Greedy mechanism produces highest throughput since it has the median with highest value (median = 89.48%).

Table 2 reports the mean, median, variance, standard deviation when power consumption was measured in the experiment. Friedman's ANOVA test was applied to the power consumption results to show if that there a significant difference between the mechanisms,  $X_F^2(2) = 540, P < .001$ .Friedman's ANOVA test was selected because the power consumption results are not all distributed normally since the critical value (p-value)  $< 0.5$  for FCFS and Greedy mechanisms results.

Table 2: Power Consumption Metric

Mechanism	Mean (kWh)	Median (kWh)	Variance	Standard Deviation
FCFS	533	538	867	29.45
Greedy	638	641	738	27.16
RoundRobin	1884	1883	22237	149

Three Wilcoxon tests were conducted to identify which mechanism consumes the least power. The tests showed that there is a statistically significant difference between each pair of mechanisms. Therefore, the FCFS mechanism consumes significantly less power among the testes for mechanism because the median of power consumption of the FCFS is 538 kWh.

Table 3 shows a summary of descriptive results obtained when measuring the availability metric for each VM allocation. Since the results are not normally distributed, Friedman's ANOVA test was used to test which mechanism can yield better availability. Friedman's ANOVA test confirms that availability varies significantly from mechanism to another,  $X_F^2(2) = 510.78, P < 0.001$ . Mean, median, variance and standard deviations are reported in Table 3.

Three Wilcoxon pairwise comparison tests were used to find out which mechanism produced best availability. The tests show that there is a significant difference between each pair of VM mechanisms. Greedy mechanism outperformed other mechanisms in terms of availability by looking at the median (86.23%).

The results show that the throughput, power consumption and resource availability can be affected by node failures and thus, yield different outcomes according to the implemented mechanism. According to this experiment, Greedy mechanism yields the best throughput and availability while the FCFS mechanism consumesleast power. A note worth mentioning from our experiment is that at least10% of submitted tasks failed because of node failures. Therefore, there is actual need to implement a fault-tolerant mechanism for Desktop Cloud.

Table 3: Availability Metric

Mechanism	Mean (%)	Median (%)	Variance	Standard Deviation
FCFS	85.03	84.59	4.21	2.05
Greedy	86.22	86.23	3.09	1.76
RoundRobin	81.98	81.91	2.44	1.6

## 5 CONCLUSIONS AND FUTURE WORK

Desktop Cloud computing is a new type of Cloud computing which aims to employ computing resources to build a Cloud system. The resources that are employed in Desktop Clouds are normal computing resources such as PCs and laptops. These resources would remain idle and unused if they are not used within a Desktop Cloud system. The model of Desktop Cloud is to move Desktop Grid systems towards Cloud computing era. This paper presented throughput, power consumption and availability as metrics that can be used to evaluate VM allocation mechanisms.

The FCFS, Greedy and RoundRobin VM allocation mechanisms were evaluated using the proposed metrics. The experiment was conducted using DesktopCloudSim simulation tool which enables researchers to simulate Desktop Cloud systems. Our findings showed that Greedy mechanism can give better in terms of throughput and availability while the FCFS mechanism can consume the least power among other mechanisms.

Our findings showed that the failure of tasks can reach up to 10% of all submitted tasks as a result of node failures. Therefore, our future work is to develop a new fault-tolerant VM mechanism for a Desktop Cloud system. In addition to that, researchers should pay attention to power consumed by Cloud nodes in order to reduce it. The reduction of power consumption can result in reducing the running costs of Desktop Clouds.

## REFERENCES

- Alwabel, A., Walters, R., Wills, G.B., 2014a. A view at desktop clouds. In: ESaaS 2014.
- Alwabel, A., Walters, R., Wills, G.B., 2014b. Evaluation of Node Failures in Cloud Computing Using Empirical Data. *Open J. Cloud Comput.* 1, 15 – 24.
- Alwabel, A., Walters, R., Wills, G.B., 2015a. A Resource Allocation Model for Desktop Clouds. In: *Delivery and Adoption of Cloud Computing Services in Contemporary Organizations*.
- Alwabel, A., Walters, R., Wills, G.B., 2015b. DesktopCloudSim: Simulation of Node Failures in The Cloud. In: *The Sixth International Conference on Cloud Computing, GRIDs, and Virtualization CLOUD COMPUTING 2015*. iaria, Nice.
- Anderson, D., Cobb, J., Korpela, E., Werthimer, D., Anderson, P., Lebofsky, M., 2002. SETI@home An Experiment in Public-Resource Computing. *Commun.* 45.
- Andrzejak, A., Kondo, D., Anderson, D.P., 2010. Exploiting non-dedicated resources for cloud computing. *2010 IEEE Netw. Oper. Manag. Symp. - NOMS 2010* 341–348.
- Bash, C., Cader, T., Chen, Y., Gmach, D., Kaufman, R., Milojicic, D., Shah, A., Sharma, P., 2011. Cloud Sustainability Dashboard, Dynamically Assessing Sustainability of Data Centers and Clouds. In: *Proceedings of the Fifth Open Cirrus Summit*. Moscow.
- Beloglazov, A., Abawajy, J., Buyya, R., 2012. Energy-aware resource allocation heuristics for efficient management of data centers for Cloud computing. *Futur. Gener. Comput. Syst.* 28, 755–768.
- Buyya, R., Broberg, J., Goscinski, A., 2010. *Cloud Computing Principles and Paradigms*. John Wiley & Sons.
- Buyya, R., Yeo, C.S., Venugopal, S., Broberg, J., Brandic, I., 2009. Cloud computing and emerging IT platforms: Vision, hype, and reality for delivering computing as the 5th utility. *Futur. Gener. Comput. Syst.* 25, 599–616.
- Calheiros, R., Ranjan, R., Beloglazov, A., De Rose, C.A.F., Buyya, R., 2011. CloudSim: a toolkit for modeling and simulation of cloud computing environments and evaluation of resource provisioning algorithms. *Softw. Pract. ...* 23–50.
- Chandra, A., Weissman, J., 2009. Nebulas: Using distributed voluntary resources to build clouds. In: *Proceedings of the 2009 Conference on Hot Topics in Cloud Computing*. USENIX Association, pp. 2–2.
- Cunha, J., Kacsuk, P., Winter, S., 2001. *Parallel Program Development for Cluster Computing: Methodology, Tools and Integrated Environments*. Nova Biomedical.
- Cunsolo, V., Distefano, S., 2010. From volunteer to cloud computing: cloud@ home. *Conf. Comput. Front.* 103–104.
- Cunsolo, V., Distefano, S., Puliafito, A., Scarp, M., 2009. Cloud@ home: Bridging the gap between volunteer and cloud computing. *ICIC'09 Proc. 5th Int. Conf. Emerg. Intell. Comput. Technol. Appl.* 2009.
- Cunsolo, V.D., Distefano, S., Puliafito, A., Scarpa, M., 2009. Volunteer computing and desktop cloud: The cloud@ home paradigm. In: *Network Computing and Applications, 2009. NCA 2009. Eighth IEEE International Symposium on*. IEEE, pp. 134–139.
- Field, A., 2009. *Discovering statistics using SPSS*, Third. ed. SAGE Publications Ltd.
- Garg, S.K., Versteeg, S., Buyya, R., 2013. A framework for ranking of cloud computing services. *Futur. Gener. Comput. Syst.* 29, 1012–1023.
- Goiri, Í., Julià, F., Fitó, J.O., Macías, M., Guitart, J., 2012. Supporting CPU-based guarantees in cloud SLAs via resource-level QoS metrics. *Futur. Gener. Comput. Syst.* 28, 1295–1302.

- Harutyunyan, A., Blomer, J., Buncic, P., Charalampidis, I., Grey, F., Karneyeu, A., Larsen, D., Lombraña González, D., Lisec, J., Segal, B., Skands, P., 2012. CernVM Co-Pilot: an Extensible Framework for Building Scalable Computing Infrastructures on the Cloud. *J. Phys. Conf. Ser.* 396, 032054.
- Kirby, G., Dearle, A., Macdonald, A., Fernandes, A., 2010. An Approach to Ad hoc Cloud Computing. *Arxiv Prepr. arXiv1002.4738*.
- Kondo, D., Taufer, M., Brooks, C., 2004. Characterizing and evaluating desktop grids: An empirical study. *Int. Parallel Distrib. Process. Symp.* 2004 00.
- Lange, K., 2009. Identifying shades of green: The SPECpower benchmarks. *Computer (Long. Beach. Calif.)* 95–97.
- Lenk, A., Menzel, M., Lipsky, J., Tai, S., Offermann, P., 2011. What Are You Paying For? Performance Benchmarking for Infrastructure-as-a-Service Offerings. 2011 IEEE 4th Int. Conf. Cloud Comput. 484–491.
- Li, Z., O'Brien, L., Zhang, H., Cai, R., 2012. On a Catalogue of Metrics for Evaluating Commercial Cloud Services. ... *Int. Conf.* 164–173.
- Peterson, L., Muir, S., Roscoe, T., Klingaman, A., 2006. PlanetLab Architecture : An Overview.
- Rasmussen, R., Trick, M., 2008. Round robin scheduling—a survey. *Eur. J. Oper. Res.* 617–636.
- Schwiegelshohn, U., Yahyapour, R., 1998. Analysis of first-come-first-serve parallel job scheduling. *Proc. ninth Annu. ACM ...* 629–638.
- Stantchev, V., 2009. Performance Evaluation of Cloud Computing Offerings. 2009 Third Int. Conf. Adv. Eng. Comput. Appl. Sci. 187–192.
- Van, H.N., Tran, F.D., Menaud, J.-M., 2010. Performance and Power Management for Cloud Infrastructures. In: 2010 IEEE 3rd International Conference on Cloud Computing. Ieee, pp. 329–336.
- Villegas, D., Antoniou, A., Sadjadi, S.M., Iosup, A., 2012. An Analysis of Provisioning and Allocation Policies for Infrastructure-as-a-Service Clouds. 2012 12th IEEE/ACM Int. Symp. Clust. Cloud Grid Comput. (ccgrid 2012) 2, 612–619.
- Weissman, J.B., Sundarajan, P., Gupta, A., Ryden, M., Nair, R., Chandra, A., 2011. Early experience with the distributed nebula cloud. In: Proceedings of the Fourth International Workshop on Data-Intensive Distributed Computing. ACM, pp. 17–26.