

Evaluation of a New Version of I^2 with Emphasis on Diagnostic Problems

Heinz Holling, Walailuck Böhning, Ehsan Masoudi

Statistics and Quantitative Methods, Faculty of Psychology and Sport Science, University of Münster, Germany

Dankmar Böhning

Southampton Statistical Sciences Research Institute, University of Southampton
Southampton, UK

Abstract

This paper describes results stemming from an in-depth analysis of Higgins' measure of heterogeneity for a meta-analysis applied in the context of meta-analysis for diagnostic problems. Higgins measure of heterogeneity I^2 has been criticized for being confounded by the study-specific sample size, in the sense that different I^2 -values can be achieved for the same value of across-study variance if only the study-specific variance is varying enough. In particular, I^2 approaches one for any value of the heterogeneity variance (variance across studies) if the within-study variance becomes large. The paper proposes a measure which is unconfounded by sample size. It is essentially a philosophical question which heterogeneity measure is chosen. Nevertheless, a detailed simulation study has been launched and the results indicate that the newly suggest measure of heterogeneity has beneficial statistical properties. Both measures are also exemplified at hand of some meta-analytic case studies.

Key words: diagnostic accuracy, meta-analysis, measure of heterogeneity

Contents

	<i>page</i>
1 Introduction and background	2
2 Problems with the definition of I^2	3
3 Simulation work	4
3-1 Design	4
3-2 Estimation	5
3.3 Performance measures	6
4 Results	6
5 Application to case studies	16
References	18
Appendix I: R-code	20
Appendix II: Simulation results in detail	23
Appendix III: R-code for case studies	32

1. Introduction and background

We consider the Lehmann model for the ROC curve

$$p = u^\theta \quad (1)$$

or, equivalently, $\log p = \theta \log u$, where p is the sensitivity and u is the false positive rate (1-specificity). This has been discussed previously in detail in Böhning *et al.* (2002, 2008, 2010) and Holling *et al.* (2007, 2011, 2012), in more detail in Doeblner *et al.* (2011, 2015) and Charoensawat *et al.* (2014).

Suppose k diagnostic studies are available and assume that

$$\log \hat{\theta}_i = \log \theta_i + \varepsilon_i \quad (2)$$

where $\hat{\theta}_i = \log p_i / \log u_i$ is the observed diagnostic accuracy in study i and θ_i is the true diagnostic accuracy of study i with $\log \theta_i \sim N(\theta, \tau^2)$

Furthermore, ε_i is a normal mean-zero random error with variance σ_i^2 and the study-specific variances are assumed to be known. Note that $\log \theta_i \sim N(\theta, \tau^2)$ is a study random-effect accounting for variation between studies and it is assumed that $\log \theta_i \perp \varepsilon_i$ for all $i=1, \dots, k$. (2) is a form of the classical *random effects model of meta-analysis*.

It follows that

$$\text{var}(\log \hat{\theta}_i) = \text{var}(\log \theta_i) + \text{var}(\varepsilon_i) = \tau^2 + \sigma_i^2. \quad (3)$$

Furthermore, it can be shown (Charoensawat *et al.* 2014) that

$$\sigma_i^2 \approx \frac{1-p_i}{p_i(\log p_i)^2} \frac{1}{m_i} + \frac{1-u_i}{u_i(\log u_i)^2} \frac{1}{n_i} \quad (4)$$

where m_i is the size of the disease arm in study i and n_i is the size of the control arm in study i .

Traditionally, the magnitude of heterogeneity is measured by Higgins's I^2 defined as

$$I^2 = \frac{\tau^2}{\tau^2 + \bar{\sigma}^2} \quad (5)$$

where $\bar{\sigma}^2$ is an average of the study-specific variances. Higgins and Thompson (2002) suggested a form of harmonic mean

$$\bar{\sigma}_1^2 = \frac{\sum_i w_i(k-1)}{(\sum_i w_i)^2 - \sum_i w_i^2}, \quad (6)$$

where $w_i = 1/\sigma_i^2$.

We will also look at the geometric mean

$$\bar{\sigma}_2^2 = \frac{k}{\sum_i w_i} \quad (7)$$

and the arithmetic mean

$$\bar{\sigma}_3^2 = \frac{1}{k} \sum_i \sigma_i^2 \quad (8)$$

leading to three different forms of I^2 : I_1^2 , I_2^2 , I_3^2 defined as

$$I_j^2 = \frac{\tau^2}{\tau^2 + \bar{\sigma}_j^2} \quad (9)$$

for $j=1,2,3$. The means (6) and (7) are closely related as could be recently shown in Böhning *et al.* (2017).

2. Problems with the definition of I^2

It has been noted in the literature by Rücker, Schwarzer, Carpenter und Schumacher (2008) or Borenstein, Hedges, Higgins, Rothstein (2009) that I^2 crucially depends on $\bar{\sigma}^2$ (whatever average is considered) and that $\bar{\sigma}^2$ involves the sample size of disease and control arm. This leads to the artifact that a meta-analysis with larger-sized studies show more heterogeneity in comparison to a meta-analysis with smaller-sized studies, but both having the same τ^2 . Rücker, Schwarzer, Carpenter und Schumacher (2008) write: „as precision increases, while estimates of the heterogeneity variance remain unchanged on average, estimates of I^2 increase rapidly to nearly 100%.“

This suggests to consider a new definition of $\bar{\sigma}^2$ where the effect of the sample size is removed:

$$\sigma_{i0}^2 = \frac{1-p_i}{p_i(\log p_i)^2} + \frac{1-u_i}{u_i(\log u_i)^2} . \quad (10)$$

This leads then to an adjusted I_0^2 with different versions for the different forms of means considered: $I_{10}^2, I_{20}^2, I_{30}^2$. We will describe in detail how these quantities are estimated in the next section.

We would like to mention that the idea of adjusting I^2 for within study sample size has been recently put forward in Sangnawakij *et al.* (2017).

3. Simulation work

To investigate the performance of these measures in more detail a simulation study was undertaken.

3.1 Design

We have chosen $\theta = 0.1, 0.3, 0.5$ and $m = 50, 100$. Also, $u = 0.4, 0.6$.

The target values for were $I^2 = 0.1, 0.5, 0.8$.

It follows that $p = u^\theta$ and

$$\sigma_i^2 = \frac{1}{m} \left[\frac{1-p}{p(\log p)^2} + \frac{1-u}{u(\log u)^2} \right]$$

$$w_i = 1/\sigma_i^2.$$

From this we also can deduce the values of the heterogeneity variance $\tau^2 = \frac{I^2 \sigma_i^2}{1-I^2}$ which we will use in the simulation to reach the target values of I^2 . Note that we use the original definition of the heterogeneity measure I^2 .

Then we sample $\log \theta_i$ from $N(\log \theta, \tau^2)$ and ε_i from $N(0, \sigma_i^2)$ for $i=1, \dots, k$.

This leads to $\log \hat{\theta}_i = \log \theta_i + \varepsilon_i$, hence $\hat{\theta}_i = \exp(\log \hat{\theta}_i)$. Note that

$$\sigma_{i0}^2 = \frac{1-p}{p(\log p)^2} + \frac{1-u}{u(\log u)^2}$$

$$w_{i0} = 1/\sigma_{i0}^2.$$

The true values for θ, p, u and τ^2 are clear. For the study-specific variances we

compute
$$\bar{\sigma}_1^2 = \frac{(k-1) \sum w_i}{\left(\sum w_i \right)^2 - \sum w_i^2}, \quad \bar{\sigma}_2^2 = \frac{k}{\sum w_i}, \quad \bar{\sigma}_3^2 = \frac{\sum \sigma_i^2}{k} \quad \Rightarrow I_j^2 = \frac{\tau^2}{\tau^2 + \bar{\sigma}_j^2}$$

and
$$\bar{\sigma}_{10}^2 = \frac{(k-1) \sum w_{i0}}{\left(\sum w_{i0} \right)^2 - \sum w_{i0}^2}, \quad \bar{\sigma}_{20}^2 = \frac{k}{\sum w_{i0}}, \quad \bar{\sigma}_{30}^2 = \frac{\sum \sigma_{i0}^2}{k} \quad \Rightarrow I_{j0}^2 = \frac{\tau^2}{\tau^2 + \bar{\sigma}_{j0}^2}.$$

Note that the design of the simulation allows to specify true values of the heterogeneity measures, in the adjusted or original version.

3.2 Estimation

With $\hat{\theta}_i = \exp(\log \hat{\theta}_i)$ generated we compute readily $\hat{p}_i = u^{\hat{\theta}_i}$

as well as

$$\hat{\sigma}_i^2 = \frac{1}{m} \left[\frac{1 - \hat{p}_i}{\hat{p}_i (\log \hat{p}_i)^2} + \frac{1 - u}{u (\log u)^2} \right]$$

$$\hat{\sigma}_{i0}^2 = \frac{1 - \hat{p}_i}{\hat{p}_i (\log \hat{p}_i)^2} + \frac{1 - u}{u (\log u)^2}$$

$$\hat{w}_i = 1 / \hat{\sigma}_i^2$$

$$\hat{w}_{i0} = 1 / \hat{\sigma}_{i0}^2 .$$

With these we are able to compute the overall estimate of diagnostic accuracy

$$\log \theta = \frac{\sum \hat{w}_i \log \hat{\theta}_i}{\sum \hat{w}_i}$$

and

$$\hat{\theta} = \exp(\log \theta) . \quad (11)$$

We also have

$$\chi^2 = \sum \hat{w}_i (\log \hat{\theta}_i - \log \theta)^2$$

and

$$\hat{\tau}^2 = \frac{\chi^2 - (k-1)}{\sum \hat{w}_i - \sum \hat{w}_i^2 / \sum \hat{w}_i} . \quad (12)$$

This is the DerSimonian-Laird estimator of heterogeneity variance which is a standard estimator used in the connection with Higgins's I^2 . Other estimators of heterogeneity variance are possible (see Bender *et al.* 2017 for an overview) but this is not a critical aspect for this investigation.

Furthermore, we have mean estimated study-specific variances

$$\bar{\bar{\sigma}}_1^2 = \frac{(k-1) \sum \hat{w}_i}{(\sum \hat{w}_i)^2 - \sum \hat{w}_i^2}, \quad \bar{\bar{\sigma}}_2^2 = \frac{k}{\sum \hat{w}_i}, \quad \bar{\bar{\sigma}}_3^2 = \frac{\sum \hat{\sigma}_i^2}{k}$$

leading to

$$\hat{I}_j^2 = \frac{\hat{\tau}^2}{\hat{\tau}^2 + \bar{\bar{\sigma}}_j^2} \quad (13)$$

as well as mean estimated size-adjusted study-specific variances

$$\bar{\bar{\sigma}}_{10}^2 = \frac{(k-1) \sum \hat{w}_{i0}}{(\sum \hat{w}_{i0})^2 - \sum \hat{w}_{i0}^2}, \quad \bar{\bar{\sigma}}_{20}^2 = \frac{k}{\sum \hat{w}_{i0}}, \quad \bar{\bar{\sigma}}_{30}^2 = \frac{\sum \hat{\sigma}_{i0}^2}{k}$$

leading to

$$\hat{I}_{j0}^2 = \frac{\hat{\tau}^2}{\hat{\tau}^2 + \overline{\sigma}_{j0}^2} . \quad (14)$$

3.3 Performance measures for the estimators

We consider the mean, the bias and the standard deviation in their estimated versions for a replication size of 10000 to eliminate almost any simulation error. We have the following:

Mean:

$$\begin{aligned} \hat{E}(\hat{\theta}) &= \sum \hat{\theta}^{(b)} / 10000, \quad \hat{E}(\hat{\tau}^2) = \sum \hat{\tau}^{2(b)} / 10000, \\ \hat{E}(\hat{I}_j^2) &= \sum \hat{I}_j^{2(b)} / 10000, \quad \hat{E}(\hat{I}_{j0}^2) = \sum \hat{I}_{j0}^{2(b)} / 10000, \quad j = 1, 2, 3 \end{aligned}$$

Bias:

$$\begin{aligned} \text{Bias}(\hat{\theta}) &= \hat{E}(\hat{\theta}) - \theta, \quad \text{Bias}(\hat{\tau}^2) = \hat{E}(\hat{\tau}^2) - \tau^2 \\ \text{Bias}(\hat{I}_j^2) &= \hat{E}(\hat{I}_j^2) - I_j^2, \quad \text{Bias}(\hat{I}_{j0}^2) = \hat{E}(\hat{I}_{j0}^2) - I_{j0}^2 \end{aligned}$$

SD:

$$\begin{aligned} SD(\hat{\theta}) &= \sqrt{\sum (\hat{\theta}^{(b)} - \hat{E}(\hat{\theta}))^2 / 10000}, \quad SD(\hat{\tau}^2) = \sqrt{\sum (\hat{\tau}^{2(b)} - \hat{E}(\hat{\tau}^2))^2 / 10000} \\ SD(\hat{I}_j^2) &= \sqrt{\sum (\hat{I}_j^{2(b)} - \hat{E}(\hat{I}_j^2))^2 / 10000}, \quad SD(\hat{I}_{j0}^2) = \sqrt{\sum (\hat{I}_{j0}^{2(b)} - \hat{E}(\hat{I}_{j0}^2))^2 / 10000} \end{aligned}$$

4. Results

In the following we describe the major results of the simulation work. Details can be found in the Figures 1 – 8 and in the tables in Appendix II. Some key points are as follows:

- The bias of $\hat{\theta}$ and $\hat{\tau}^2$ converge to zero with increasing within study sample size m , faster for low heterogeneity (Fig. 1 and Fig. 2)
- The bias for unadjusted $\hat{I}_j^2$ remains stable for increasing within study sample size, but is smaller for $\hat{I}_3^2$. The explanation here is that bias defined in reference to a population version of I^2 which involves the within study sample size. So, if this increases, also the population parameter of I^2 increases and bias stays the same. (Fig. 3).
- The bias for the new $\hat{I}_{j0}^2$ converges to zero if the within study sample size increases.

The faster the smaller the heterogeneity and the ranking seems to be that $\hat{I}_{30}^2$ is

better than $\hat{I}_{20}^2$ which seems slightly better than $\hat{I}_{10}^2$. The number studies seems to play no major role. (Fig. 4).

- The remaining graphs show the associated estimated standard deviations and basically show what is expected to see. Note that for $\hat{I}_j^2$ the standard deviations do not go down with increasing within study sample size, an artefact described already above.




Fig.1 The graphs of bias for $\hat{\theta}$ against sample size for various values of the heterogeneity measure I^2




Fig.2 The graphs of bias for $\hat{\tau}^2$ against sample size for various values of the heterogeneity measure I^2




Fig.3 The graphs of bias for $\hat{I}_1^2$ (the first row), $\hat{I}_2^2$ (the second row) and $\hat{I}_3^2$ (the third row) against sample size for various values of the heterogeneity measure I^2




Fig.4 The graphs of bias for $\hat{I}_{10}^2$ (the first row), $\hat{I}_{20}^2$ (the second row) and $\hat{I}_{30}^2$ (the third row) against sample size for various values of the heterogeneity measure I^2




Fig.5 The graphs of SD for $\hat{\theta}$ against sample size for various values of the heterogeneity measure I^2




Fig.6 The graphs of SD for $\hat{\tau}^2$ against sample size for various values of the heterogeneity measure I^2




Fig.7 The graphs of SD for $\hat{I}_1^2$ (the first row), $\hat{I}_2^2$ (the second row) and $\hat{I}_3^2$ (the third row) against sample size for various values of the heterogeneity measure I^2




Fig.8 The graphs of SD for $\hat{I}_{10}^2$ (the first row), $\hat{I}_{20}^2$ (the second row) and $\hat{I}_{30}^2$ (the third row) against against sample size for various values of the heterogeneity measure I^2

5. Application to case studies

In Charoensawat et al. (2014) a number of meta-analytic diagnostic studies were discussed including a meta-analysis by Doust *et al.* (2004) on the diagnostic accuracy of the brain natriuretic peptides (BNP) procedure as a diagnostic test for heart failure (heart failure), a meta-analysis by Mitchell *et al.* (2009) on the diagnostic accuracy of the mini-mental state examination (MMSE) as a diagnostic test for the detection of dementia (dementia), and a meta-analysis of the diagnostic accuracy of a PH questionnaire for diagnosing depressive disorders (Mood) by Wittkamp *et al.* (2007). In the example 1 below we reproduce here the data of the heart failure meta-analysis for illustration.

Example 1: Heart failure

Study i	TP (y_i)	FN ($m_i - y_i$)	TN (x_i)	FP ($n_i - x_i$)	$m_i + n_i$	m_i	n_i	$\hat{p}_i$	$\hat{u}_i$
1	29	7	46	19	101	36	65	0.8056	0.2923
2	34	6	22	13	75	40	35	0.8500	0.3714
3	49	9	78	17	153	58	95	0.8448	0.1789
4	4	6	1612	85	1707	10	1697	0.4000	0.0501
5	20	40	1339	71	1470	60	1410	0.3333	0.0504
6	29	2	102	166	299	31	268	0.9355	0.6194
7	26	14	75	11	126	40	86	0.6500	0.1279
8	11	1	93	50	155	12	143	0.9167	0.3497

For computation we use the formulae: $\hat{p}_i = y_i / m_i$, $\hat{u}_i = 1 - x_i / n_i$ and $\hat{\theta}_i = \log \hat{p}_i / \log \hat{u}_i$

$$\hat{\sigma}_i^2 = \frac{1}{m_i} \frac{1 - \hat{p}_i}{\hat{p}_i (\log \hat{p}_i)^2} + \frac{1}{n_i} \frac{1 - \hat{u}_i}{\hat{u}_i (\log \hat{u}_i)^2} \quad \hat{\sigma}_{i0}^2 = \frac{1 - \hat{p}_i}{\hat{p}_i (\log \hat{p}_i)^2} + \frac{1 - \hat{u}_i}{\hat{u}_i (\log \hat{u}_i)^2},$$

and for all others the formulae as defined before in section 3.2

The results of the analysis are provided below. It is clearly seen that the conventional heterogeneity measure of Higgins produces large values for the magnitude of heterogeneity. This is also the case for the meta-analysis of heart failure which is considered to be a case of low heterogeneity. These large values for Higgins I^2 are likely due to the fact that in diagnostic studies we often have large within study samples sizes. In contrast, we see that with the new heterogeneity measure we have much lower values of magnitude in heterogeneity. The heterogeneity ranking based upon the new measure also corresponds much more with other informative measures on heterogeneity, for example the SROC graphs as developed in Charoensawat *et al.* (2014). Hence this underlines that the adjusted measure of Higgins could be an interesting alternative to the conventional measure, but clearly further experience needs to be collected and brought into perspective.

Table 1: The results for the meta-analytic case studies heart failure, dementia, and mood

Data	heart failure	dementia	mood
$\hat{\theta}$	0.246	0.130	0.143
$\hat{\tau}^2$	0.172	0.388	0.507
$\bar{\sigma}_1^2$	0.134	0.050	0.074
$\bar{\sigma}_2^2$	0.111	0.048	0.062
$\bar{\sigma}_2^2$	0.292	0.158	0.230
$\bar{\sigma}_{10}^2$	6.550	7.300	6.389
$\bar{\sigma}_{20}^2$	6.335	7.260	6.273
$\bar{\sigma}_{30}^2$	8.405	11.725	7.830
$\hat{I}_1^2$	0.561	0.887	0.873
$\hat{I}_2^2$	0.608	0.889	0.891
$\hat{I}_3^2$	0.371	0.711	0.688
$\hat{I}_{10}^2$	0.026	0.050	0.073
$\hat{I}_{20}^2$	0.026	0.051	0.075
$\hat{I}_{30}^2$	0.020	0.032	0.061

Acknowledgements

This research has been done with the support of the German Research Foundation (DFG) under HO1286/7-3.

References

- Bender, R., Friede, T., Koch, A., Kuss, O., Schlattmann, P., Schwarzer, R., Skipka, G. (2017). Methods for evidence synthesis in the case of very few studies. *Research Evidence Synthesis* (in review).
- Böhning, D., Lerdsuwansri, R., & Holling, H. (2017). Some general points on the I^2 -measure of heterogeneity in meta-analysis. *Metrika*, 80, 685-695.
- Böhning, D., Böhning, W. & Holling, H. (2008). Revisiting Youden's index as a useful measure of the misclassification error in meta-analysis of diagnostic studies. *Statistical Methods in Medical Research*, 17, 543-554.
- Böhning, D., Holling, H. & Patilea, V. (2010). A limitation of the diagnostic-odds ratio in determining an optimal cut-off value for a continuous diagnostic test. *Statistical Methods in Medical Research*, 20, 541 - 550.
- Böhning, D. (2000). *Computer-Assisted Analysis of Mixtures and Applications. Meta-Analysis, Disease Mapping and Others*. Chapman & Hall/CRC, Boca Raton.
- Böhning, D., Malzahn, U., Dietz, E., Schlattmann, P., Viwatwongkasem, C., Biggeri, A. (2002). Some general points in estimating heterogeneity variance with the DerSimonian-Laird estimator. *Biostatistics*, 3, 445-457.
- Borenstein, M, Hedges, L.V., Higgins, J.P.T., Rothstein, H.R. (2009). *Introduction to Meta-Analysis*. Wiley: New York.
- Breslow, N. E. & Clayton, D.G. (1993). Approximate Inference in Generalized Linear Mixed Models. *Journal of the American Statistical Association*, 88, 9–25.
- Charoensawat, S., Böhning, W., Böhning, D. & Holling, H. (2014). Meta-analysis and meta-modelling for diagnostic problems. *BMC Medical Research Methodology*, 14-56.
- Doebler, P. & Holling, H. (2015). Meta-analysis of diagnostic accuracy and ROC curves with covariate adjusted semiparametric mixtures. *Psychometrika* 80 1084–1104.
- Doebler, P. & Holling, H. (2013). Meta-Analysis of Diagnostic Accuracy with mada. (Vignette des R-Pakets mada). url={<http://cran.r-project.org/web/packages/mada/vignettes/mada.pdf>}.
- Doebler, P., Holling, H. & Böhning, D. (2011). A mixed model approach to meta-analysis of diagnostic studies with binary test outcome. *Psychological Methods*, 17, 418 - 436.
- Doust JA, Glasziou PP, Pietrzak E, Dobson AJ: A system reviews of diagnostic accuracy of natriuretic peptides for heart failure. *Arch Intern Med*. 2004, 2: 9.
- Gasparini, A., Armstrong, B. & Kenward, M.G. (2012). Multivariate meta-analysis for non-linear and other multi-parameter associations. *Statistics in Medicine*, 31, 3821-3839.
- Higgins, J. P.T. & Thompson, S. G. (2002). Quantifying heterogeneity in a meta-analysis. *Statistics in Medicine*, 21, 1539-1558.

Holling, H., Böhning, D. & Böhning, W. (2007). Meta-Analysis of binary data based upon dichotomized criteria. *Zeitschrift für Psychologie - Journal of Psychology*, 3, 122-131.

Holling, H., Böhning, W. & Böhning, D. (2011). Likelihood based clustering of meta-analytic SROC curves. *Psychometrika*, 77, 106 -126.

Holling, H., Böhning, W. & Böhning, D. (2012). Meta-analysis of diagnostic studies based upon SROC-curves: a mixed model approach using the Lehmann family. *Statistical Modelling - An International Journal*, 12, 347-375.

Mitchell AJ: A Meta-Analysis of the accuracy of the mini-mental state examination in the detection of dementia and mild cognitive impairment. *J Psychiatr Res.* 2009, 43: 411-431.

Rücker, G., Scharzer, G., Carpenter, J.R., Schumacher, M. (2008). Undue reliance on I^2 in assessing heterogeneity may mislead. *BMC Research Methodology*, 8, 79.

Sangnawakij, P., Böhning, D., Adams, S., Stanton, M., & Holling, H. (2017). Statistical methodology for estimating the mean difference in a meta-analysis without study-specific variance information. *Statistics in Medicine* 36, 1395-1413.

Sangnawakij, P., Böhning, D., Niwitpong, S., Adams, S., Stanton, M., Holling, H. (2017). Meta-analysis without study-specific variance information: Heterogeneity case. *Statistical Methods in Medical Research* (online).

Thompson, S. G. & Sharp, S. J. (1999) Explaining heterogeneity in meta-analysis: a comparison of methods. *Statistics in Medicine*, 18, 2693-2708.

Wittkamp KA, Naeije L, Schene AH, Huyser J, van Weet HC: Diagnostic accuracy of the mood module of the patient health questionnaire: a systematic review. *Gen Hosp Psychiatry.* 2007, 29: 388-395.

Appendix I: R-code

The simulation work has used the following R-code which we list here for completeness and reproducibility.

File name: ma_hetero2_estimator method II different I2__USE

```
#-----
#      Start program
#-----
function(B,k,m,theta,u,i2) {
  theta.hat <- rep(0,B)
  tau2.hat <- rep(0,B)
  sigma2.bb1 <- rep(0,B)
  sigma2.bb2 <- rep(0,B)
  sigma2.bb3 <- rep(0,B)
  i2.hat1 <- rep(0,B)
  i2.hat2 <- rep(0,B)
  i2.hat3 <- rep(0,B)
  sigma2.bb10 <- rep(0,B)
  sigma2.bb20 <- rep(0,B)
  sigma2.bb30 <- rep(0,B)
  i2.hat10 <- rep(0,B)
  i2.hat20 <- rep(0,B)
  i2.hat30 <- rep(0,B)

  for (h in 1:B) {
    p <- u^theta
    sigma2.i <- (((1-p)/(p*(log(p))^2)))+(((1-u)/(u*(log(u))^2)))/m
    w.i <- 1/sigma2.i
    tau2 <- (sigma2.i*i2)/(1-i2)
    log.theta.i <- rnorm(k,log(theta),sqrt(tau2))
    e.i <- rnorm(k,0,sqrt(sigma2.i))
    log.thetahat.i <- log.theta.i+e.i
    thetahat.i <- exp(log.thetahat.i)

    sigma2.i0 <- (((1-p)/(p*(log(p))^2)))+(((1-u)/(u*(log(u))^2))
    w.i0 <- 1/sigma2.i0
  }
  #-----
  #      The true values
  #-----
  sigma2.1 <- (sum(w.i*(k-1)))/((sum(w.i))^2-sum(w.i^2))
  sigma2.2 <- k/(sum(w.i))
  sigma2.3 <- mean(sigma2.i)
  i2.1 <- tau2/(tau2+sigma2.1) #---I2.1
  i2.2 <- tau2/(tau2+sigma2.2) #---I2.2
  i2.3 <- tau2/(tau2+sigma2.3) #---I2.3
  sigma2.10 <- (sum(w.i0*(k-1)))/((sum(w.i0))^2-sum(w.i0^2))
  sigma2.20 <- k/(sum(w.i0))
  sigma2.30 <- mean(sigma2.i0)
  i2.10 <- tau2/(tau2+sigma2.10) #---I2.10
  i2.20 <- tau2/(tau2+sigma2.20) #---I2.20
  i2.30 <- tau2/(tau2+sigma2.30) #---I2.30
  #-----
  #      The estimators
```

```

#-----
phat.i <- u^thetahat.i
sigma2hat.i <- ((1/m)*((1-phat.i)/(phat.i*(log(phat.i))^2)))+((1/m)*((1-u)/(u*(log(u))^2)))
sigma2hat.i0 <- ((1-phat.i)/(phat.i*(log(phat.i))^2))+((1-u)/(u*(log(u))^2))
w.hat.i <- 1/sigma2hat.i
w.hat.i0 <- 1/sigma2hat.i0

logtheta.hat <- (sum(w.hat.i*log.thetahat.i))/(sum(w.hat.i))
theta.hat[h] <- exp(logtheta.hat)
#---estimator: theta.hat
chi2 <- sum(w.hat.i*(log.thetahat.i-logtheta.hat)^2)
tau2.hat[h] <- (chi2-(k-1))/(sum(w.hat.i)-(sum(w.hat.i^2))/(sum(w.hat.i)))
#---estimator: tau2.hat

sigma2.bb1[h] <- (sum(w.hat.i*(k-1)))/((sum(w.hat.i))^2-(sum(w.hat.i^2)))
sigma2.bb2[h] <- k/(sum(w.hat.i))
sigma2.bb3[h] <- mean(sigma2hat.i)
i2.hat1[h] <- tau2.hat[h]/(tau2.hat[h]+sigma2.bb1[h])
#---estimator: i2.hat1
i2.hat2[h] <- tau2.hat[h]/(tau2.hat[h]+sigma2.bb2[h])
#---estimator: i2.hat2
i2.hat3[h] <- tau2.hat[h]/(tau2.hat[h]+sigma2.bb3[h])
#---estimator: i2.hat3

sigma2.bb10[h] <- (sum(w.hat.i0*(k-1)))/((sum(w.hat.i0))^2-sum(w.hat.i0^2))
sigma2.bb20[h] <- k/(sum(w.hat.i0))
sigma2.bb30[h] <- mean(sigma2hat.i0)
i2.hat10[h] <- tau2.hat[h]/(tau2.hat[h]+sigma2.bb10[h])
#---estimator: i2.hat10
i2.hat20[h] <- tau2.hat[h]/(tau2.hat[h]+sigma2.bb20[h])
#---estimator: i2.hat20
i2.hat30[h] <- tau2.hat[h]/(tau2.hat[h]+sigma2.bb30[h])
#---estimator: i2.hat30
} #end loop B

ave.theta.hat <- mean(theta.hat)
#---mean of estimators
ave.tau2.hat <- mean(tau2.hat)
ave.i2.hat1 <- mean(i2.hat1)
ave.i2.hat2 <- mean(i2.hat2)
ave.i2.hat3 <- mean(i2.hat3)
ave.i2.hat10 <- mean(i2.hat10)
ave.i2.hat20 <- mean(i2.hat20)
ave.i2.hat30 <- mean(i2.hat30)

bias.theta.hat <- ave.theta.hat-theta
#---bias of estimators
bias.tau2.hat <- ave.tau2.hat-tau2
bias.i2.hat1 <- ave.i2.hat1-i2.1
bias.i2.hat2 <- ave.i2.hat2-i2.2
bias.i2.hat3 <- ave.i2.hat3-i2.3
bias.i2.hat10 <- ave.i2.hat10-i2.10
bias.i2.hat20 <- ave.i2.hat20-i2.20
bias.i2.hat30 <- ave.i2.hat30-i2.30

```

```

# calculation of estimated standard errors
mse.theta.hat <- sqrt(mean((theta.hat-ave.theta.hat)^2))
mse.tau2.hat <- sqrt(mean((tau2.hat-ave.tau2.hat)^2))
mse.i2.hat1 <- sqrt(mean((i2.hat1-ave.i2.hat1)^2))
mse.i2.hat2 <- sqrt(mean((i2.hat2-ave.i2.hat2)^2))
mse.i2.hat3 <- sqrt(mean((i2.hat3-ave.i2.hat3)^2))
mse.i2.hat10 <- sqrt(mean((i2.hat10-ave.i2.hat10)^2))
mse.i2.hat20 <- sqrt(mean((i2.hat20-ave.i2.hat20)^2))
mse.i2.hat30 <- sqrt(mean((i2.hat30-ave.i2.hat30)^2))

cat(tau2,'\t',ave.theta.hat,'\t', ave.tau2.hat,'\t',ave.i2.hat1,'\t', ave.i2.hat2,'\t',
ave.i2.hat3,'\t',ave.i2.hat10,'\t', ave.i2.hat20,'\t', ave.i2.hat30,'\n')
cat(bias.theta.hat,'\t', bias.tau2.hat,'\t',bias.i2.hat1,'\t', bias.i2.hat2,'\t',
bias.i2.hat3,'\t',bias.i2.hat10,'\t', bias.i2.hat20,'\t', bias.i2.hat30,'\n')
cat(mse.theta.hat,'\t', mse.tau2.hat,'\t',mse.i2.hat1,'\t', mse.i2.hat2,'\t',
mse.i2.hat3,'\t',mse.i2.hat10,'\t', mse.i2.hat20,'\t', mse.i2.hat30,'\n')

} #end program

```

Appendix II: Detailed numerical results of the simulation

Table A.1 The mean of estimators ($\hat{\theta}$, $\hat{\tau}^2$, $\hat{I}_j^2$, $\hat{I}_{j0}^2$, $j = 1, 2, 3$) for various settings

k	m	θ	u	I^2	Estimators								τ^2
					$\hat{\theta}$	$\hat{\tau}^2$	$\hat{I}_1^2$	$\hat{I}_2^2$	$\hat{I}_3^2$	$\hat{I}_{10}^2$	$\hat{I}_{20}^2$	$\hat{I}_{30}^2$	
10	50	0.1	0.4	0.1	0.1240	0.0169	-0.2416	-0.2471	-0.1982	0.0017	0.0019	0.0010	0.03
				0.5	0.1466	0.2214	0.2910	0.2948	0.2564	0.0184	0.0192	0.0133	0.26
				0.8	0.2269	0.7716	0.6815	0.6909	0.5602	0.0638	0.0679	0.0351	1.06
			0.6	0.1	0.1469	0.0289	-0.2673	-0.2797	-0.1756	0.0022	0.0025	0.0010	0.05
				0.5	0.1917	0.3467	0.2519	0.2561	0.2094	0.0188	0.0203	0.0108	0.45
				0.8	0.3681	1.1362	0.6501	0.6643	0.4463	0.0630	0.0694	0.0237	1.81
		0.3	0.4	0.1	0.3239	0.0091	-0.1921	-0.1930	-0.1844	0.0015	0.0015	0.0013	0.01
				0.5	0.3415	0.1049	0.3087	0.3098	0.2977	0.0171	0.0172	0.0156	0.12
				0.8	0.4037	0.3911	0.6989	0.7016	0.6675	0.0600	0.0610	0.0504	0.48
			0.6	0.1	0.3434	0.0106	-0.2264	-0.2288	-0.2070	0.0012	0.0013	0.0009	0.02
				0.5	0.3777	0.1599	0.2946	0.2967	0.2745	0.0167	0.0170	0.0140	0.19
				0.8	0.5004	0.5917	0.6833	0.6883	0.6189	0.0591	0.0609	0.0425	0.77
	100	0.1	0.4	0.1	0.5230	0.0067	-0.1883	-0.1887	-0.1852	0.0014	0.0014	0.0013	0.01
				0.5	0.5413	0.0813	0.3254	0.3260	0.3200	0.0170	0.0171	0.0163	0.09
				0.8	0.5990	0.3036	0.7042	0.7055	0.6902	0.0591	0.0596	0.0544	0.36
			0.6	0.1	0.5417	0.0090	-0.2096	-0.2106	-0.2013	0.0012	0.0013	0.0011	0.02
				0.5	0.5785	0.1192	0.3061	0.3073	0.2951	0.0165	0.0166	0.0151	0.14
				0.8	0.6892	0.4552	0.6968	0.6995	0.6641	0.0587	0.0597	0.0491	0.56
		0.3	0.4	0.1	0.1122	0.0118	-0.1939	-0.1959	-0.1774	0.0010	0.0011	0.0008	0.01
				0.5	0.1220	0.1220	0.3240	0.3266	0.3022	0.0098	0.0100	0.0081	0.13
				0.8	0.1584	0.4432	0.7057	0.7113	0.6462	0.0359	0.0375	0.0252	0.53
			0.6	0.1	0.1222	0.0201	-0.2198	-0.2243	-0.1832	0.0012	0.0012	0.0008	0.03
				0.5	0.1419	0.1970	0.3000	0.3041	0.2658	0.0099	0.0103	0.0071	0.23
				0.8	0.2197	0.7027	0.6927	0.7023	0.5809	0.0369	0.0398	0.0201	0.91
	500	0.1	0.4	0.1	0.3118	0.0053	-0.1845	-0.1850	-0.1811	0.0009	0.0009	0.0008	0.01
				0.5	0.3214	0.0561	0.3370	0.3377	0.3311	0.0093	0.0093	0.0089	0.06
				0.8	0.3534	0.2176	0.7232	0.7247	0.7088	0.0348	0.0352	0.0316	0.24
			0.6	0.1	0.3211	0.0080	-0.1974	-0.1983	-0.1896	0.0009	0.0009	0.0007	0.01
				0.5	0.3382	0.0873	0.3243	0.3256	0.3129	0.0091	0.0092	0.0083	0.10
				0.8	0.3981	0.3334	0.7102	0.7130	0.6803	0.0341	0.0348	0.0283	0.38
		0.3	0.4	0.1	0.5114	0.0037	-0.1849	-0.1851	-0.1834	0.0008	0.0008	0.0008	0.01
				0.5	0.5213	0.0430	0.3409	0.3412	0.3381	0.0092	0.0092	0.0090	0.05
				0.8	0.5508	0.1685	0.7267	0.7274	0.7203	0.0346	0.0348	0.0331	0.18
			0.6	0.1	0.5202	0.0057	-0.1884	-0.1889	-0.1849	0.0008	0.0008	0.0007	0.01
				0.5	0.5370	0.0648	0.3276	0.3283	0.3218	0.0091	0.0091	0.0087	0.07
				0.8	0.5967	0.2502	0.7156	0.7171	0.7010	0.0339	0.0342	0.0307	0.28
	500	0.1	0.4	0.1	0.1021	0.0027	-0.1730	-0.1733	-0.1704	0.0002	0.0002	0.0002	0.00
				0.5	0.1043	0.0261	0.3531	0.3538	0.3481	0.0020	0.0020	0.0019	0.03
				0.8	0.1109	0.1026	0.7376	0.7389	0.7265	0.0079	0.0080	0.0073	0.11
			0.6	0.1	0.1042	0.0047	-0.1705	-0.1711	-0.1655	0.0002	0.0002	0.0002	0.01
				0.5	0.1077	0.0435	0.3412	0.3423	0.3322	0.0020	0.0020	0.0018	0.05
				0.8	0.1198	0.1717	0.7304	0.7328	0.7094	0.0080	0.0082	0.0068	0.18
		0.3	0.4	0.1	0.3024	0.0013	-0.1544	-0.1544	-0.1538	0.0002	0.0002	0.0002	0.00
				0.5	0.3039	0.0118	0.3470	0.3471	0.3458	0.0020	0.0020	0.0020	0.01
				0.8	0.3104	0.0466	0.7384	0.7387	0.7358	0.0077	0.0077	0.0076	0.05
			0.6	0.1	0.3044	0.0020	-0.1700	-0.1702	-0.1688	0.0002	0.0002	0.0002	0.00
				0.5	0.3074	0.0189	0.3511	0.3514	0.3486	0.0020	0.0020	0.0019	0.02
				0.8	0.3194	0.0746	0.7358	0.7364	0.7304	0.0078	0.0078	0.0074	0.08
	0.5	0.4	0.4	0.1	0.5023	0.0010	-0.1565	-0.1566	-0.1563	0.0002	0.0002	0.0002	0.00
				0.5	0.5042	0.0090	0.3573	0.3573	0.3567	0.0020	0.0020	0.0020	0.01
				0.8	0.5109	0.0354	0.7370	0.7371	0.7358	0.0077	0.0077	0.0076	0.04
		0.6	0.4	0.1	0.5040	0.0015	-0.1658	-0.1659	-0.1652	0.0002	0.0002	0.0002	0.00
				0.5	0.5082	0.0137	0.3492	0.3493	0.3480	0.0019	0.0019	0.0019	0.01
				0.8	0.5189	0.0552	0.7403	0.7406	0.7377	0.0078	0.0078	0.0076	0.06

					Estimators								
					$\hat{\theta}$	$\hat{\tau}^2$	$\hat{I}_1^2$	$\hat{I}_2^2$	$\hat{I}_3^2$	$\hat{I}_{10}^2$	$\hat{I}_{20}^2$	$\hat{I}_{30}^2$	
k	m	θ	u	I^2									
20	50	0.1	0.4	0.1	0.1254	0.0273	-0.0359	-0.0365	-0.0241	0.0024	0.0025	0.0018	0.03
				0.5	0.1472	0.2310	0.4083	0.4114	0.3483	0.0193	0.0197	0.0139	0.26
				0.8	0.2266	0.7885	0.7436	0.7484	0.6002	0.0674	0.0694	0.0345	1.06
			0.6	0.1	0.1478	0.0493	-0.0433	-0.0448	-0.0164	0.0029	0.0030	0.0017	0.05
				0.5	0.1923	0.3755	0.4014	0.4064	0.3010	0.0203	0.0210	0.0113	0.45
				0.8	0.3651	1.1704	0.7375	0.7453	0.4749	0.0680	0.0711	0.0217	1.81
		0.3	0.4	0.1	0.3234	0.0086	-0.0433	-0.0434	-0.0410	0.0014	0.0015	0.0013	0.01
				0.5	0.3422	0.1054	0.4051	0.4058	0.3887	0.0173	0.0174	0.0159	0.12
				0.8	0.4031	0.3918	0.7400	0.7413	0.7040	0.0612	0.0617	0.0508	0.48
			0.6	0.1	0.3438	0.0133	-0.0496	-0.0499	-0.0435	0.0015	0.0015	0.0012	0.02
				0.5	0.3792	0.1648	0.3968	0.3983	0.3651	0.0174	0.0175	0.0146	0.19
				0.8	0.4985	0.5880	0.7305	0.7331	0.6552	0.0601	0.0610	0.0419	0.77
		0.5	0.4	0.1	0.5235	0.0065	-0.0448	-0.0448	-0.0438	0.0014	0.0014	0.0013	0.01
				0.5	0.5414	0.0806	0.4057	0.4061	0.3982	0.0171	0.0171	0.0164	0.09
				0.8	0.5977	0.3057	0.7413	0.7420	0.7250	0.0604	0.0607	0.0553	0.36
			0.6	0.1	0.5424	0.0098	-0.0443	-0.0445	-0.0420	0.0014	0.0014	0.0012	0.02
				0.5	0.5766	0.1203	0.3964	0.3971	0.3801	0.0168	0.0168	0.0154	0.14
				0.8	0.6887	0.4494	0.7334	0.7348	0.6959	0.0593	0.0597	0.0490	0.56
	100	0.1	0.4	0.1	0.1121	0.0137	-0.0221	-0.0223	-0.0186	0.0011	0.0011	0.0010	0.01
				0.5	0.1225	0.1236	0.4230	0.4247	0.3902	0.0099	0.0100	0.0083	0.13
				0.8	0.1604	0.4595	0.7609	0.7638	0.6924	0.0380	0.0387	0.0259	0.53
			0.6	0.1	0.1224	0.0251	-0.0275	-0.0279	-0.0181	0.0013	0.0013	0.0010	0.03
				0.5	0.1424	0.2067	0.4198	0.4229	0.3619	0.0103	0.0105	0.0075	0.23
				0.8	0.2211	0.7384	0.7595	0.7644	0.6287	0.0397	0.0411	0.0203	0.91
		0.3	0.4	0.1	0.3118	0.0055	-0.0254	-0.0254	-0.0248	0.0009	0.0009	0.0009	0.01
				0.5	0.3216	0.0562	0.4228	0.4232	0.4144	0.0093	0.0094	0.0089	0.06
				0.8	0.3535	0.2177	0.7593	0.7600	0.7427	0.0352	0.0354	0.0319	0.24
			0.6	0.1	0.3214	0.0089	-0.0256	-0.0256	-0.0241	0.0009	0.0009	0.0009	0.01
				0.5	0.3390	0.0891	0.4190	0.4198	0.4023	0.0093	0.0094	0.0085	0.10
				0.8	0.3995	0.3383	0.7551	0.7565	0.7206	0.0351	0.0354	0.0288	0.38
		0.5	0.4	0.1	0.5117	0.0044	-0.0123	-0.0123	-0.0122	0.0010	0.0010	0.0009	0.01
				0.5	0.5209	0.0430	0.4229	0.4231	0.4191	0.0093	0.0093	0.0091	0.05
				0.8	0.5507	0.1680	0.7596	0.7599	0.7521	0.0349	0.0350	0.0333	0.18
			0.6	0.1	0.5216	0.0063	-0.0280	-0.0280	-0.0273	0.0009	0.0009	0.0009	0.01
				0.5	0.5381	0.0648	0.4177	0.4182	0.4094	0.0091	0.0092	0.0087	0.07
				0.8	0.5959	0.2509	0.7540	0.7547	0.7370	0.0343	0.0345	0.0310	0.28
500	0.1	0.4	0.1	0.1024	0.0030	-0.0042	-0.0042	-0.0041	0.0002	0.0002	0.0002	0.00	
			0.5	0.1042	0.0258	0.4353	0.4356	0.4283	0.0020	0.0020	0.0019	0.03	
			0.8	0.1111	0.1035	0.7741	0.7748	0.7613	0.0080	0.0081	0.0074	0.11	
		0.6	0.1	0.1043	0.0051	-0.0087	-0.0087	-0.0082	0.0002	0.0002	0.0002	0.01	
			0.5	0.1078	0.0447	0.4357	0.4364	0.4227	0.0020	0.0020	0.0019	0.05	
			0.8	0.1202	0.1734	0.7721	0.7733	0.7478	0.0081	0.0082	0.0069	0.18	
	0.3	0.4	0.1	0.3024	0.0013	-0.0115	-0.0115	-0.0114	0.0002	0.0002	0.0002	0.00	
			0.5	0.3041	0.0118	0.4361	0.4362	0.4344	0.0020	0.0020	0.0020	0.01	
			0.8	0.3105	0.0465	0.7719	0.7721	0.7689	0.0077	0.0077	0.0076	0.05	
		0.6	0.1	0.3044	0.0021	-0.0078	-0.0078	-0.0077	0.0002	0.0002	0.0002	0.00	
			0.5	0.3079	0.0188	0.4354	0.4356	0.4319	0.0020	0.0020	0.0019	0.02	
			0.8	0.3193	0.0748	0.7717	0.7720	0.7654	0.0078	0.0078	0.0075	0.08	
	0.5	0.4	0.1	0.5022	0.0010	-0.0072	-0.0072	-0.0071	0.0002	0.0002	0.0002	0.00	
			0.5	0.5042	0.0089	0.4348	0.4348	0.4340	0.0019	0.0019	0.0019	0.01	
			0.8	0.5100	0.0358	0.7726	0.7726	0.7712	0.0078	0.0078	0.0077	0.04	
		0.6	0.1	0.5041	0.0015	-0.0113	-0.0113	-0.0112	0.0002	0.0002	0.0002	0.00	
			0.5	0.5076	0.0138	0.4365	0.4366	0.4348	0.0020	0.0020	0.0019	0.01	
			0.8	0.5187	0.0547	0.7719	0.7721	0.7689	0.0077	0.0077	0.0076	0.06	

					Estimators									τ^2					
					$\hat{\theta}$	$\hat{\tau}^2$	$\hat{I}_1^2$	$\hat{I}_2^2$	$\hat{I}_3^2$	$\hat{I}_{10}^2$	$\hat{I}_{20}^2$	$\hat{I}_{30}^2$							
k	m	θ	u	I^2	50	50	0.1	0.4	0.1	0.1255	0.0312	0.0602	0.0604	0.0537	0.0026	0.0026	0.0021	0.03	
									0.5	0.1473	0.2394	0.4708	0.4722	0.3956	0.0200	0.0201	0.0143	0.26	
									0.8	0.2267	0.7971	0.7752	0.7771	0.6197	0.0696	0.0704	0.0337	1.06	
								0.6	0.1	0.1485	0.0625	0.0767	0.0770	0.0631	0.0033	0.0034	0.0022	0.05	
									0.5	0.1933	0.4009	0.4829	0.4854	0.3500	0.0217	0.0219	0.0119	0.45	
									0.8	0.3661	1.1809	0.7779	0.7808	0.4810	0.0711	0.0723	0.0198	1.81	
								0.3	0.4	0.1	0.3239	0.0102	0.0383	0.0383	0.0370	0.0017	0.0017	0.0016	0.01
									0.5	0.3427	0.1062	0.4489	0.4492	0.4296	0.0176	0.0176	0.0161	0.12	
									0.8	0.4037	0.3928	0.7587	0.7593	0.7205	0.0621	0.0623	0.0511	0.48	
									0.6	0.1	0.3434	0.0142	0.0260	0.0260	0.0248	0.0015	0.0015	0.0013	0.02
									0.5	0.3791	0.1662	0.4454	0.4461	0.4070	0.0176	0.0176	0.0148	0.19	
									0.8	0.4977	0.5938	0.7549	0.7559	0.6745	0.0615	0.0618	0.0419	0.77	
								0.5	0.4	0.1	0.5229	0.0069	0.0326	0.0326	0.0321	0.0015	0.0015	0.0015	0.01
									0.5	0.5410	0.0809	0.4458	0.4460	0.4370	0.0172	0.0173	0.0166	0.09	
									0.8	0.5964	0.3029	0.7555	0.7557	0.7378	0.0605	0.0606	0.0552	0.36	
									0.6	0.1	0.5425	0.0094	0.0208	0.0208	0.0203	0.0013	0.0013	0.0013	0.02
									0.5	0.5757	0.1201	0.4377	0.4381	0.4185	0.0168	0.0168	0.0154	0.14	
									0.8	0.6861	0.4476	0.7513	0.7518	0.7110	0.0597	0.0598	0.0489	0.56	
					100	0.1	0.4	0.1	0.1123	0.0153	0.0619	0.0620	0.0577	0.0012	0.0012	0.0011	0.01		
								0.5	0.1227	0.1261	0.4753	0.4761	0.4360	0.0101	0.0101	0.0085	0.13		
								0.8	0.1605	0.4660	0.7875	0.7887	0.7143	0.0388	0.0391	0.0260	0.53		
								0.6	0.1	0.1228	0.0293	0.0704	0.0706	0.0626	0.0014	0.0014	0.0011	0.03	
									0.5	0.1434	0.2197	0.4881	0.4896	0.4160	0.0109	0.0110	0.0079	0.23	
									0.8	0.2208	0.7475	0.7924	0.7944	0.6519	0.0408	0.0413	0.0200	0.91	
								0.3	0.4	0.1	0.3117	0.0056	0.0456	0.0457	0.0448	0.0009	0.0009	0.0009	0.01
									0.5	0.3215	0.0559	0.4620	0.4622	0.4522	0.0093	0.0093	0.0089	0.06	
									0.8	0.3531	0.2169	0.7758	0.7761	0.7581	0.0353	0.0354	0.0319	0.24	
									0.6	0.1	0.3218	0.0091	0.0466	0.0466	0.0449	0.0010	0.0010	0.0009	0.01
									0.5	0.3397	0.0895	0.4628	0.4632	0.4431	0.0094	0.0094	0.0086	0.10	
									0.8	0.3994	0.3383	0.7745	0.7750	0.7378	0.0353	0.0355	0.0289	0.38	
								0.5	0.4	0.1	0.5116	0.0043	0.0467	0.0467	0.0463	0.0009	0.0009	0.0009	0.01
									0.5	0.5204	0.0429	0.4622	0.4623	0.4578	0.0093	0.0093	0.0091	0.05	
									0.8	0.5498	0.1671	0.7747	0.7748	0.7667	0.0349	0.0349	0.0333	0.18	
									0.6	0.1	0.5213	0.0063	0.0426	0.0427	0.0419	0.0009	0.0009	0.0009	0.01
									0.5	0.5376	0.0646	0.4571	0.4573	0.4474	0.0091	0.0091	0.0087	0.07	
									0.8	0.5964	0.2517	0.7728	0.7731	0.7547	0.0347	0.0347	0.0313	0.28	
					500	0.1	0.4	0.1	0.1024	0.0029	0.0620	0.0620	0.0610	0.0002	0.0002	0.0002	0.00		
								0.5	0.1044	0.0262	0.4783	0.4785	0.4702	0.0020	0.0020	0.0019	0.03		
								0.8	0.1112	0.1038	0.7922	0.7924	0.7783	0.0081	0.0081	0.0074	0.11		
								0.6	0.1	0.1044	0.0054	0.0662	0.0662	0.0642	0.0002	0.0002	0.0002	0.01	
									0.5	0.1080	0.0449	0.4803	0.4806	0.4651	0.0020	0.0020	0.0019	0.05	
									0.8	0.1204	0.1754	0.7931	0.7936	0.7669	0.0082	0.0082	0.0070	0.18	
								0.3	0.4	0.1	0.3024	0.0013	0.0616	0.0616	0.0614	0.0002	0.0002	0.0002	0.00
									0.5	0.3043	0.0119	0.4766	0.4767	0.4747	0.0020	0.0020	0.0020	0.01	
									0.8	0.3108	0.0469	0.7884	0.7885	0.7851	0.0078	0.0078	0.0076	0.05	
									0.6	0.1	0.3043	0.0021	0.0589	0.0589	0.0584	0.0002	0.0002	0.0002	0.00
									0.5	0.3076	0.0189	0.4740	0.4740	0.4699	0.0020	0.0020	0.0019	0.02	
									0.8	0.3198	0.0753	0.7892	0.7893	0.7824	0.0079	0.0079	0.0075	0.08	
								0.5	0.4	0.1	0.5024	0.0010	0.0581	0.0581	0.0580	0.0002	0.0002	0.0002	0.00
									0.5	0.5041	0.0090	0.4755	0.4755	0.4747	0.0020	0.0020	0.0020	0.01	
									0.8	0.5103	0.0357	0.7878	0.7879	0.7864	0.0078	0.0078	0.0077	0.04	
									0.6	0.1	0.5042	0.0015	0.0547	0.0547	0.0545	0.0002	0.0002	0.0002	0.00
									0.5	0.5077	0.0139	0.4764	0.4765	0.4745	0.0020	0.0020	0.0020	0.01	
									0.8	0.5196	0.0552	0.7887	0.7887	0.7854	0.0078	0.0078	0.0076	0.06	

Table A.2 The bias of estimators

k	m	θ	u	I^2	Estimators								τ^2
					$\hat{\theta}$	$\hat{\tau}^2$	$\hat{I}_1^2$	$\hat{I}_2^2$	$\hat{I}_3^2$	$\hat{I}_{10}^2$	$\hat{I}_{20}^2$	$\hat{I}_{30}^2$	
10	50	0.1	0.4	0.1	0.0240	-0.0125	-0.2416	-0.2581	-0.2982	0.0017	0.0017	-0.0012	0.03
				0.5	0.0466	-0.0429	0.2910	0.2039	-0.2436	0.0184	0.0172	-0.0063	0.26
				0.8	0.1269	-0.2856	0.6815	0.4052	-0.2398	0.0638	0.0599	-0.0390	1.06
			0.6	0.1	0.0469	-0.0214	-0.2673	-0.2907	-0.2756	0.0022	0.0022	-0.0012	0.05
				0.5	0.0917	-0.1061	0.2519	0.1652	-0.2906	0.0188	0.0183	-0.0088	0.45
				0.8	0.2681	-0.6750	0.6501	0.3786	-0.3537	0.0630	0.0615	-0.0504	1.81
		0.3	0.4	0.1	0.0239	-0.0042	-0.1921	-0.2040	-0.2844	0.0015	0.0013	-0.0009	0.01
				0.5	0.0415	-0.0145	0.3087	0.2189	-0.2023	0.0171	0.0152	-0.0040	0.12
				0.8	0.1037	-0.0868	0.6989	0.4159	-0.1325	0.0600	0.0530	-0.0237	0.48
			0.6	0.1	0.0434	-0.0108	-0.2264	-0.2398	-0.3070	0.0012	0.0010	-0.0014	0.02
				0.5	0.0777	-0.0323	0.2946	0.2058	-0.2255	0.0167	0.0150	-0.0056	0.19
				0.8	0.2004	-0.1769	0.6833	0.4026	-0.1811	0.0591	0.0530	-0.0315	0.77
		0.5	0.4	0.1	0.0230	-0.0034	-0.1883	-0.1997	-0.2852	0.0014	0.0012	-0.0009	0.01
				0.5	0.0413	-0.0098	0.3254	0.2351	-0.1800	0.0170	0.0151	-0.0033	0.09
				0.8	0.0990	-0.0608	0.7042	0.4198	-0.1098	0.0591	0.0516	-0.0196	0.36
			0.6	0.1	0.0417	-0.0066	-0.2096	-0.2216	-0.3013	0.0012	0.0010	-0.0012	0.02
				0.5	0.0785	-0.0211	0.3061	0.2164	-0.2049	0.0165	0.0146	-0.0045	0.14
				0.8	0.1892	-0.1060	0.6968	0.4138	-0.1359	0.0587	0.0517	-0.0249	0.56
	100	0.1	0.4	0.1	0.0122	-0.0028	-0.1939	-0.2069	-0.2774	0.0010	0.0010	-0.0003	0.01
				0.5	0.0220	-0.0101	0.3240	0.2356	-0.1978	0.0098	0.0090	-0.0018	0.13
				0.8	0.0584	-0.0854	0.7057	0.4256	-0.1538	0.0359	0.0335	-0.0132	0.53
			0.6	0.1	0.0222	-0.0051	-0.2198	-0.2353	-0.2832	0.0012	0.0011	-0.0004	0.03
				0.5	0.0419	-0.0294	0.3000	0.2132	-0.2342	0.0099	0.0093	-0.0028	0.23
				0.8	0.1197	-0.2029	0.6927	0.4165	-0.2191	0.0369	0.0358	-0.0184	0.91
		0.3	0.4	0.1	0.0118	-0.0014	-0.1845	-0.1959	-0.2811	0.0009	0.0008	-0.0003	0.01
				0.5	0.0214	-0.0036	0.3370	0.2468	-0.1689	0.0093	0.0083	-0.0010	0.06
				0.8	0.0534	-0.0214	0.7232	0.4389	-0.0912	0.0348	0.0312	-0.0068	0.24
			0.6	0.1	0.0211	-0.0027	-0.1974	-0.2093	-0.2896	0.0009	0.0008	-0.0004	0.01
				0.5	0.0382	-0.0088	0.3243	0.2347	-0.1871	0.0091	0.0082	-0.0016	0.10
				0.8	0.0981	-0.0508	0.7102	0.4273	-0.1197	0.0341	0.0308	-0.0101	0.38
		0.5	0.4	0.1	0.0114	-0.0013	-0.1849	-0.1961	-0.2834	0.0008	0.0007	-0.0003	0.01
				0.5	0.0213	-0.0025	0.3409	0.2503	-0.1619	0.0092	0.0082	-0.0009	0.05
				0.8	0.0508	-0.0137	0.7267	0.4417	-0.0797	0.0346	0.0308	-0.0053	0.18
			0.6	0.1	0.0202	-0.0021	-0.1884	-0.1999	-0.2849	0.0008	0.0007	-0.0004	0.01
				0.5	0.0370	-0.0054	0.3276	0.2374	-0.1782	0.0091	0.0081	-0.0012	0.07
				0.8	0.0967	-0.0304	0.7156	0.4314	-0.0990	0.0339	0.0302	-0.0077	0.28
	500	0.1	0.4	0.1	0.0021	-0.0002	-0.1730	-0.1843	-0.2704	0.0002	0.0002	0.0000	0.00
				0.5	0.0043	-0.0003	0.3531	0.2629	-0.1519	0.0020	0.0018	-0.0001	0.03
				0.8	0.0109	-0.0032	0.7376	0.4532	-0.0735	0.0079	0.0072	-0.0007	0.11
			0.6	0.1	0.0042	-0.0003	-0.1705	-0.1821	-0.2655	0.0002	0.0002	0.0000	0.01
				0.5	0.0077	-0.0018	0.3412	0.2514	-0.1678	0.0020	0.0018	-0.0002	0.05
				0.8	0.0198	-0.0094	0.7304	0.4471	-0.0906	0.0080	0.0074	-0.0011	0.18
		0.3	0.4	0.1	0.0024	0.0000	-0.1544	-0.1654	-0.2538	0.0002	0.0002	0.0000	0.00
				0.5	0.0039	-0.0001	0.3470	0.2562	-0.1542	0.0020	0.0018	0.0000	0.01
				0.8	0.0104	-0.0012	0.7384	0.4530	-0.0642	0.0077	0.0069	-0.0004	0.05
			0.6	0.1	0.0044	-0.0002	-0.1700	-0.1812	-0.2688	0.0002	0.0002	0.0000	0.00
				0.5	0.0074	-0.0004	0.3511	0.2605	-0.1514	0.0020	0.0018	-0.0001	0.02
				0.8	0.0194	-0.0022	0.7358	0.4507	-0.0696	0.0078	0.0070	-0.0005	0.08
		0.5	0.4	0.1	0.0023	0.0000	-0.1565	-0.1676	-0.2563	0.0002	0.0002	0.0000	0.00
				0.5	0.0042	-0.0001	0.3573	0.2664	-0.1433	0.0020	0.0018	0.0000	0.01
				0.8	0.0109	-0.0011	0.7370	0.4514	-0.0642	0.0077	0.0069	-0.0003	0.04
			0.6	0.1	0.0040	-0.0001	-0.1658	-0.1768	-0.2652	0.0002	0.0002	0.0000	0.00
				0.5	0.0082	-0.0004	0.3492	0.2584	-0.1520	0.0019	0.0017	-0.0001	0.01
				0.8	0.0189	-0.0010	0.7403	0.4549	-0.0623	0.0078	0.0070	-0.0003	0.06

k	m	θ	u	I^2	Estimators								τ^2
					$\hat{\theta}$	$\hat{\tau}^2$	$\hat{I}_1^2$	$\hat{I}_2^2$	$\hat{I}_3^2$	$\hat{I}_{10}^2$	$\hat{I}_{20}^2$	$\hat{I}_{30}^2$	
20	50	0.1	0.4	0.1	0.0254	-0.0021	-0.0359	-0.0420	-0.1241	0.0024	0.0023	-0.0004	0.03
				0.5	0.0472	-0.0333	0.4083	0.3638	-0.1517	0.0193	0.0187	-0.0057	0.26
				0.8	0.1266	-0.2688	0.7436	0.5818	-0.1998	0.0674	0.0654	-0.0396	1.06
			0.6	0.1	0.0478	-0.0010	-0.0433	-0.0503	-0.1164	0.0029	0.0029	-0.0005	0.05
				0.5	0.0923	-0.0773	0.4014	0.3588	-0.1990	0.0203	0.0200	-0.0083	0.45
				0.8	0.2651	-0.6408	0.7375	0.5786	-0.3251	0.0680	0.0671	-0.0524	1.81
		0.3	0.4	0.1	0.0234	-0.0046	-0.0433	-0.0489	-0.1410	0.0014	0.0013	-0.0009	0.01
				0.5	0.0422	-0.0141	0.4051	0.3582	-0.1113	0.0173	0.0164	-0.0037	0.12
				0.8	0.1031	-0.0861	0.7400	0.5747	-0.0960	0.0612	0.0577	-0.0233	0.48
			0.6	0.1	0.0438	-0.0081	-0.0496	-0.0554	-0.1435	0.0015	0.0014	-0.0010	0.02
				0.5	0.0792	-0.0274	0.3968	0.3507	-0.1349	0.0174	0.0165	-0.0050	0.19
				0.8	0.1985	-0.1805	0.7305	0.5664	-0.1448	0.0601	0.0570	-0.0322	0.77
		0.5	0.4	0.1	0.0235	-0.0036	-0.0448	-0.0503	-0.1438	0.0014	0.0013	-0.0009	0.01
				0.5	0.0414	-0.0105	0.4057	0.3584	-0.1018	0.0171	0.0161	-0.0032	0.09
				0.8	0.0977	-0.0587	0.7413	0.5753	-0.0750	0.0604	0.0567	-0.0187	0.36
			0.6	0.1	0.0424	-0.0058	-0.0443	-0.0500	-0.1420	0.0014	0.0013	-0.0010	0.02
				0.5	0.0766	-0.0200	0.3964	0.3495	-0.1199	0.0168	0.0158	-0.0042	0.14
				0.8	0.1887	-0.1119	0.7334	0.5681	-0.1041	0.0593	0.0558	-0.0250	0.56
100	100	0.1	0.4	0.1	0.0121	-0.0010	-0.0221	-0.0278	-0.1186	0.0011	0.0011	-0.0002	0.01
				0.5	0.0225	-0.0086	0.4230	0.3771	-0.1098	0.0099	0.0095	-0.0016	0.13
				0.8	0.0604	-0.0691	0.7609	0.5971	-0.1076	0.0380	0.0367	-0.0126	0.53
			0.6	0.1	0.0224	0.0000	-0.0275	-0.0334	-0.1181	0.0013	0.0013	-0.0001	0.03
				0.5	0.0424	-0.0197	0.4198	0.3753	-0.1381	0.0103	0.0100	-0.0024	0.23
				0.8	0.1211	-0.1672	0.7595	0.5978	-0.1713	0.0397	0.0391	-0.0182	0.91
		0.3	0.4	0.1	0.0118	-0.0011	-0.0254	-0.0309	-0.1248	0.0009	0.0009	-0.0002	0.01
				0.5	0.0216	-0.0035	0.4228	0.3756	-0.0856	0.0093	0.0089	-0.0010	0.06
				0.8	0.0535	-0.0212	0.7593	0.5934	-0.0573	0.0352	0.0334	-0.0066	0.24
			0.6	0.1	0.0214	-0.0018	-0.0256	-0.0312	-0.1241	0.0009	0.0009	-0.0002	0.01
				0.5	0.0390	-0.0070	0.4190	0.3722	-0.0977	0.0093	0.0089	-0.0014	0.10
				0.8	0.0995	-0.0460	0.7551	0.5899	-0.0794	0.0351	0.0334	-0.0096	0.38
		0.5	0.4	0.1	0.0117	-0.0006	-0.0123	-0.0178	-0.1122	0.0010	0.0009	-0.0002	0.01
				0.5	0.0209	-0.0026	0.4229	0.3754	-0.0809	0.0093	0.0088	-0.0008	0.05
				0.8	0.0507	-0.0142	0.7596	0.5933	-0.0479	0.0349	0.0330	-0.0052	0.18
			0.6	0.1	0.0216	-0.0015	-0.0280	-0.0336	-0.1273	0.0009	0.0008	-0.0003	0.01
				0.5	0.0381	-0.0053	0.4177	0.3705	-0.0906	0.0091	0.0087	-0.0012	0.07
				0.8	0.0959	-0.0297	0.7540	0.5880	-0.0630	0.0343	0.0325	-0.0074	0.28
500	500	0.1	0.4	0.1	0.0024	0.0001	-0.0042	-0.0098	-0.1041	0.0002	0.0002	0.0000	0.00
				0.5	0.0042	-0.0006	0.4353	0.3880	-0.0717	0.0020	0.0019	-0.0001	0.03
				0.8	0.0111	-0.0022	0.7741	0.6081	-0.0387	0.0080	0.0077	-0.0006	0.11
			0.6	0.1	0.0043	0.0000	-0.0087	-0.0142	-0.1082	0.0002	0.0002	0.0000	0.01
				0.5	0.0078	-0.0006	0.4357	0.3888	-0.0773	0.0020	0.0019	-0.0001	0.05
				0.8	0.0202	-0.0077	0.7721	0.6067	-0.0522	0.0081	0.0078	-0.0010	0.18
		0.3	0.4	0.1	0.0024	-0.0001	-0.0115	-0.0170	-0.1114	0.0002	0.0002	0.0000	0.00
				0.5	0.0041	-0.0002	0.4361	0.3886	-0.0656	0.0020	0.0019	0.0000	0.01
				0.8	0.0105	-0.0013	0.7719	0.6054	-0.0311	0.0077	0.0073	-0.0004	0.05
			0.6	0.1	0.0044	0.0000	-0.0078	-0.0133	-0.1077	0.0002	0.0002	0.0000	0.00
				0.5	0.0079	-0.0004	0.4354	0.3880	-0.0681	0.0020	0.0019	-0.0001	0.02
				0.8	0.0193	-0.0020	0.7717	0.6053	-0.0346	0.0078	0.0074	-0.0005	0.08
		0.5	0.4	0.1	0.0022	0.0000	-0.0072	-0.0127	-0.1071	0.0002	0.0002	0.0000	0.00
				0.5	0.0042	-0.0002	0.4348	0.3872	-0.0660	0.0019	0.0018	-0.0001	0.01
				0.8	0.0100	-0.0006	0.7726	0.6060	-0.0288	0.0078	0.0074	-0.0002	0.04
			0.6	0.1	0.0041	-0.0001	-0.0113	-0.0168	-0.1112	0.0002	0.0002	0.0000	0.00
				0.5	0.0076	-0.0002	0.4365	0.3890	-0.0652	0.0020	0.0019	0.0000	0.01
				0.8	0.0187	-0.0014	0.7719	0.6054	-0.0311	0.0077	0.0073	-0.0004	0.06

k	m	θ	u	I^2	Estimators								τ^2
					$\hat{\theta}$	$\hat{\tau}^2$	$\hat{I}_1^2$	$\hat{I}_2^2$	$\hat{I}_3^2$	$\hat{I}_{10}^2$	$\hat{I}_{20}^2$	$\hat{I}_{30}^2$	
50	50	0.1	0.4	0.1	0.0255	0.0019	0.0602	0.0582	-0.0463	0.0026	0.0026	-0.0002	0.03
				0.5	0.0473	-0.0249	0.4708	0.4526	-0.1044	0.0200	0.0197	-0.0053	0.26
				0.8	0.1267	-0.2601	0.7752	0.7031	-0.1803	0.0696	0.0688	-0.0404	1.06
			0.6	0.1	0.0485	0.0121	0.0767	0.0748	-0.0369	0.0033	0.0033	0.0000	0.05
				0.5	0.0933	-0.0519	0.4829	0.4658	-0.1500	0.0217	0.0215	-0.0077	0.45
				0.8	0.2661	-0.6303	0.7779	0.7068	-0.3190	0.0711	0.0707	-0.0543	1.81
		0.3	0.4	0.1	0.0239	-0.0031	0.0383	0.0361	-0.0630	0.0017	0.0017	-0.0006	0.01
				0.5	0.0427	-0.0133	0.4489	0.4296	-0.0704	0.0176	0.0172	-0.0035	0.12
				0.8	0.1037	-0.0851	0.7587	0.6852	-0.0795	0.0621	0.0607	-0.0229	0.48
			0.6	0.1	0.0434	-0.0072	0.0260	0.0238	-0.0752	0.0015	0.0015	-0.0009	0.02
				0.5	0.0791	-0.0259	0.4454	0.4265	-0.0930	0.0176	0.0172	-0.0048	0.19
				0.8	0.1977	-0.1748	0.7549	0.6819	-0.1255	0.0615	0.0602	-0.0322	0.77
		0.5	0.4	0.1	0.0229	-0.0032	0.0326	0.0304	-0.0679	0.0015	0.0015	-0.0008	0.01
				0.5	0.0410	-0.0102	0.4458	0.4263	-0.0630	0.0172	0.0169	-0.0030	0.09
				0.8	0.0964	-0.0615	0.7555	0.6817	-0.0622	0.0605	0.0590	-0.0188	0.36
			0.6	0.1	0.0425	-0.0062	0.0208	0.0186	-0.0797	0.0013	0.0013	-0.0010	0.02
				0.5	0.0757	-0.0202	0.4377	0.4185	-0.0815	0.0168	0.0164	-0.0042	0.14
				0.8	0.1861	-0.1137	0.7513	0.6777	-0.0890	0.0597	0.0583	-0.0252	0.56
100	100	0.1	0.4	0.1	0.0123	0.0007	0.0619	0.0598	-0.0423	0.0012	0.0012	0.0000	0.01
				0.5	0.0227	-0.0061	0.4753	0.4565	-0.0640	0.0101	0.0099	-0.0014	0.13
				0.8	0.0605	-0.0627	0.7875	0.7146	-0.0857	0.0388	0.0383	-0.0124	0.53
			0.6	0.1	0.0228	0.0041	0.0704	0.0684	-0.0374	0.0014	0.0014	0.0000	0.03
				0.5	0.0434	-0.0067	0.4881	0.4700	-0.0840	0.0109	0.0108	-0.0020	0.23
				0.8	0.1208	-0.1581	0.7924	0.7203	-0.1481	0.0408	0.0405	-0.0185	0.91
		0.3	0.4	0.1	0.0117	-0.0011	0.0456	0.0434	-0.0552	0.0009	0.0009	-0.0002	0.01
				0.5	0.0215	-0.0038	0.4620	0.4426	-0.0478	0.0093	0.0091	-0.0010	0.06
				0.8	0.0531	-0.0221	0.7758	0.7020	-0.0419	0.0353	0.0346	-0.0066	0.24
			0.6	0.1	0.0218	-0.0016	0.0466	0.0444	-0.0551	0.0010	0.0009	-0.0002	0.01
				0.5	0.0397	-0.0065	0.4628	0.4436	-0.0569	0.0094	0.0092	-0.0013	0.10
				0.8	0.0994	-0.0460	0.7745	0.7010	-0.0622	0.0353	0.0347	-0.0096	0.38
		0.5	0.4	0.1	0.0116	-0.0008	0.0467	0.0445	-0.0537	0.0009	0.0009	-0.0002	0.01
				0.5	0.0204	-0.0026	0.4622	0.4427	-0.0422	0.0093	0.0091	-0.0008	0.05
				0.8	0.0498	-0.0151	0.7747	0.7007	-0.0333	0.0349	0.0341	-0.0052	0.18
			0.6	0.1	0.0213	-0.0015	0.0426	0.0404	-0.0581	0.0009	0.0009	-0.0002	0.01
				0.5	0.0376	-0.0056	0.4571	0.4377	-0.0526	0.0091	0.0089	-0.0012	0.07
				0.8	0.0964	-0.0289	0.7728	0.6990	-0.0453	0.0347	0.0339	-0.0072	0.28
500	500	0.1	0.4	0.1	0.0024	0.0000	0.0620	0.0598	-0.0390	0.0002	0.0002	0.0000	0.00
				0.5	0.0044	-0.0002	0.4783	0.4589	-0.0298	0.0020	0.0020	-0.0001	0.03
				0.8	0.0112	-0.0019	0.7922	0.7184	-0.0217	0.0081	0.0079	-0.0006	0.11
			0.6	0.1	0.0044	0.0004	0.0662	0.0640	-0.0358	0.0002	0.0002	0.0000	0.01
				0.5	0.0080	-0.0004	0.4803	0.4610	-0.0349	0.0020	0.0020	-0.0001	0.05
				0.8	0.0204	-0.0057	0.7931	0.7195	-0.0331	0.0082	0.0081	-0.0010	0.18
		0.3	0.4	0.1	0.0024	0.0000	0.0616	0.0594	-0.0386	0.0002	0.0002	0.0000	0.00
				0.5	0.0043	-0.0001	0.4766	0.4571	-0.0253	0.0020	0.0019	0.0000	0.01
				0.8	0.0108	-0.0009	0.7884	0.7144	-0.0149	0.0078	0.0077	-0.0003	0.05
			0.6	0.1	0.0043	0.0000	0.0589	0.0566	-0.0416	0.0002	0.0002	0.0000	0.00
				0.5	0.0076	-0.0003	0.4740	0.4544	-0.0301	0.0020	0.0019	-0.0001	0.02
				0.8	0.0198	-0.0016	0.7892	0.7152	-0.0176	0.0079	0.0077	-0.0004	0.08
		0.5	0.4	0.1	0.0024	0.0000	0.0581	0.0559	-0.0420	0.0002	0.0002	0.0000	0.00
				0.5	0.0041	-0.0001	0.4755	0.4559	-0.0253	0.0020	0.0019	0.0000	0.01
				0.8	0.0103	-0.0007	0.7878	0.7138	-0.0136	0.0078	0.0076	-0.0003	0.04
			0.6	0.1	0.0042	-0.0001	0.0547	0.0525	-0.0455	0.0002	0.0002	0.0000	0.00
				0.5	0.0077	-0.0001	0.4764	0.4569	-0.0255	0.0020	0.0019	0.0000	0.01
				0.8	0.0196	-0.0009	0.7887	0.7147	-0.0146	0.0078	0.0077	-0.0003	0.06

Table A.3 The standard deviations of estimators

k	m	θ	u	I^2	Estimators							
					$\hat{\theta}$	$\hat{\tau}^2$	$\hat{I}_1^2$	$\hat{I}_2^2$	$\hat{I}_3^2$	$\hat{I}_{10}^2$	$\hat{I}_{20}^2$	$\hat{I}_{30}^2$
10	50	0.1	0.4	0.1	0.0241	0.1545	0.8208	0.8370	0.6995	0.0122	0.0126	0.0101
				0.5	0.0394	0.2709	0.4783	0.4874	0.4058	0.0220	0.0231	0.0158
				0.8	0.0926	0.5767	0.2398	0.2427	0.2219	0.0444	0.0477	0.0261
			0.6	0.1	0.0398	0.2785	0.8550	0.8895	0.6213	0.0136	0.0144	0.0099
				0.5	0.0726	0.4735	0.5969	0.6210	0.4298	0.0243	0.0265	0.0145
				0.8	0.2002	0.9290	0.2971	0.3054	0.2442	0.0468	0.0519	0.0215
		0.3	0.4	0.1	0.0378	0.0625	0.7380	0.7414	0.7112	0.0103	0.0104	0.0098
				0.5	0.0534	0.1100	0.4489	0.4508	0.4323	0.0176	0.0178	0.0159
				0.8	0.0976	0.2430	0.1859	0.1863	0.1820	0.0345	0.0352	0.0283
			0.6	0.1	0.0519	0.1019	0.7727	0.7799	0.7148	0.0106	0.0108	0.0097
				0.5	0.0774	0.1783	0.4536	0.4579	0.4179	0.0183	0.0187	0.0153
				0.8	0.1572	0.3937	0.2114	0.2124	0.2043	0.0368	0.0381	0.0269
		0.5	0.4	0.1	0.0523	0.0460	0.7301	0.7315	0.7183	0.0099	0.0099	0.0097
				0.5	0.0723	0.0802	0.4055	0.4062	0.3988	0.0165	0.0165	0.0157
				0.8	0.1207	0.1766	0.1711	0.1713	0.1689	0.0313	0.0316	0.0282
			0.6	0.1	0.0673	0.0722	0.7696	0.7729	0.7423	0.0101	0.0102	0.0096
				0.5	0.0970	0.1252	0.4381	0.4400	0.4221	0.0169	0.0171	0.0154
				0.8	0.1761	0.2775	0.1867	0.1873	0.1821	0.0329	0.0336	0.0270
100	0.1	0.1	0.4	0.1	0.0147	0.0743	0.7695	0.7767	0.7134	0.0058	0.0059	0.0052
				0.5	0.0222	0.1329	0.4505	0.4546	0.4172	0.0107	0.0110	0.0087
				0.8	0.0476	0.3166	0.2098	0.2110	0.2012	0.0256	0.0272	0.0173
			0.6	0.1	0.0216	0.1337	0.8058	0.8206	0.6952	0.0063	0.0065	0.0052
				0.5	0.0356	0.2360	0.4747	0.4829	0.4093	0.0117	0.0124	0.0083
				0.8	0.0944	0.5660	0.2366	0.2392	0.2207	0.0294	0.0325	0.0163
		0.3	0.4	0.1	0.0260	0.0311	0.7876	0.7893	0.7738	0.0052	0.0052	0.0050
				0.5	0.0354	0.0554	0.4154	0.4163	0.4081	0.0091	0.0092	0.0086
				0.8	0.0614	0.1340	0.1699	0.1702	0.1675	0.0206	0.0209	0.0181
			0.6	0.1	0.0333	0.0510	0.7896	0.7933	0.7605	0.0053	0.0053	0.0050
				0.5	0.0488	0.0906	0.4519	0.4540	0.4348	0.0095	0.0096	0.0085
				0.8	0.0915	0.2197	0.1870	0.1876	0.1823	0.0219	0.0226	0.0175
		0.5	0.4	0.1	0.0366	0.0233	0.7463	0.7470	0.7405	0.0051	0.0051	0.0050
				0.5	0.0495	0.0418	0.4057	0.4061	0.4026	0.0089	0.0089	0.0086
				0.8	0.0811	0.0982	0.1652	0.1653	0.1640	0.0192	0.0194	0.0180
			0.6	0.1	0.0463	0.0364	0.7557	0.7573	0.7422	0.0051	0.0052	0.0050
				0.5	0.0649	0.0658	0.4386	0.4396	0.4307	0.0091	0.0092	0.0086
				0.8	0.1114	0.1551	0.1790	0.1792	0.1763	0.0202	0.0205	0.0177
500	0.1	0.1	0.4	0.1	0.0057	0.0143	0.7480	0.7494	0.7372	0.0011	0.0011	0.0011
				0.5	0.0078	0.0257	0.4060	0.4067	0.4002	0.0020	0.0020	0.0019
				0.8	0.0133	0.0653	0.1684	0.1687	0.1663	0.0051	0.0052	0.0045
			0.6	0.1	0.0076	0.0247	0.7198	0.7223	0.7003	0.0011	0.0011	0.0011
				0.5	0.0106	0.0442	0.4652	0.4668	0.4525	0.0020	0.0021	0.0019
				0.8	0.0203	0.1163	0.1794	0.1799	0.1758	0.0056	0.0058	0.0045
		0.3	0.4	0.1	0.0111	0.0063	0.7176	0.7179	0.7151	0.0011	0.0011	0.0010
				0.5	0.0149	0.0114	0.4297	0.4299	0.4282	0.0019	0.0019	0.0019
				0.8	0.0243	0.0278	0.1637	0.1638	0.1632	0.0046	0.0046	0.0044
			0.6	0.1	0.0141	0.0101	0.7365	0.7372	0.7313	0.0011	0.0011	0.0010
				0.5	0.0193	0.0181	0.4124	0.4128	0.4095	0.0019	0.0019	0.0018
				0.8	0.0319	0.0453	0.1721	0.1723	0.1710	0.0047	0.0048	0.0044
		0.5	0.4	0.1	0.0160	0.0048	0.7215	0.7217	0.7204	0.0010	0.0010	0.0010
				0.5	0.0216	0.0085	0.3973	0.3974	0.3967	0.0018	0.0019	0.0018
				0.8	0.0347	0.0210	0.1619	0.1619	0.1616	0.0045	0.0045	0.0044
			0.6	0.1	0.0197	0.0073	0.7560	0.7563	0.7534	0.0010	0.0010	0.0010
				0.5	0.0269	0.0131	0.4207	0.4209	0.4192	0.0019	0.0019	0.0018
				0.8	0.0436	0.0327	0.1624	0.1624	0.1618	0.0046	0.0046	0.0044

k	m	θ	u	I^2	Estimators							
					$\hat{\theta}$	$\hat{\tau}^2$	$\hat{I}_1^2$	$\hat{I}_2^2$	$\hat{I}_3^2$	$\hat{I}_{10}^2$	$\hat{I}_{20}^2$	$\hat{I}_{30}^2$
20	50	0.1	0.4	0.1	0.0171	0.1099	0.4294	0.4333	0.3612	0.0089	0.0090	0.0073
				0.5	0.0281	0.1866	0.2597	0.2616	0.2237	0.0158	0.0161	0.0110
				0.8	0.0650	0.3919	0.1224	0.1222	0.1367	0.0327	0.0338	0.0179
			0.6	0.1	0.0285	0.2027	0.4653	0.4733	0.3350	0.0102	0.0104	0.0071
				0.5	0.0505	0.3368	0.2854	0.2891	0.2176	0.0182	0.0189	0.0101
				0.8	0.1360	0.6098	0.1427	0.1423	0.1649	0.0343	0.0359	0.0139
		0.3	0.4	0.1	0.0266	0.0428	0.3803	0.3811	0.3649	0.0071	0.0072	0.0068
				0.5	0.0372	0.0753	0.2204	0.2208	0.2122	0.0122	0.0123	0.0110
				0.8	0.0679	0.1642	0.0939	0.0939	0.0946	0.0241	0.0243	0.0193
			0.6	0.1	0.0363	0.0705	0.3895	0.3912	0.3575	0.0074	0.0075	0.0067
				0.5	0.0553	0.1259	0.2356	0.2364	0.2183	0.0132	0.0134	0.0109
				0.8	0.1096	0.2667	0.1073	0.1072	0.1133	0.0261	0.0266	0.0183
		0.5	0.4	0.1	0.0374	0.0319	0.3867	0.3871	0.3797	0.0069	0.0069	0.0068
				0.5	0.0505	0.0556	0.2139	0.2141	0.2102	0.0116	0.0116	0.0110
				0.8	0.0834	0.1205	0.0867	0.0867	0.0863	0.0218	0.0219	0.0194
			0.6	0.1	0.0480	0.0498	0.3787	0.3795	0.3634	0.0070	0.0071	0.0067
				0.5	0.0681	0.0876	0.2201	0.2205	0.2116	0.0120	0.0121	0.0108
				0.8	0.1241	0.1889	0.0965	0.0964	0.0980	0.0233	0.0235	0.0188
100	100	0.1	0.4	0.1	0.0102	0.0516	0.3898	0.3916	0.3587	0.0041	0.0041	0.0036
				0.5	0.0155	0.0934	0.2339	0.2348	0.2174	0.0076	0.0077	0.0061
				0.8	0.0341	0.2307	0.1075	0.1075	0.1112	0.0194	0.0199	0.0125
			0.6	0.1	0.0154	0.0955	0.4209	0.4245	0.3594	0.0045	0.0046	0.0037
				0.5	0.0257	0.1679	0.2552	0.2571	0.2231	0.0087	0.0089	0.0060
				0.8	0.0663	0.4067	0.1236	0.1235	0.1363	0.0224	0.0235	0.0115
		0.3	0.4	0.1	0.0180	0.0218	0.3786	0.3791	0.3712	0.0036	0.0036	0.0035
				0.5	0.0253	0.0388	0.2142	0.2144	0.2101	0.0064	0.0064	0.0061
				0.8	0.0434	0.0925	0.0890	0.0890	0.0885	0.0146	0.0147	0.0127
			0.6	0.1	0.0238	0.0353	0.3769	0.3778	0.3618	0.0037	0.0037	0.0035
				0.5	0.0345	0.0637	0.2195	0.2200	0.2114	0.0067	0.0067	0.0060
				0.8	0.0649	0.1518	0.0957	0.0957	0.0961	0.0156	0.0158	0.0122
		0.5	0.4	0.1	0.0255	0.0159	0.3548	0.3550	0.3517	0.0035	0.0035	0.0034
				0.5	0.0345	0.0291	0.2103	0.2104	0.2084	0.0062	0.0062	0.0060
				0.8	0.0576	0.0689	0.0865	0.0865	0.0861	0.0137	0.0137	0.0128
			0.6	0.1	0.0327	0.0254	0.3780	0.3784	0.3706	0.0036	0.0036	0.0035
				0.5	0.0457	0.0446	0.2148	0.2150	0.2108	0.0062	0.0063	0.0059
				0.8	0.0780	0.1082	0.0919	0.0920	0.0913	0.0143	0.0144	0.0124
500	500	0.1	0.4	0.1	0.0041	0.0096	0.3752	0.3755	0.3691	0.0007	0.0007	0.0007
				0.5	0.0054	0.0174	0.2093	0.2095	0.2061	0.0013	0.0013	0.0013
				0.8	0.0096	0.0459	0.0870	0.0871	0.0864	0.0037	0.0037	0.0032
			0.6	0.1	0.0054	0.0170	0.3756	0.3762	0.3642	0.0008	0.0008	0.0007
				0.5	0.0076	0.0314	0.2182	0.2185	0.2120	0.0014	0.0015	0.0013
				0.8	0.0146	0.0809	0.0931	0.0932	0.0925	0.0040	0.0041	0.0032
		0.3	0.4	0.1	0.0078	0.0043	0.3750	0.3751	0.3736	0.0007	0.0007	0.0007
				0.5	0.0105	0.0078	0.2067	0.2068	0.2060	0.0013	0.0013	0.0013
				0.8	0.0171	0.0190	0.0835	0.0835	0.0832	0.0031	0.0032	0.0030
			0.6	0.1	0.0101	0.0070	0.3683	0.3685	0.3654	0.0007	0.0007	0.0007
				0.5	0.0139	0.0125	0.2084	0.2085	0.2068	0.0013	0.0013	0.0013
				0.8	0.0223	0.0316	0.0852	0.0852	0.0847	0.0033	0.0033	0.0031
		0.5	0.4	0.1	0.0114	0.0033	0.3654	0.3655	0.3648	0.0007	0.0007	0.0007
				0.5	0.0152	0.0058	0.2040	0.2040	0.2037	0.0013	0.0013	0.0013
				0.8	0.0243	0.0146	0.0840	0.0840	0.0839	0.0031	0.0031	0.0031
			0.6	0.1	0.0141	0.0051	0.3641	0.3642	0.3627	0.0007	0.0007	0.0007
				0.5	0.0188	0.0091	0.2065	0.2065	0.2057	0.0013	0.0013	0.0013
				0.8	0.0307	0.0224	0.0822	0.0823	0.0820	0.0032	0.0032	0.0030

k	m	θ	u	I^2	Estimators							
					$\hat{\theta}$	$\hat{\tau}^2$	$\hat{I}_1^2$	$\hat{I}_2^2$	$\hat{I}_3^2$	$\hat{I}_{10}^2$	$\hat{I}_{20}^2$	$\hat{I}_{30}^2$
50	50	0.1	0.4	0.1	0.0107	0.0694	0.2407	0.2415	0.2029	0.0056	0.0057	0.0046
				0.5	0.0174	0.1199	0.1427	0.1430	0.1273	0.0102	0.0103	0.0070
				0.8	0.0407	0.2381	0.0627	0.0626	0.0821	0.0209	0.0212	0.0109
			0.6	0.1	0.0178	0.1280	0.2585	0.2601	0.1899	0.0065	0.0066	0.0045
				0.5	0.0321	0.2179	0.1591	0.1597	0.1310	0.0122	0.0123	0.0065
				0.8	0.0844	0.3591	0.0668	0.0665	0.1090	0.0217	0.0221	0.0082
		0.3	0.4	0.1	0.0167	0.0271	0.2077	0.2079	0.1991	0.0045	0.0045	0.0043
				0.5	0.0240	0.0468	0.1200	0.1201	0.1158	0.0077	0.0077	0.0069
				0.8	0.0432	0.1025	0.0517	0.0517	0.0534	0.0153	0.0154	0.0121
			0.6	0.1	0.0235	0.0447	0.2196	0.2200	0.2012	0.0047	0.0047	0.0043
				0.5	0.0340	0.0786	0.1293	0.1295	0.1210	0.0083	0.0083	0.0068
				0.8	0.0700	0.1656	0.0578	0.0577	0.0654	0.0167	0.0168	0.0114
		0.5	0.4	0.1	0.0230	0.0196	0.1984	0.1984	0.1946	0.0043	0.0043	0.0042
				0.5	0.0319	0.0347	0.1154	0.1155	0.1134	0.0073	0.0073	0.0069
				0.8	0.0532	0.0737	0.0469	0.0469	0.0475	0.0135	0.0136	0.0120
			0.6	0.1	0.0306	0.0314	0.2141	0.2143	0.2050	0.0045	0.0045	0.0043
				0.5	0.0425	0.0540	0.1207	0.1208	0.1163	0.0075	0.0075	0.0067
				0.8	0.0767	0.1155	0.0519	0.0519	0.0542	0.0145	0.0146	0.0116
100	100	0.1	0.4	0.1	0.0065	0.0329	0.2194	0.2198	0.2015	0.0026	0.0026	0.0023
				0.5	0.0099	0.0593	0.1295	0.1297	0.1215	0.0049	0.0049	0.0039
				0.8	0.0216	0.1448	0.0586	0.0585	0.0646	0.0125	0.0127	0.0079
			0.6	0.1	0.0097	0.0605	0.2359	0.2367	0.2015	0.0029	0.0029	0.0024
				0.5	0.0163	0.1126	0.1435	0.1438	0.1293	0.0058	0.0059	0.0040
				0.8	0.0413	0.2530	0.0653	0.0651	0.0832	0.0146	0.0148	0.0071
		0.3	0.4	0.1	0.0114	0.0134	0.2039	0.2040	0.1997	0.0022	0.0022	0.0022
				0.5	0.0159	0.0238	0.1160	0.1160	0.1138	0.0040	0.0040	0.0037
				0.8	0.0275	0.0576	0.0491	0.0491	0.0492	0.0092	0.0092	0.0080
			0.6	0.1	0.0152	0.0220	0.2078	0.2079	0.1991	0.0023	0.0023	0.0022
				0.5	0.0218	0.0395	0.1209	0.1210	0.1167	0.0042	0.0042	0.0037
				0.8	0.0408	0.0956	0.0534	0.0534	0.0550	0.0100	0.0100	0.0077
		0.5	0.4	0.1	0.0161	0.0101	0.2008	0.2008	0.1989	0.0022	0.0022	0.0022
				0.5	0.0221	0.0178	0.1126	0.1126	0.1116	0.0038	0.0038	0.0037
				0.8	0.0361	0.0422	0.0468	0.0468	0.0467	0.0085	0.0085	0.0079
			0.6	0.1	0.0205	0.0158	0.2058	0.2059	0.2016	0.0023	0.0023	0.0022
				0.5	0.0282	0.0275	0.1155	0.1155	0.1133	0.0039	0.0039	0.0037
				0.8	0.0495	0.0669	0.0490	0.0490	0.0492	0.0090	0.0090	0.0078
500	500	0.1	0.4	0.1	0.0025	0.0060	0.1992	0.1993	0.1958	0.0005	0.0005	0.0004
				0.5	0.0035	0.0111	0.1151	0.1151	0.1133	0.0009	0.0009	0.0008
				0.8	0.0061	0.0283	0.0479	0.0479	0.0477	0.0023	0.0023	0.0020
			0.6	0.1	0.0034	0.0109	0.2074	0.2075	0.2008	0.0005	0.0005	0.0005
				0.5	0.0048	0.0195	0.1183	0.1184	0.1150	0.0009	0.0009	0.0008
				0.8	0.0091	0.0524	0.0519	0.0519	0.0523	0.0026	0.0026	0.0020
		0.3	0.4	0.1	0.0049	0.0027	0.1981	0.1981	0.1973	0.0005	0.0005	0.0004
				0.5	0.0067	0.0049	0.1122	0.1123	0.1118	0.0008	0.0008	0.0008
				0.8	0.0108	0.0121	0.0456	0.0456	0.0454	0.0020	0.0020	0.0019
			0.6	0.1	0.0063	0.0044	0.2023	0.2023	0.2006	0.0005	0.0005	0.0005
				0.5	0.0086	0.0080	0.1138	0.1138	0.1129	0.0008	0.0008	0.0008
				0.8	0.0141	0.0196	0.0458	0.0458	0.0457	0.0021	0.0021	0.0019
		0.5	0.4	0.1	0.0072	0.0020	0.1977	0.1977	0.1974	0.0004	0.0004	0.0004
				0.5	0.0096	0.0037	0.1101	0.1101	0.1099	0.0008	0.0008	0.0008
				0.8	0.0152	0.0090	0.0442	0.0442	0.0441	0.0019	0.0019	0.0019
			0.6	0.1	0.0088	0.0032	0.2022	0.2022	0.2014	0.0005	0.0005	0.0004
				0.5	0.0120	0.0056	0.1095	0.1095	0.1091	0.0008	0.0008	0.0008
				0.8	0.0195	0.0141	0.0452	0.0452	0.0451	0.0020	0.0020	0.0019

Appendix III: R-code for the case studies

```
##-----
## Function for estimation
##-----
f <- function(tp, fp, tn, fn){
#NOTE: tp=yi, fn=mi-yi, tn=xi, fp=ni-xi
#Note: mi=tp+fn, ni=tn+fp
tp <- ifelse(tp != 0, tp, tp+0.5)          #if tp=0, tp+0.5
tp <- ifelse(tp != tp+fp, tp, tp-0.5)
tn <- ifelse(tn != 0, tn, tn+0.5)
tn <- ifelse(tn != tn+fn, tn, tn-0.5)
fp <- ifelse(fp != 0, fp, fp+0.5)
fn <- ifelse(fn != 0, fn, fn+0.5)
k <- length(tp)                          #number of the studies
mi <- tp+fn
ni <- tn+fp
phat.i <- tp/mi                          #the sensitivity of the study i
uhat.i <- 1-(tn/ni)                      #the false-positive rate of the study i
sigma2hat.i <- ((1/mi)*((1-phat.i)/(phat.i*(log(phat.i))^2)))+((1/ni)*((1-
uhat.i)/(uhat.i*(log(uhat.i))^2)))
sigma2hat.i0 <- ((1-phat.i)/(phat.i*(log(phat.i))^2))+((1-uhat.i)/(uhat.i*(log(uhat.i))^2))
w.hat.i <- 1/sigma2hat.i
w.hat.i0 <- 1/sigma2hat.i0
thetahat.i <- log(phat.i)/log(uhat.i)
logthetahat.i <- log(thetahat.i)
logtheta.hat <- (sum(w.hat.i*log.thetahat.i))/(sum(w.hat.i))
theta.hat <- exp(logtheta.hat)           #---estimator: theta.hat
chi2 <- sum(w.hat.i*(log.thetahat.i-logtheta.hat)^2)
tau2.hat <- (chi2-(k-1))/(sum(w.hat.i)-(sum(w.hat.i^2))/(sum(w.hat.i)))    #---estimator:
tau2.hat

sigma2.bb1 <- (sum(w.hat.i*(k-1)))/((sum(w.hat.i))^2-(sum(w.hat.i^2)))
sigma2.bb2 <- k/(sum(w.hat.i))
sigma2.bb3 <- mean(sigma2hat.i)
sigma2.bb10 <- (sum(w.hat.i0*(k-1)))/((sum(w.hat.i0))^2-sum(w.hat.i0^2))
sigma2.bb20 <- k/(sum(w.hat.i0))
sigma2.bb30 <- mean(sigma2hat.i0)

i2.hat1 <- tau2.hat/(tau2.hat+sigma2.bb1)    #---estimator: I2.hat1
i2.hat2 <- tau2.hat/(tau2.hat+sigma2.bb2)    #---estimator: I2.hat2
i2.hat3 <- tau2.hat/(tau2.hat+sigma2.bb3)    #---estimator: I2.hat3
i2.hat10 <- tau2.hat/(tau2.hat+sigma2.bb10)  #---estimator: I2.hat10
i2.hat20 <- tau2.hat/(tau2.hat+sigma2.bb20)  #---estimator: I2.hat20
i2.hat30 <- tau2.hat/(tau2.hat+sigma2.bb30)  #---estimator: I2.hat30

#cat("tp=",tp,"\n","tn=",tn,"\n","fp=",fp,"\n","fn=",fn,"\n","mi=",mi,"\n","ni=",ni,"\n")
cat("theta.hat=",theta.hat,"\t","tau2.hat=",tau2.hat,"\n")
cat("sigma2.bb1=",sigma2.bb1,"\t","sigma2.bb2=",sigma2.bb2,"sigma2.bb3=",sigma2.bb3,"\n")
cat("sigma2.bb10=",sigma2.bb10,"\t","sigma2.bb20=",sigma2.bb20,"sigma2.bb3=",sigma2.b
b30,"\n")
cat("i2.hat1=",i2.hat1,"\t","i2.hat2=",i2.hat2,"i2.hat3=",i2.hat3,"\n")
cat("i2.hat10=",i2.hat10,"\t","i2.hat20=",i2.hat20,"i2.hat30=",i2.hat30,"\n")
} #end main program
```



```

##-----
## Data: heart failure
##-----
tp <- c(29,34,49,4,20,29,26,11)
fp <- c(19,13,17,85,71,166,11,50)
tn <- c(46,22,78,1612,1339,102,75,93)
fn <- c(7,6,9,6,40,2,14,1)
result.heart <- f(tp, fp, tn, fn)
##-----
## Data: dementia
##-----
tp <- c(65,117,48,134,24,67,64,281,13,262,143,183,22,112,152,29,31,10,707,181,
59,74,27,40,317,387,118,44,123,25,73,37,78,72,106,37,67,17)
fp <- c(240,10,63,28,44,48,1,20,44,29,29,33,152,590,126,26,3,12,1438,17,23,16,26,75,
173,16,1,34,98,3,2,1,45,53,410,22,22,1)
tn <-
c(870,110,989,152,292,153,71,286,286,177,123,51,140,2091,1009,236,247,333,10447,
184,74,143,209,528,578,54,44,396,309,171,225,440,376,214,379,118,75,90)
fn <-
c(3,12,19,8,5,15,17,64,1,20,18,33,1,1,81,26,6,3,88,108,29,23,12,6,52,116,65,7,46,43,32,45,
34,12,23,36,30,77)
result.dementia <- f(tp, fp, tn, fn)

##-----
## Data: mood MA
##-----
tp <- c(65,70,62,36,55,6,121,11,6,85,15,96)
fp <- c(104,74,27,65,43,12,80,5,0,9,4,23) #contains zero
tn <- c(1192,846,429,474,392,144,720,76,3,460,42,187)
fn <- c(26,13,10,5,11,8,103,5,5,31,1,10)
result.mood <- f(tp, fp, tn, fn)

```