

TABLE 2

| Parameters of ^{13}C -KICA BT | Fixed factors | | | | | Measures of repeatability of ^{13}C -KICA BT | | | | | |
|---|----------------------------------|-------------|--------------------------------|-------------|--|---|------------------------|------------------------|------------------------------|------|------|
| | Visit (parameter estimate) | p- value | Sex (parameter estimate) | p- value | Sex x Visit (parameter estimate) | p- value | 95% LOA (95% CI) LB | 95% LOA (95% CI) UB | Within subject COV (%) | COR | MDC |
| Cumulative ^{13}C -dose enrichment on breath over 60 min (atoms % excess). | 0.021 | 0.81 | -0.035 | 0.72 | -0.045 | 0.75 | -0.28 | 0.28 | 12 | 0.4 | 0.11 |
| % ^{13}C -dose recovered on breath at 60 min (%). | 0.01 | 0.75 | -0.05 | 0.15 | 0.04 | 0.41 | -0.1 | 0.14 | 13.5 | 0.17 | 0.03 |
| Cumulative % ^{13}C -dose recovered on breath over 60 min (%). | 1.78 | 0.42 | -0.98 | 0.7 | -2.42 | 0.50 | -6.6 | 8.3 | 13.7 | 10.5 | 3.03 |