# APPENDIX ONE VOLUMES I & II

### UNIVERSITY OF SOUTHAMPTON

### DEPARTMENT OF SOCIAL STATISTICS

### **Doctor of Philosophy**

QUALITY OF CARE IN THE MATERNITY SERVICES: CHILDBIRTH AMONG THE URBAN POOR OF MUMBAI, INDIA by Louise Anne Hulton

### Appendix One

### Volume I

# MUMBAI SAFE MOTHERHOOD SURVEY Questionnaires and Tools

PART I Survey questionnaire modules	
Topsheet	
Household Schedule	3
Module 1	
Module 1: Background	6
Module 2	
Module 2A: Pregnancies	9
Module 2B: Deliveries	10
Module 2C: Miscarriages	12
Module 2D: Abortions	13
Module 3	
Module 3: Antenatal Care	14
Module 4	
Module 4: Delivery care – Home births and Births Enroute	20
Module 4: Delivery care – Hospital Births	29
Module 5	
Module 5: Postnatal care	40
Module 6	
Module 6: Autonomy	46
PART II Exit interview modules	
Module 1	
Module 1: Background	51
Module 2	
Module 2: Antenatal History and Case Notes	55
Module 3	
Module 3: Delivery Care	60

PART III Quality Inventories	
Hospital Proforma67	
PART IV Hospital records	
Hospital Record Sheet85	

# MUMBAI SAFE MOTHERHOOD STUDY PART I: Hospital case study

## SURVEY QUESTIONNAIRE MODULES

### MUMBAI SAFE MOTHERHOOD STUDY

### Top sheet

Complete before start of interview up to ID11, and then move on to the household schedule, then to modules 1-6. Complete ID12 and ID13 at the end of the interview.

Interviewer to complete.

IDI	Questionnaire nur	nder	
ID2	Pocket name ID2PKT		New Bharat Nagar.1Lakshmi Nagar.2Rahul Nagar.3Nagababa Nagar.4Om Ganesh Nagar.5Shahaji Nagar.6Gautam Nagar.7
ID3	Living space in sq TPID3SPC	uare feet	
ID4	Number of storeys TPID4MAL	s in dwelling	Singlemala
ID5	Kitchen space TPID5KIT		Not separate.1Cloth separator.2Separate room.3
ID6	Bathroom space <b>TPID6BTH</b>		Not separate
ID7	Language of house TPID7LAN	ehold	
ID8		of dwelling: including material rains outside hut and number of	ls for roof, walls and floor, rubbish outside windows:
	TPID81DW		No of windows
	TPID82DW	Condition of drains	Flowing
	TPID83DW	Rubbish outside house	Yes

### MUMBAI SAFE MOTHERHOOD STUDY

### Household Schedule

### HH1 Household roster -

First entry should be the respondent herself. Fill in only her age and activity code, then go on to the next household member. After the interview is complete, fill in educational level of respondent from Module 1.

No.	Relationship to respondent (enter code)*	Sex M/F	Age in completed years	Education (enter code)**	Activity (enter code)***
1.		F			
2.	-				
3.					
4.					
5.					
6.					
7.					
8.					
9.					
10.					
11.	-				
12.					
13.					

* relat	ionship codes	** ec	lucation codes	***	* activity codes
1	husband	l	no schooling	1	permanent service in Gov/Municipality
2	father	2	started primary	2	permanent service in factory/workshop/mill
3	mother-in-law	3	finished primary	3	permanent service in shops/other establishments
4	father-in-law	4	finished middle	4	casual work in factory/workshop/mill
5	brother	5	finished secondary	5	casual work in shops/other establishments
6	sister	6	more than secondary	6	domestic sector full time
7	brother-in-law (older)	7	pre-school (< 5 yrs)	7	domestic sector part time/casual
8	brother-in-law's wife	8	don't know	8	unemployed
9	brother-in-law (younger)			9	housework
10	brother-in-law's wife (as 9)			10	student
11	son			11	dependant (aged <14 / >64)
12	daughter			12	retired with pension
13	other (specify)			13	don't know
	•			14	other (specify)
нн2	So in all, how (Check with: HH2TOTME	numb	persons are there in yer in roster)	our hous	sehold?
нн3	Approximatel <b>HH3MINC</b>	y wha	t is the total monthly i	ncome o	f your household these days? Rs
НН4	Does the whole <b>HH4COOK</b>	e hou	sehold have a commo	n cookin	g arrangement? Yes

### ABSTRACTED VARIABLES (derived from household schedule and input at time of data entry)

HH5	Present place of residence is natal or marital home						
	<b>НН5НОМЕ</b>	Marital homel					
		Natal home2					
НН6	Current occupation of husbar <b>HH6HOC</b>	nd(activity codes used)					
HH7	Current occupation of respon	ndent(activity codes used)					
	HH7ROC						
нн8	Total female household mem	bers excluding the respondent					
НН91	Presence of at least one girl aged 13-16 years with education at 4 or above  HH91G13						
НН92	Presence of at least one boy a HH92B13	aged 13-16 years with education at 4 or above					
НН93	Presence of at least one girl a HH93G9	ged 9-16 of any educational level					
HH10	Is there an educated male in the	he household?					
	HH10EDML	No educated male1					
		Up to middle pass2					
		Beyond middle3					
		Beyond secondary4					
HH11	Is there an educated female in	the household?					
	HH11EDFE	No educated female1					
		Up to middle pass2					
		Beyond middle3					
		Beyond secondary4					

HH12	Total female household members old	er than the respondent
	HH12FORE	
НН13	Total female household members age	ed 15-45yrs
	HH13FU45	
HH14	Presence of at least one household me	ember in permanent service?
	HH14PSER	Yesl
		No2
НН15	Total female household members 13-	55 yrs
	HH15FU55	
НН16	Total male household members 13-55	yrs
	HH16MU55	
HH17	Family structure – select one response	e only:
	HH17FMST	Nuclear (only one kitchen in room)1
		Nuclear (own kitchen but extended family in
		same room)2
		Extended (only one kitchen in room)3
		Broken nuclear4
HH18	Respondent lives with – select one res	snonse only:
111110	HH18LIVE	Mother1
	IIIIOEIVE	Mother-in-law2
		Neither
НН19		not sons or daughters of respondents within the
	household?	***
	HH19NOT	Yes1
		No2

## MUMBAI SAFE MOTHERHOOD STUDY Module1: Background

No	Questions and filters	Coding categories	Skip to	Input
01	Who is the head of your household?	Select only one unless otherwise stated           YOUR HUSBAND         1           YOUR FATHER IN LAW         2           YOUR MOTHER IN LAW         3           YOUR BROTHER         4           YOUR BROTHER IN LAW         5           YOUR MOTHER         6           YOUR FATHER         7           YOURSELF         8           OTHER         9           (specify         )		M1Q01HED  M1HHSPF
02	What is the religion of the head of your household?	HINDU. 1 MUSLIM. 2 BUDDHIST. 3 OTHER. 4 (specify )		M1Q2RELI M1RELSPF
03	What caste do you belong to?	NAME OF CASTE DON'T KNOW 99		M1Q03CST
04	What is the main source of water that your household uses?	MUNICIPAL TAP	Q6	M1Q4WATE M1Q4SPF
05	Approximately how long do YOU spend filling water for the house in the morning, and in the evening?	TIME IN MINUTES (MORNING) NOT APPLICABLE555 TIME IN MINUTES (EVENING) NOT APPLICABLE555	Enter one or both times	M1Q5MOR M1Q5EVE
06	How much do you pay per month for water?	RUPEES		M1Q06PAY
07	Do you boil water for drinking?	ALWAYS		M1Q7BOIL
08	Do you filter water for drinking?	ALWAYS		M1Q8FILT
09	What is the main source of lighting for your household?	ELECTRICITY       1         KEROSENE       2         OTHER       3         (specify       )		M1Q9LIGT M1LITSPF
10	What type of fuel does your household mainly use for cooking?	ELECTRICITY       1         KEROSENE       2         GAS       3         SOLID FUEL       4         OTHER       5         (specify       )		M1Q10COK M1COKSPF

11	How much do you pay per month for electricity?	RUPEES		M1Q11ELC
12	Is the house you live in your own, or rented?	$ \begin{array}{cccc} \text{OWNED} & & & 1 \rightarrow \\ \text{RENTED} & & & 2 \\ \end{array} $	Q15	M1Q11ELC
13	How much did you pay for the deposit?	RUPEES	_	M1Q13DEP
14	What is the monthly rent for the room?	RUPEES	-	M1Q14RNT
15	Does your household own any of the following?	SEWING MACHINE.       1         FAN.       2         FRIDGE.       3         TELEVISION.       4         VCP.       5         GEISER.       6         TELEPHONE.       7         TAPE RECORDER.       8         WASHING MACHINE.       9         MOPED/SCOOTER/MOTORCYCLE.       10         BICYCLE.       11         MIXER/GRINDER.       12         AUTO-RICKSHAW.       13	select all that apply	M1Q15SEW M1Q15FAN M1Q15FDG M1Q15TV M1Q15VCP M1Q15GEI M1Q15TEL M1Q15TEL M1Q15REC M1Q15MAC M1Q15SCO M1Q15CYC M1Q15MIX M1Q15RIC
16	What is your current marital status?  (Interviewer probe as appropriate)	CURRENTLY MARRIED1MARRIED BUT HUSBAND LIVES2ELSEWHERE2SEPARATED3WIDOWED4OTHER5 $\rightarrow$	Q28	M1Q16MAR
17	How many years ago were you married? (First married-same for Q18-Q26)	NO. OF YEARS		M1Q17MYR
18	How old were you at the time of your marriage? (Check Q17 and Q18 for consistency)	AGE IN COMPLETED YEARS		M1Q18AGM
19	Did you live in Mumbai before you were married?	YES	Q21	M1Q19MUM
20	Which locality did you live in before you were married?	LOCALITY	Q22	M1Q20LOC
21	Where did you live in before you were married?	VILLAGE 1 DISTRICT 2 TOWN 3		M1Q21VIL
22	Have you lived at your current address ever since you were married?	YES	Q26	M1Q22ADD
23	How long have you been living in this place?	NO. OF YEARS		M1Q23PLA
24	Where did you live when you were first married?	MUMBAI(SAME WARD)	Q26 Q26	M1Q24WRD
25	Was that in a village?	YES		M1Q25VIL
26	Is your husband a relation?	YES		M1Q26HRL

27	What is the relationship?	CLOSE RELATIVE1		M1Q27REL
[ -	(most recent marriage)	<b>↑</b> .		MICL.REL
l	(""	(specify) DISTANT RELATIVE2		
				M1DI.REL
		(specify) SAME VILLAGE/DISTRICT3		ļ
		NEIGHBOUR4		
		OTHER5		
28	Can you read a letter easily, with difficulty or	EASILY1		M1Q28REA
	not at all?	WITH DIFFICULTY2		
		NOT AT ALL $3\rightarrow$	Q30	
29	How often you read a newspaper?	ABOUT ONCE A WEEK OR MORE1		M1Q29NWS
' -		LESS OFTEN		
		NEVER3		
30	Have you ever attended school?	YES1	-	M1Q30EDU
	,	NO		
			_	
31	How many years of school did you complete	COMPLETED YEARS		M1Q31SYR
22	in total?	CD A DC O A	024	MIOZZCDD
32	What was the last class you passed in school?	GRADE 0-41→	Q34	M1Q32GRD
		GRADE 5-72→	Q34	
		GRADE 8-10	Q34	
		BEYOND GRADE 104		
33	How long did you study beyond Grade 10?	LESS THAN TWO YEARS EXTRA1	_	M1Q33DEG
33	110w long and you study beyond drade 10:	TWO OR MORE YEARS		MIQSSDEG
		TOOK FURTHER QUALIFICATION BUT		
		NOT COMPLETED3		
		BACHELOR/MASTERS COMPLETED4		
		DIPLOMA/CERTIFICATE COMPLETED5		
		OTHER DEGREE COMPLETED		
		(specify)		
			_	
34	How often do you listen to the radio?	EVERY DAY1		M1Q34RDO
		ABOUT ONCE A WEEK2		
		LESS OFTEN3		
		NEVER4		
		NO RADIO5		
2.5	II. 6 1 V. Corro	FUEDVOAV		341025EE1
35	How often do you listen to watch TV?	EVERY DAY1		M1Q35TV
		ABOUT ONCE A WEEK2		
		LESS OFTEN		
ĺ		NEVER4		
l				1
36	How often do you go to the Cinema hall or	ONCE A MONTH OR MORE	_	M1Q36MOV
36	How often do you go to the Cinema hall or Theatre to watch a movie?	ONCE A MONTH OR MORE		M1Q36MOV
36		ONCE A MONTH OR MORE		M1Q36MOV
36	Theatre to watch a movie?	LESS OFTEN		
36	Theatre to watch a movie?  How often does your husband go to the	LESS OFTEN       2         NEVER       3         ONCE A MONTH OR MORE       1		M1Q36MOV  M1Q37HUS
	Theatre to watch a movie?	LESS OFTEN       2         NEVER       3         ONCE A MONTH OR MORE       1         LESS OFTEN       2		
	Theatre to watch a movie?  How often does your husband go to the	LESS OFTEN       2         NEVER       3         ONCE A MONTH OR MORE       1         LESS OFTEN       2         NEVER       3		
	Theatre to watch a movie?  How often does your husband go to the	LESS OFTEN       2         NEVER       3         ONCE A MONTH OR MORE       1         LESS OFTEN       2		

### MUMBAI SAFE MOTHERHOOD STUDY Module 2A: Pregnancies

### Q01 Fill in the pregnancy roster

Pregnancy Order	Child alive Died Miscarriage Induced Abortion CODE*	Cause of child death	Weeks Premature	Sex M/F/DK	Year of event	Month of event	Number of babies from pregnan cy
(M2Q1PORD)	(M2CHILD)	(M2DEATH)	(M2WKPREM)	(M2SEX)	(M2YEAR)	(M2MONTH)	(M2NO. BAB)
						_	
						_	
						_	

\*Codes 1=Child alive

- 2=Child died
- 3=Miscarriage
- 4=Induced abortion

Q02	Total live children Total miscarriages	(M2Q2LIVE) (M2Q2MISC)	Total children who died Total Induced abortions	(M2Q2DIED) (M2Q2ABOR)
Q03	How many times have you taken pregnancy?  Write G,H,I or NEVER as new	n a goli (G), herba		get rid of a suspected

Q04 Pishwi saaf roster (not the same as induced abortion) (M2Q4ORDI)

PS Order	Month (M2Q4MM1/2)	Year (M2Q4YR1/2)	Reason (Code*) (M2Q4REA1/2)	Place (M2Q4PLA1/2)

<sup>\*</sup>Codes = 1 Difficulty in conceiving. 2 Heavy Bleeding. 3 Other (Specify).

### Roster for multiple births

Serial No. (M2Q5SR1/2)	Born alive Y/N? (M2Q5TWI1/2)	Age at death if died (Hrs/days/months/years) (M2Q5AGHH/DD/YR)

Enter two rows for twins, three for triplets etc.

Pregnancy order no. $\square$	Pregnancy	order	no.	
-------------------------------	-----------	-------	-----	--

### MUMBAI SAFE MOTHERHOOD STUDY Module 2B: Deliveries

No.	Questions and filters	Coding categories Select only one unless otherwise stated	Skip to	Input
01	Was the baby born alive or dead?	BORN ALIVE	Q4 Roster multiple births	M2B1ALIV
02	Is that baby still alive today?	YES	Q5	M2B2DEAD
03	How old was the child when he/she died?	HOURS DAYS YEARS		M2B3BAG H/D/M/Y
04	Did that baby cry OR move OR breathe when it was born?	YES		M2B4CRY
05	Where were you when you had the baby?	NATAL HOME       1         IN-LAWS HOME       2         OWN HOME       3         OTHER       4         (Specify		M2B5PLAC M2B5PSPF
06	Where was the baby actually delivered?	HOSPITAL	Q9 Q9	M2B6DELP  M2B6DSPF
07	Did you deliver in a private hospital or a government institution?	GOVERNMENT (MUMBAI)1 GOVERNMENT (OUTSIDE MUMBAI)2→ PRIVATE (MUMBAI)	Q9 Q9	M2B7HOSP
08	What is the name of that hospital?	HOSPITAL NAME		M2B8NAME
09	Who was your principal attendant?	ANM		M2B9ATTN  M2ATNSPF

11	Did you have any problems with the delivery?  Were you cut (episiotomy) when you delivered?	CAESAR.       1         FITS.       2         VERY LONG LABOUR.       3         HIGH BLOOD PRESSURE.       4         BLEEDING.       5         TEAR.       6         BREECH.       7         TRANSVERSE LIE.       8         FORCEPS.       9         LOSS OF CONSCIOUS AT DELIVERY.       10         OTHER.       11         (specify)       )         YES.       1         NO.       2	select all that apply	M2B10CES M2Q10FIT M2Q10LAB M2Q10HBP M2Q10BLE M2Q10TER M2Q10TRA M2Q10FOR M2Q10FOR M2Q10CON M2Q10OTH M2Q10SPF M2B11CUT
12	How many stitches did you receive?	NO. OF STITCHES		M2B12STC
13	Did you have a glucose drip at delivery?	YES		M2Q13DRP
14	Did you receive an injection to speed up the labour?	YES		M2B14INJ

Pregnancy order no.  $\square$ 

## MUMBAI SAFE MOTHERHOOD STUDY Module 2C: Miscarriages

No.	Questions and filters	Coding categories Select only one unless otherwise stated	Skip to	Input
01	In which month of the pregnancy was the miscarriage?	MONTH_		M2C1MNTH
02	Signs and symptoms?	BLEEDING	select all that apply	M2C2BLED M2C2PAIN M2C2SWEL M2C2OTH M2C2SPF
03	What did you do at the time of the miscarriage?	STAYED AT HOME		M2C3TIME
04	Name of hospital?	NAME		M2C4NAME

Pregnancy	order	nο	
1 1 Cenancy	oraci	11 0.	

### MUMBAI SAFE MOTHERHOOD STUDY Module 2D: Abortions

No.	Questions and filters	Coding categories Select only one unless otherwise stated	Skip to	Input
01	In which month of the pregnancy was the abortion?	MONTH		M2D1MONT
02	Where was it done?	NAME (PRIVATE)NAME(GOVERNMENT)		M2D2DONE
03	Why was it done?	COULD NOT AFFORD CHILD.       .1         TOO CLOSELY SPACED.       .2         GIRL CHILD.       .3         HEALTH REASONS.       .4         OTHER.       .5         (specify	select all that apply	M2D3AFF3 M2D3CLOS M2D3GIRL M2D3HEAL M2D3OTH M2D3WSPF
04	Who made the decision?	SELF		M2D4DECS  M2D4DSPF
05	Were there any problems following the abortion?	INFECTION       1         BLEEDING       2         SWELLING       3         PAIN       4         OTHER       5         (specify       )	select all that apply	M2D5INF M2D5BLED M2D5SSWE M2D5PAIN M2D5OTH M2D5PSPF

### MUMBAI SAFE MOTHERHOOD STUDY Module 3: Antenatal care

No	Questions and filters	coding categories select only one unless otherwise stated	skip to	Input
01	When you were last pregnant  How did you come to know that you were pregnant?	MISSED PERIOD.	select all that apply	M3Q1MISS M3Q1VOMI M3Q1MEDI M3Q1THE M3Q1SPF
02	How long had you been pregnant when you found out?	MONTHSWEEKS		M3Q2MMT M3Q2WKS
03	At the time you became pregnant, did you want to be pregnant?	WANTED PREGNANCY THEN		M3Q3WANT
04	During pregnancy, did you book for a hospital delivery?	YES1 NO2→	Q8	М3Q4ВООК
05	Which month did you register?	1       1         2       2         3       3         4       4         5       5         6       6         7       7         8       8         9       9		M3Q5MREG
05a	Where did you book?	NAME OF HOME/HOSPITAL		M3B5HOSP
06	Why did you book there?	CLOSE BY.       1         EASY TO GET TO.       2         AFFORDABLE.       3         COMMON KNOWLEDGE.       4         PREVIOUS DELIVERY THERE.       5         RECOMMENDED.       6         REFERRED FOR PROBLEM.       7         OTHER.       8         (specify		M3Q6CLBY M3Q6EASY M3Q6AFFO M3Q6KDGE M3Q6PRED M3Q6RECM M3Q6PROB M3Q6OTHS M3Q6OSPF
)7	Who recommended this place?	PERSON		M3Q7PSON

### 08 PROBLEM ROSTER

Month of pregnancy	1st	2nd	3rd	4th	5th	6th	7th	8th	9th
What problems did you have?	(enter	1,2,3etc	for each	month a	ccording t	o order o	f respon	se)	
VAGINAL BLEEDING									
WHITE DISCHARGE									
HEADACHES									
DIZZY									
BLURRED VISION									
FEVER									
FITS									
SICKNESS									
HEARTBURN									
VOMITING									
UPPER ABDO PAIN									
LOWER ABDO PAIN/HEAVINESS									
SWELLING OF FACE/HANDS									
SWELLING OF LEGS/ANKLES									
SHORT OF BREATH(WALKING)									
PALENESS									
COUGH									
MALARIA									
DYSENTERY/DIARRHOEA									
TYPHOID		_							
JAUNDICE									
TB									
OTHER(specify)									
CODING	MTH	MTH	MTH	MTH	MTH	MTH	MTH	MTH	MTH
Codes refer to the month of	1	2	3	4	5	6	7	8	9
pregnancy and the order of	CH01	CH01	CH01	CH01	CH01	CH01	CH01	CH01	CH01
problems that have been stated.	To	To	То	To	То	To	To	To	To
(e.g. MTH2CH05 = the fifth	CH13	CH03	CH13	CH13	CH13	CH13	CH13	CH13	CH13
problem mentioned in the 2nd									
month. This is coded: 1 if mentioned;									
0 if not)									

## 09 During your last pregnancy, did you have any bleeding, fits or fevers? (COMPLETE DOWNWARDS, COLUMN BY COLUMN)

Vaginal bleeding	Fits	High Fevers
V1 During your pregnancy, did you have	F1 During your pregnancy, did you ever	H1 During your pregnancy, did you ever
any vaginal bleeding?	have a convulsion or fit?	have a high fever?
YES1	YES1	YES1
NO2→ Col 2 (Fits)	NO2→ Col 3 (Fever)	NO2→Q10
V2 When did this first occur?	F2 When did this first occur?	H2 When did this first occur?
MONTH OF PREGNANCY	MONTH OF PREGNANCY	MONTH OF PREGNANCY
DK99	DK99	DK99
V3 Was the bleeding so much that you	F3 Have you had fits outside of this	H3 Question about early breaking of
were afraid you might die?	pregnancy?	waters
YES1	YES1	
NO2	NO2	
V4 Was the bleeding associated with	F4 Were your previous fits when you	H4 Associated symptoms?
abdominal pain?	were pregnant or just delivered?	
YES1	YES1	
NO2	NO2	
V5 Did you seek treatment for this at	F5 Did you seek treatment for this at any	H5 Did you seek treatment for this at
any time during your pregnancy?	time during your pregnancy?	any time during your pregnancy?
YES1	YES1	YES1
NO2→V8	NO2→F8	NO2→H8
V6 Who did you go to?	<b>F6</b> Who did you go to?	H6 Who did you go to?
(tick all that apply)	(tick all that apply)	(tick all that apply)
(unit and units apply)	(state and apply)	(ton an mat apply)
PRIVATE DOCTOR1	PRIVATE DOCTOR1	PRIVATE DOCTOR1
PRIVATE DR IN NURSING HOME2	PRIVATE DR IN NURSING HOME2	PRIVATE DR IN NURSING HOME2
DOCTOR IN MUNICIPAL	DOCTOR IN MUNICIPAL	DOCTOR IN MUNICIPAL
HOSPITAL/HOME3	HOSPITAL/HOME3	HOSPITAL/HOME3
NURSE/MIDWIFE4	NURSE/MIDWIFE4	NURSE/MIDWIFE4
TRAINED DAI	TRAINED DAI	TRAINED DAI
CHARITABLE	CHARITABLE	CHARITABLE
HOSPITAL6	HOSPITAL6	HOSPITAL6
OTHER7	OTHER	OTHER7
(specify)	(specify)	(specify)
V7 Did you stay in hospital as a result	F7 Did you stay in hospital as a result	H7 Did you stay in hospital as a result
of this problem?	of this problem?	of this problem?
YES1	YES1	
NO	NO	NO2
GOTO COL 2 (Fits)	GOTO COL 3 (Fever)	
V8 Why did you not seek treatment?	F8 Why did you not seek treatment?	H8 Why did you not seek treatment?
vo viny and you not seek treatment.	10 Why did you not seek treatment.	116 Willy did you not seek dealinem.
I THOUGHT SYMPTOMS	I THOUGHT SYMPTOMS	I THOUGHT SYMPTOMS
NOT SERIOUS1	NOT SERIOUS1	NOT SERIOUS1
FAMILY MEMBERS THOUGHT	FAMILY MEMBERS THOUGHT	FAMILY MEMBERS THOUGHT
SYMPTOMS NOT SERIOUS2	SYMPTOMS NOT SERIOUS2	SYMPTOMS NOT SERIOUS2
OTHER3	OTHER3	OTHER3
(specify)	(specify)	(specify)
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
GOTO COL 2 (Fits)	GOTO COL 2 (Fever)	GOTO q10
Coding M3V1-V8	Coding M3F1-F8	Coding M3H1-H8

10 CHECK UP ROSTER Enter numbers in each box- select all that apply (and specify 'other' in box)

TO CHECK UT ROSTER Emer numbers i	1st	2nd	3rd	4th	5th	6th	7th	8th	9th
Month of pregnancy	151	ZHU	JIU	7111	J.11	V			
CH1Why did you have the check up?									
ROUTINE								ļ	
PROBLEM2								İ	
CONFIRM PREGNANCY3								1	
BOOK DELIVERY4						ĺ			
OTHER(Specify)5						<del> </del>			
CH2 Who did you see?							İ	1	
PRIVATE DOCTOR1									
DR IN PRIVATE NURSING HOME2	}					)			
DR IN MUNICIPAL HOSPITAL/HOME3								1	
NURSE4	l								
DAI5								Ì	
OTHER(Specify)6									
CH3 Why did you choose him/her?									
LOW COST1	! !								
GOOD QUALITY2									
CLOSE BY3	Ì								
EASY TO GET TO									
RECOMMENDED(Specify)5									
CAME DEDCOMAG LACT DESCNANCY	i l								
SAME PERSON AS LAST PREGNANCY6	j l								
GOOD TOUCH7									
OTHER DR NOT AVAILABLE8									
OTHER(Specify)9	-		_						
CH4 Did you have the following done?									
BLOOD PRESSURE TAKEN1	<sub>1</sub>								
VAGINAL EXAMINATION2	!								
URINE TEST3									
FACE/FINGERS SWELLING CHECK4									
LEGS/ANKLES/FEET SWELLING									
CHECK5									
ABDOMEN MEASURED6									
PALPATED7									
TOLD BABY'S POSITION8	1 1								
BABY'S HEART BEAT CHECKED9			!					1	
HEIGHT MEASURED10									
WEIGHT TAKEN11			ĺ						
EYES CHECKED12									
BLOOD TEST									
STRENGTH TABLES14									
OTHER TABLES									
OTHER TABLES									
TETANUS JAB									
STETHOSCOPE FOR CHEST CHECK17									
SONOGRAPHY18								'	
BLACK INJECTION19	1								
GLUCOSE DRIP20									
Ch5 Were you given info on the following?									
DANGER SIGNS IN PREGNANCY1								1	
WHAT TO DO IF DANGER ARISES2									
GOOD DIET3									
BREASTFEEDING4									
CONTRACEPTION5									
POST-NATAL CHECKS6									
WATER INTAKE7								1	
CONSTIPATION8									
CARE OF BREASTS9			l i	<u> </u>				ļ	
CH6 Were you asked to make provision for			-						
blood?									
Yes/No	-						L		
CH7 Were you asked about the following?	<del>                                     </del>								
YOUR AGE									
THE DATE OF YOUR LAST PERIOD2	j i								
RECENT MALARIA ATTACKS	Į l								
RECENT MALAKIA ATTACKS									ļ
PREVIOUS PREGNANCY4									
PREVIOUS STILL BIRTHS5									
PREVIOUS BLEEDING6									
PREVIOUS FITS7									
PREVIOUS LONG LABOURS8			]					1	
PREVIOUS HIGH BLOOD PRESSURE9									
OTHER DIFFICULTIES IN PREVIOUS									
DELIVERIES10									
WHITE VAGINAL DISCHARGE11									
RECENT MOVEMENTS OF THE BABY12								<u> </u>	
RECEIVE INC. BRIDE	,		_						

11	Have you ever had anaemia/not enough blood?	YES, BEFORE THE LAST DELIVERY1 YES, SINCE THE LAST DELIVERY2 NO3→	Q16	M3Q11BLO
12	Who gave you this diagnosis?	SELF		M3Q12DIA  M3Q12SPF
13	Were you told to take any liquid medicine during your last pregnancy?	YES		M3Q13MED
14	Did you take any liquid medicine?	REGULARLY. 1 SOMETIMES 2 HARDLY EVER 3 NEVER 4		M3Q14TAK
15	Why did you not take the liquid regularly?	TOO EXPENSIVE       1         FORGOT       2         MADE ME SICK       3         MADE ME HUNGRY       4         OTHER       5         (specify       )		M3Q15LIQ
16	Were you told to take strength golis during your pregnancy?	YES	Q21	M3Q16GOL
17	Were you given a supply of golis?	YES, GIVEN A COMPLETE SUPPLY1 YES, GIVEN SOME THEN I HAD TO OBTAIN MORE		M3Q17SUP
18	Did you take the golis?	REGULARLY $1 \rightarrow$ SOMETIMES2HARDLY EVER3NEVER4	Q22	M3Q18TAK
19	Why did you not take the golis regularly?	TOO EXPENSIVE       1         FORGOT       2         MADE ME SICK       3         MEDE ME HUNGRY       4         OTHER       5         (specify       )		M3Q19NOT  M3Q19SPF
	After having your blood pressure measured were you ever told that the pressure was high?	YES ONCE	Q22 Q22	M3Q20BP
	How long had you been pregnant when this first happened?	MONTHS		M3Q21MTS

22	During your pregnancy did you change your diet?	EAT MORE	select all that apply	M3Q22MOR M3FDSPF M3Q22AVO M2FDSPF M3Q22EXT M3EXTSPF
23	Do you normally observe fast days?	YES	Q26	M3Q23FST
24	How often do you observe fast days?	TIMES PER MONTH		M3Q24WKS
25	Did you fast as normal during your pregnancy?	YES		M3Q25FSP
26	Did you work as usual when you were pregnant?	WORKED AS NORMAL 1 WORKED LESS 2		M3Q26WRK
27	Did anyone help you with your work whilst pregnant who didn't normally?	YES		M3Q27HLP M3Q27SPF
28	Were you told during the pregnancy that your weight was too low?	YES		M3Q28WTH
29	Did you have a home-based antenatal card from the Municipal Corporation of Mumbai?  (show an example of a card)	YES	M4	M3Q29ANE
30	Did the person/s who helped in your last delivery see the card?	YES		M3Q30SEE
31	Do you still have the card? (Take details if available)	YES		M3Q31CRD

# MUMBAI SAFE MOTHERHOOD STUDY HOME BIRTHS AND BIRTHS ENROUTE

### Module 4: Delivery care

	No	Questions and filters	Coding categories Select only one unless otherwise stated	Skip to	Input
	PL.	ANNING THE DELIVERY	,		
-2017/1	01	Where did you deliver the baby?	MARITAL HOUSEHOLD IN MUMBAI1→ NATAL HOUSEHOLD IN MUMBAI2→ HOUSEHOLD OUTSIDE MUMBAI3→ ENROUTE TO A HOSP IN MUMBAI4 ENROUTE TO A HOSP OUTSIDE MUMBAI	Q3 Q3 Q3	MHQ1DEL HMQ1SPF
účon.	02	If enroute, why did you deliver enroute?	TOO LATE BECAUSE HAD TO WAIT FOR TRANSPORT	select all that apply	HMQ2ROUT
	03	Had you planned to deliver at home?	YES	Q8	HMQ3PLAN
	04	If no, where had you planned to deliver?	NAME OF GOV HOSP/HOME		_
			NAME OF PRIVATE HOSP/HOMENAME OF CHARITABLE HOSPITAL		
			OTHER(specify)		
	05	Why did you deliver in a different place from where you had planned?	DIDN'T HAVE TIME TO GET TO HOSP1 GAVE BIRTH EN ROUTE		HMQ5DIFF HMQ5SPF

06	Why did you plan to deliver at that particular hospital?	DIDN'T PLAN TO DELIVER AT HOSP. 1 GOOD REPUTATION. 2 NEARBY. 3 GOOD VALUE FOR MONEY. 4 FREE SERVICE. 5 RECOMMENDED BY FRIEND/RELATIVE. 6 DELIVERED HERE BEFORE. 7 NO ALTERNATIVE. 8 TOLD TO BY RELATIVE. 9 TOLD TO BY HEALTH WORKER. 10 KNEW SOMEONE WHO WORKED THERE. 11 OTHER. 12 (specify	select all that apply	HMQ6CH1 HMQ6CH2 HMQ6CH3
07	Why did you plan to deliver at hospital rather than at home?	DIDN'T PLAN TO DELIVER IN A         HOSPITAL       1         GOOD REPUTATION       2         NEARBY       3         GOOD VALUE FOR MONEY       4         FREE SERVICE       5         RECOMMENDED BY       5         FRIENDS/RELATIVES       6         DELIVERED HERE BEFORE       7         NO ALTERNATIVE       8         TOLD TO BY RELATIVES       9         TOLD TO BY HEALTH WORKER       10         KNEW SOMEONE WHO WORKED       11         OTHER       12         (specify       )	select all that apply	HMQ7CH1 HMQ7CH2 HMQ7CH3
08	Did you make provision for blood for your delivery?	YES		HBQ8PROV
09	After delivery, did you stay on at home or did you proceed to the hospital?	STAYED AT HOME		HMQ9STAY
10	Did you need blood?	YES	Q12	HMQ10BLO
11	If yes, where did you get the blood?	HOSPITAL BANK(DELIVERY HOSP)		HMQ11GET

12	Why did you plan to deliver at home rather than at a hospital?	DIDN'T PLAN TO DELIVER AT HOME	select all that apply	HMQ12CH1 HMQ12CH2 HMQ12CH3
15	Did you go to your hometown/village for the birth?	YES	Q19	HMQ13VIL
16	If yes, why did you go to your hometown/village to deliver?	TRADITIONAL (1st BIRTH AT HOME)	select all that apply	HMQ14TRA HMQ14HUS HMQ14MIL HMQ14NAT HMQ14CMF HMQ14COS HMQ14WA N HMQ14OTH
15	How long before the birth did you go?	MONTHSWEEKS		HMQ15BM O HMQ15BFW
16	How long after the birth did you return?	MONTHSWEEKS		HMQ16AFM HMQ16AFW
LAB	OURING AND DELIVERING			
17	How long would you say it was from the first signs of labour to delivery?	HOURS		HMQ17LON
18	Who was present while you were in labour?	DOCTOR       1         MATRON       2         NURSE OR ANM       3         AYABAI       4         DAI       5         MOTHER       6         MOTHER IN LAW       7         SISTER       8         OTHER FEMALE RELATIVE       9         FRIEND/NEIGHBOUR       10         OTHER WOMEN IN LABOUR       11         OTHER       12         (specify       )	select all that apply	HMQ18CH1 HMQ18CH2 HMQ18CH3

19	Besides the above, would you have liked anyone else in particular to be there?	DOCTOR	select all that apply	HMQ19LIK
20	Why were they not with you?	NOT AVAILABLE       1         NOT ALLOWED       2         TOO COSTLY, INCONVENIENT       3         LOOKING AFTER CHILDREN       4         NOT APPLICABLE       5         OTHER       6         (specify       )		HMQ20NOT
21	Who was the principal person assisting you at delivery?	DOCTOR       1         MATRON       2         NURSE/ANM       3         AYABAI       4         NO-ONE       5         OTHER       6         (specify if other       )	tick only one	HMQ21HEL HMQ21SPF
22	Did the person who attended you most in labour and delivering explain to you clearly what was happening?	YES DEFINITELY		HMQ22EXP
23	About how many times during your labour and delivery did the following happen?	No of times  VAGINAL EXAMINATION	record number of times for each	HMQ23VAG HMQ23BP HMQ23TEM HMQ23STE HMQ23BEL HMQ23DRI
24	Did your principal attendant look at your antenatal card/notes?	YES		HMQ24CRD
25	Was anything done to relieve the pain of labour?	YES1 NO2→	Q27	HMQ25REL
26	If yes, what was done?	NO       2→         HERBAL REMEDY       1         OXYGEN       2         INJECTION       3         ANAESTHETIC IN SPINE       4         OTHER       5         (specify       )	X21	HMQ26YES HMQ26SPF
27	Was anything done to speed up or bring the labour pains on?	YES	Q30	HMQ27SPD

28	If yes, what was done?	HERBAL REMEDY1→	Q30	HMQ28YES
20	(first unprompted, then read out list)	INJECTION	250	111/1/201120
à		DRIP3→	Q30	
		PESSARY4→	Q30	
		ARTIFICIAL BREAKING OF WATERS5→	Q30	
		OTHER6→	Q30	
		(specify)		HMQ28SPF
			select all	
			that	
-			apply	
29	If injection, how many were given?	NUMBER		HMQ29INJ
20		DON'T REMEMBER		777.40207770
30	Were instruments used to help the baby	INSTRUMENTS		HMQ30INS
)	out, or did the baby arrive by itself?	BY ITSELF2		
31	Was anything else done to help the baby	ABDOMINAL MASSAGE1	select all	HMQ31CH1
	out?	PRESSURE APPLIED TO ABDOMEN2	that	HMQ31CH2
		URGED TO BREATHE OUT/BEAR DOWN3	apply	
		OTHER4		***************************************
		(specify)		HMQ31SPF
22	W/1 - 4 4 - C - 1 - 1 - 1 4 - C 49	TIEAD 1		TIMO22DAD
32	What part of the baby came out first?	HEAD		HMQ32PAR
		(specify) DON'T KNOW3		
33	What position were you in when you	LYING DOWN		HMQ33POS
33	delivered your baby?	SITTING UP		HMQ551 O5
	denvered your baby:	DON'T REMEMBER		
		OTHER4	1	
		(specify)		
24	Did the allegate some and by its 100	L VEC	027	HMO24BL A
34	Did the placenta come out by itself?	YES1→ NO2	Q37	HMQ34PLA
		DON'T KNOW3		
35	If no, what was done to remove it?	INJECTION AFTER BABY WAS OUT1		HMQ35REM
33	in no, what was done to remove it:	MANUAL REMOVAL		ImQssicem
		ABDOMINAL MASSAGE		
		OTHER4		
		(specify)		HMQ35SPF
36	Was this done as an emergency because of	EMERGENCY1		HMQ36EME
	a problem?	NOT AN EMERGENCY2		220:- (
37	Did someone pull on the cord to help the	YES		HMQ37COR
	placenta out?	NO2		
		DON'T REMEMBER3		
38	Was your uterus examined internally after	YES1		HMQ38UTE
	the delivery of the placenta?	NO2		
		DON'T KNOW3		
39	What was used to cut the cord?	HOUSEHOLD KNIFE OR SCISSORS1	}	HMQ39USE
		NEW BLADE2		
		USED BLADE3		
		OTHER4		TIMOSOCDE
		(specify)		HMQ39SPF
40	Was the cord cutting instrument cleaned?	YES1		HMQ40CLE
	and cord carring monument election;	NO2→	Q42	I TOUR
41	If yes, how was it cleaned?	SPECIFY	· -	HMQ41YES
••	y == , 110 ao  11 010411041	J. 2011		11.12.11.110

42	Was anything applied to the area of the cord?	SPECIFY		HMQ42APP
43	If you had stitches, was it painful when they were put in?	VERY PAINFUL		HMQ43STI
44	Were you told how to keep them clean?	YES		HMQ44CLE
45	Did you know the sex of the baby before you delivered?	YES	Q47	HMQ45SEX
46	If yes, how did you know?	AMNIOCENTESIS		нмQ46ноw
47	Do any of the following describe your treatment by <b>doctors</b> or <b>matrons</b> during labour and delivery?	KIND AND UNDERSTANDING.       1         FAIRLY KIND       2         NEGLECTFUL       3         HURRIED       .4         SHOUTED AT YOU       5         SLAPPED/HIT YOU       .6         DID NOT COME INTO CONTACT       .7         OTHER       .8         (specify       )	select all that apply	HMQ47DOC
48	Do any of the following describe your treatment by <b>ANMs</b> or <b>nurses</b> during labour and delivery?	KIND AND UNDERSTANDING       1         FAIRLY KIND       2         NEGLECTFUL       3         HURRIED       4         SHOUTED AT YOU       5         SLAPPED/HIT YOU       6         DID NOT COME INTO CONTACT       7         OTHER       8         (specify       )	select all that apply	HMQ48ANM
49	Do any of the following describe your treatment by dais or <b>ayabais</b> or <b>dais</b> during labour and delivery?	KIND AND UNDERSTANDING       1         FAIRLY KIND       2         NEGLECTFUL       3         HURRIED       4         SHOUTED AT YOU       5         SLAPPED/HIT YOU       6         DID NOT COME INTO CONTACT       7         OTHER       8         (specify       )	select all that apply	HMQ49BAI
50	Do any of the following describe your treatment by relatives during labour and delivery?	(specify       )         KIND AND UNDERSTANDING       1         FAIRLY KIND       2         NEGLECTFUL       3         HURRIED       4         SHOUTED AT YOU       5         SLAPPED/HIT YOU       6         DID NOT COME INTO CONTACT       7         OTHER       8         (specify       )	select all that apply	HMQ50REL

### PROBLEMS IN LABOUR AND DELIVERY

S IN LABOUR AND DELIVERY (COMPLETE DOWNWARDS, COLUMN BY COLUMN)
During your delivery, did you have bleeding, fits or prolonged labour?

Vaginal bleeding	Fits	Prolonged labour
B1 When you delivered, did you bleed	F1 During your delivery, did you have a	P1 Were you examined vaginally during
so much that you were afraid you might	convulsion or fit?	the labour?
die?		NEVER1
YES1	YES1	ONCE2
NO2→ Col 2 (Fits)	NO2→ Col 3 (Prolonged labour)	TWO OR MORE TIMES3
B2 For how many hours did the severe	F2 Have you had any fits outside of	P2 How long would you say it was from
bleeding last?	pregnancy/delivery before this?	when the pains were strong and regular to
		delivering the baby?
HOURS	YES1	0-2 HOURS1→Q52
DAYS	NO2	3-5 HOURS2
		6-12 HOURS3
DON'T KNOW/REMEMBER999	}	12-18 HOURS4
		18-24 HOURS5
		MORE THAN 24 HOURS6
		DON'T REMEMBER7
B3 Did you seek treatment for this at	F3 Did you seek treatment for this at any	P3 Did you seek treatment for prolonged
any time during your labour, delivery	time during your labour, delivery or soon	labour at any time?
or soon afterwards?	afterwards?	
YES1	YES1	YES1
NO2→B6	NO2→F6	NO2→P6
B4 Who attended to you?	F4 Who attended to you?	P4 Who attended to you?
(select all that apply)	(select all that apply)	(select all that apply)
PRIVATE DOCTOR1	PRIVATE DOCTOR1	PRIVATE DOCTOR1
DR IN PRIV NURSING HOME2	DR IN PRIV NURSING HOME2	DR IN PRIV NURSING HOME2
DR IN MUNICIPAL HOSP/HOME.3	DR IN MUNICIPAL HOSP/HOME3	DR IN MUNICIPAL HOSP/HOME3
NURSE4	NURSE4	NURSE4
AYABAI5	AYABAI5	AYABAI5
DAI6	DAI6	DAI6
OTHER7	OTHER7	OTHER7
(specify)	(specify)	(specify)
Write name if doctor seen	Write name if doctor seen	Write name if doctor seen
B5 Did you go to hospital as a result of	F5 Did you go to hospital as a result of	P5 Did you go to hospital as a result of
this problem?	this problem?	this problem?
YES1	YES1	YES1
NO2	NO2	NO2
GOTO COL 2 (Fits)	GOTO COL 3 (Prolonged labour)	GOTO Q52
<b>B6</b> Why did you not seek treatment?	F6 Why did you not seek treatment?	P6 Why did you not seek treatment?
TOO FAR TO GO1	TOO FAR TO GO1	TOO FAR TO GO1
TOO COSTLY TO GO2	TOO COSTLY TO GO2	TOO COSTLY TO GO2
TIMINGS NOT CONVENIENT3	TIMINGS NOT CONVENIENT3	TIMINGS NOT CONVENIENT3
I THT SYMPTOMS NOT	I THT SYMPTOMS NOT SERIOUS4	I THT SYMPTOMS NOT SERIOUS4
SERIOUS4	FAMILY MEMBERS THOUGHT	FAMILY MEMBERS THOUGHT
FAMILY MEMBERS THOUGHT	SYMPTOMS NOT SERIOUS5	SYMPTOMS NOT SERIOUS5
SYMPTOMS NOT SERIOUS5	POOR QUALITY OF TREATMENT .6	POOR QUALITY OF TREATMENT .6
POOR QUALITY OF TREATMENT6	HUSBAND NOT THERE7	HUSBAND NOT THERE7
	PREVIOUS BAD EXPERIENCE8	PREVIOUS BAD EXPERIENCE8
HUSBAND NOT THERE7	TOO MUCH TO DO9	TOO MUCH TO DO9
PREVIOUS BAD EXPERIENCE8	OTHER10	OTHER10
TOO MUCH TO DO9	(specify)	(specify)
OTHER10	GOTO COL 2 (Prolonged labour)	GOTO Q52
(specify)		
GOTO COL 2 (Fits)		

No.	Questions and filters	Coding categories	Skip to	Input
AFT	ER THE DELIVERY			
52	Was the baby weighed?	YES		HMQ52WEI
53	What did the baby weigh? (If not weighed, or if they don't remember, get them to guess) (they must also state small, medium, or	KG       (weighed)         KG       (guessed)         SMALL       1         MEDIUM       2		HMQ53KG HMQ53SMA
54	How long were you separated from your baby immediately after the birth?	LARGE3 MINUTESHOURSDAYS		HMQ54MIN HMQ54HRS HMQ54DAY
55	Do you know why you and your baby were separated for that long?	TO CLEAN THE BABY       1         TO CHECK THE BABY       2         THE BABY WAS NOT WELL       3         THE BABY WAS DEAD       4         I WAS BEING STITCHES       5         I WAS NOT WELL       6         NO, NOT SURE       7         OTHER       8         (specify       )		HMQ55CH1 HMQ55CH2
56	Did you breastfeed the baby on the first day?	YES	Q58	HMQ56FED
57	If no, why did you not breastfeed on the first day?	UNABLE TO BF		HMQ57NOT  HMQ57SPF
58	What did you feed the baby on the first day	(specify)  SPECIFY		HMQ58NO
59	(apart from breast milk)?  How long after the delivery did you put the baby to your breast?	MINUTES HOURS DAYS NOT APPLICABLE9999→	Q61	HMQ59MIN HMQ59HRS HMQ59DAY
60	How did you know how to breastfeed?	DIDN'T BREASTFEED. 1 HAD BABY BEFORE. 2 CAME NATURALLY. 3 NURSE/ANM SHOWED ME. 4 AYABAI/DAI SHOWED ME. 5 OTHER MOTHER SHOWED ME. 6 MOTHER-IN-LAW SHOWED ME. 7 OTHER RELATIVE SHOWED ME. 8 OTHER. 9 (specify )	X**	HMQ60HOW
61	Were you offered any bottled/cows milk for your baby?	YES	Q63	HMQ61COW
62	If yes, why was that?	PROBLEMS BREASTFEEDING.       1         NOT ENOUGH MILK.       2         BABY UNWELL.       3         BABY HUNGRY.       4         DON'T KNOW.       5         TOO WEAK TO BREASTFEED.       6         OTHER.       7         (specify       )		HMQ62CH1 HMQ62CH2

63	Do you want to have another baby?	SOON.         1           LATER.         2           NEVER.         3		HMQ63BAB
64	Did anyone speak to you about how to delay or avoid another pregnancy?	YES	Q67	HMQ64DEL
65	If yes, what have you been advised to use?	TUBAL LIGATION       .1         MALA D (OC)       .2         IUD       .3         OTHER       .4		HMQ65USE
66	Who advise you?	(specify ) SPECIFY	-	HMQ66ADV
66	Did you have to pay for any of the following during your labour and delivery (or afterwards if you went into hospital)?	Medication during labour:  DRIP INJECTIONS ANTIBIOTICS NEEDLES OTHER Medication after delivery: ANTIBIOTICS INJECTIONS OTHER Other costs SANITARY PADS COTTON WOOL FEE FOR DAI TIPS TO SWEEPERS TIPS TO AYABAIS TIPS TO NURSES AND ANMS TIPS TO DOCTORS SPECIAL FOODS OTHER (specify  Total		HMQ67BDR HMQ67BIN HMQ67BIN HMQ67BAN HMQ67BNE HMQ67BOT  HMQ67AAN HMQ67AIN HMQ67AOT  HMQ67PAD HMQ67COT HMQ67COT HMQ67COT HMQ67DAI HMQ67AYA HMQ67AYA HMQ67AYA HMQ67ANM HMQ67FOO HMQ67FOO HMQ67FOT
68	Did you have a scan (Sonography) during your pregnancy?	YES, ONCE	Q70	HMQ68SON
69	If yes, how much did this cost each time?	Rs		HMQ69RS
70	Did you have an X-ray of your pelvis during your pregnancy?	YES, ONCE	Q72	HMQ70XRY
71	If yes, how much did this cost each time?	Rs		HMQ71YES
72	Did you have an amniocentesis during your pregnancy?	YES	Mod 5	HMQ72AMN
73	If yes, how much did this cost each time?	Rs		HMQ73RS

# MUMBAI SAFE MOTHERHOOD STUDY Module 4: Delivery care HOSPITAL BIRTHS

No.	Questions and filters	Coding categories	Skip to	Input
TIM	IING AND PLANNING OF THE DELIVERY			
01	Had you planned to deliver in the place you delivered?	YES1→ NO2	Q4	HPQ1PLAN
02	If no, where had you planned to deliver?	NAME OF GOVT HOSPITAL/HOME  1  NAME OF PRIVATE HOSP/HOME  2		HPQ2IFNO
03	Why did you deliver in a different place?	EMERGENCY HOSPITAL ADMISSION	Q5	HPQ3DIFF
04	Why did you plan to deliver at that particular hospital?	DIDN'T PLAN TO DELIVER AT HOSP	select all that apply	HPQ3SPF HPQ4NOPL HPQ4GOOD HPQ4NEAR HPQ4VALU HPQ4FREE HPQ4RECM HPQ4PRED HPQ4ALT HPQ4RELA HPQ4TOLD HPQ4KNEW HPQ4OTH
05	Why did you plan to deliver at hospital rather than at home?	DIDN'T PLAN TO DELIVER IN A HOSPITAL	select all that apply	HPQ5NOPL HPQ5SAFE HPQ5RECM HPQ5ATTN HPQ5RELT HPQ5RELA HPQ5TOLD HPQ5PRO HPQ51ST HPQ5PREV HPQ5PREV

<b>06</b>	Why did you plan to deliver at home rather than at hospital?	DIDN'T PLAN TO DELIVER AT HOME	select all that apply	HPQ6CH1 HPQ6CH2
07	Did you go to your home town/village for the birth?	YES	Q11	HPQ7TOWN
08	If yes, why did you go to your home town/village to deliver?	TRADITIONAL(1 <sup>ST</sup> BIRTH AT HOME)	select all that apply	HPQ8TRAD HPQ8HUSB HPQ8MIL HPQ8KIN HPQ8CMFT HPQ8COST HPQ8WANT HPQ8WANT
09	How long before the birth did you go?	MONTHS		HPQ9BFMM HPQ9BFWK
10	How long after the birth did you return to your locality?	MONTHS	_	HPQ10AFM HPQ10AFW
11	Think back to the hospital you delivered in, was that the first hospital you went into when you started labour?	YES	Q14	HPQ11LAB
12	If no, which was the first hospital you went into?	NAME OF GOVT HOSP/HOME		HPQ12HOS HPQ12NAM
		NAME OF PRIVATE HOSP/HOME		
		NAME OF CHARITABLE HOSPITAL	ļ	
13	Why did you not deliver in the first hospital?	REFERRED       1         NOT BOOKED       2         OTHER       3		HPQ13NOT
		(specify )		HPQ13SPF

14	What day of the week was it when you went into hospital for your delivery?  Were there any delays in getting to the	MONDAY       1         TUESDAY       2         WEDNESDAY       3         THURSDAY       4         FRIDAY       5         SATURDAY       6         SUNDAY       7         DON'T REMEMBER       8         NO DELAYS       1	select all	HPQ14DAY
à	hospital?	YES, HAD HOUSEHOLD DUTIES TO COMPLETE	that apply	HPQ15SPF
16	How long was it from what you thought were the first signs of labour before you left for	HOURS → IN HOSPITAL ALREADY	Q18	HPQ16HRS
17	hospital?  If in hospital already, why were you there?	DON'T REMEMBER       .9999→         HIGH BLOOD PRESSURE       .1         PREVIOUS CAESAREAN       .2         INFECTION       .3         BLEEDING       .4         DON'T KNOW       .5         OTHER       .6         (specify       )	Q18	HPQ17WHY
) 18	How long would you say it was from the first signs of labour to delivery?	HOURS_	į.	HPQ18LON
19	Who made the decision that you should go to hospital when you did go?	ME	select all that apply	HPQ19CH1 HPQ19CH2 HPQ19CH3
20	How long did it take from when you decided to go to hospital to when you arrived there?	MINUTES		HPQ20MIN
21	How did you get to hospital?	ON FOOT       1         TAXI       2         MOTORCYCLE       3         AUTORICKSHAW       4         BICYCLE       5         OTHER       6         (specify       )	select all that apply	HPQ21GET HPQ21SPF

22	At what time of the day did you arrive at hospital?	TIME AM or PM		HPQ22AM HPQ22PM
23	After you first arrived at hospital, how long was it before you gave birth?	HOURS_ MINUTES_ DAY_		HPQ23HRS HPQ23MIN HPQ23DAY
24	Once the labour pains had become strong and regular, (about every 5 minutes), about how long did the labour last?	LESS THAN 2 HOURS       1         3 - 5 HOURS       2         6 - 12 HOURS       3         12 - 18 HOURS       4         18 - 24 HOURS       5         MORE THAN 24 HOURS       6         DON'T REMEMBER       7		HPQ24LAB
ARF	UVAL AND EXAMINATION			
25	After arriving, how long did you have to wait before you were first examination? (details taken, contractions monitored, other examination)	MINUTES		HPQ25WAI
26	Who was the first person to examine you?	NURSE/ANM       1         DOCTOR       2         MATRON       3         AYABAI       4         OTHER       5         (specify		HPQ26EXM
27	When you arrived were any of the following true?	YOUR WATERS HAD GONE	select all that apply	HPQ27WAT HPQ27LEA HPQ27HRS HPQ27BLE  HPQ27LAB HPQ27FIT HPQ27BLA HPQ27MOV  HPQ27DUE HPQ27NON
, 28	Which of the following happened during your first examination?	CHANGED INTO HOSPITAL GOWN	select all that apply	HPQ28GOW HPQ28HAI HPQ28ANE HPQ28VAG HPQ28BP HPQ28TEM HPQ28STE HPQ28BEL HPQ28RAY HPQ28CRD HPQ28QCK HPQ28NON

29	About how many times during your labour did the following happen?  Enter 0 if it never happened in labour, don't complete if no answer	No of times VAGINAL EXAMINATION_ BLOOD PRESSURE CHECKED_ TEMPERATURE TAKEN_ STETHOSCOPE USED TO LISTEN TO BABY_ SOMEONE FELT YOUR BELLY_ DRIP INSERTED_		HPQ29VAG HPQ29BP HPQ29TEM HPQ29STE HPQ29BEL HPQ29DRI
-	PERIENCE OF CARE			
30	What did you think about the following?	OK no opinion not happy Didn't happen A B C D  WEARING GOWN A B C D  BEING SHAVED A B C D  ENEMA A B C D  GENTS DR  EXAMINING YOU A B C D  EXAMINATION IN  CROWDED PLACE A B C D	circle option that best desc- ribes yours reaction	HPQ30GOW HPQ30SHV HPQ30ENE HPQ30GEN
31	How did you feel about the waiting/labour room?	AIRY	select all that apply	HPQ31AIR HPQ31NOT HPQ31CRO HPQ31TOI HPQ31FAR HPQ31DSK HPQ31STF HPQ31CLE HPQ31DIR HPQ31BED HPQ31OTH HPQ31SPF
32	Do any of the following describe your treatment by doctors and matrons during labour and delivery?	KIND AND UNDERSTANDING       .1         FAIRLY KIND       .2         NEGLECTFUL       .3         HURRIED       .4         SHOUTED AT YOU       .5         SLAPPED/HIT YOU       .6         DID NOT COME INTO CONTACT       .7         OTHER       .8         (specify       )	select all that apply	HPQ32DOC
33	delivery?	KIND AND UNDERSTANDING.       1         FAIRLY KIND       2         NEGLECTFUL       3         HURRIED       4         SHOUTED AT YOU       5         SLAPPED/HIT YOU       6         DID NOT COME INTO CONTACT       7         OTHER       8         (specify       )	select all that apply	HPQ33ANM

34	Do any of the following describe your treatment by ayabais during labour and delivery?	KIND AND UNDERSTANDING       1       select all that apply         FAIRLY KIND       2       that apply         NEGLECTFUL       3       apply         HURRIED       4       SHOUTED AT YOU       5         SLAPPED/HIT YOU       6       DID NOT COME INTO CONTACT       7         OTHER       8         (specify       )	HPQ34BAI
35	How would you rate the following staff for efficiency?	Good OK         Bad I         Not applicable appropriate         circle as appropriate           1         2         3         4           NURSES/ANM'S         1         2         3         4           DOCTORS         1         2         3         4           MATRONS         1         2         3         4           SWEEPERS         1         2         3         4           AYABAIS         1         2         3         4	HPQ35ANM HPQ35DOC HPQ35MAT HPQ35SWP HPQ35BAI
36	How would you rate the following staff for politeness/caring behaviour?	Good OK         Bad I         Not applicable appropriate         circle as appropriate           1         2         3         4         appropriate           NURSES/ANM'S         1         2         3         4         riate           DOCTORS         1         2         3         4           MATRONS         1         2         3         4           SWEEPERS         1         2         3         4           AYABAIS         1         2         3         4	HPQ36ANM HPQ36DOC HPQ36MAT HPQ36SWP HPQ36SWP
37	OURING AND DELIVERING  Who was present with you in the labour room?	DOCTOR.       1       select all that         MATRON.       2       that         NURSE OR ANM.       3       apply         AYABAI.       4       MOTHER.       5         MOTHER IN LAW.       6       SISTER.       7         OTHER FEMALE RELATIVE.       8       FRIEND/NEIGHBOUR.       9         OTHER WOMEN IN LABOUR.       10       OTHER.       11         (specify	HPQ37CH1 HPQ37CH2 HPQ37CH3 HPQ37CH4
38	Besides the above, would you have liked anyone else in particular to be there?	DOCTOR	HPQ38LIK

NO-ONE ELSE WANTED......13→

Q40

39	Why were they not with you?	NOT AVAILABLE		HPQ39NOT
40	Was anyone waiting for you outside the labour room in (or just outside) the hospital until you had delivered?	NO.       1         YES, MOTHER       .2         YES, MOTHER IN LAW       .3         YES, HUSBAND       .4         YES, OTHER FEM RELATIVE       .5         YES, FRIEND/N'BOUR       .6         YES, OTHER PERSON       .7         (specify       )		HPQ40CH1 HPQ40CH2 HPQ40CH3
41	Were you left alone by hospital staff at some time during labour or delivery when it worried you to be alone?	YES, DURING THE LABOUR	select all that apply	HPQ41ALO
42	Who was the principal person assisting you at delivery?	DOCTOR       1         MATRON       2 →         NURSE/ANM       3 →         AYABAI       4 →         NO-ONE       5 →         OTHER       6 →         (specify       )	select only one Q44 Q44 Q44 Q44	HPQ42PER
43	If it was a doctor, was it a man or a woman?	MAN		HPQ43MAN
<u>}</u> 44	Did the person who attended you most in labour explain to you clearly what was happening?	YES, DEFINITELY 1 YES, TO SOME EXTENT 2 NO 3		HPQ44PER
45	Was anything done to relieve the pain of labour?	YES	Q47	HPQ45REL
46	If yes, what was done?	HERBAL REMEDY.		HPQ46YES
47	Was anything done to speed up or bring the labour pains on?	YES	Q49	
48	If yes, what was done?	HERBAL REMEDY.       1→         OXYGEN.       2         INJECTION.       3→         ANAESTHETIC IN SPINE.       4→         OTHER.       6→         (specify	Q50 Q50 Q50 Q50	HPQ48YES
49	If injection, how many injections were given?	NUMBER		HPQ49INJ
50	Were you given a choice of a Caesar or a natural delivery?	YES		HPQ50CHO
51	Was the baby delivered naturally or was a Caesar performed?	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Q59	HPQ51CAE

52	If natural, were instruments used to help the	INSTRUMENTS1		HPQ52INS
	baby out, or did the baby arrive by itself?	BY ITSELF2		
53	Was anything else done to help the baby out?	ABDOMINAL MASSAGE1	select all	HPQ53CH1
		PRESSURE APPLIED TO ABDOMEN2	that	HPQ53CH2
		URGED TO BREATH OUT/BEAR DOWN3	apply	
		OTHER4	1	
		(specify)		
54	What part of the baby came out first?	HEAD1		HPQ54PAR
		OTHER2		
		(specify)		
		DON'T KNOW3		
55	What position were you in when you delivered	LYING DOWN1		HPQ55POS
)	your baby?	SITTING UP2		ļ
		DON'T REMEMBER3		
		OTHER4		
		(specify)		
56	Did the placenta come out by itself?	YES1→	Q58	HPQ56PLA
		NO2		
		DON'T KNOW3		
57	If no, what was done to remove it?	INJECTION AFTER BABY WAS OUT1		HPQ57REM
		MANUAL REMOVAL2	)	
		ABDOMINAL MASSAGE3		
		OTHER4		
		(specify)		HPQ57SPF
58	Did someone pull on the cord to help the	YES1	1	HPQ58COR
	placenta out?	NO2		
		DON'T KNOW3		
59	Was your uterus examined internally after the	YES1		HPQ59UTE
	delivery of the placenta?	NO2		
		DON'T KNOW3		
60	If a Caesar, was the cut across the body or	ACROSS1		HPQ60CUT
	downwards?	DOWNWARDS2		
61	If a Caesar, were you told before the delivery	YES1		HPQ61NEE
	that you would need it?	NO		XXDO (ADE )
62	If a Caesar, were you told the reasons you need	YES1	064	HPQ62REA
	a Caesar?	NO22→	Q64	
63	If, yes, what were the reasons?	PELVIS TOO SMALL1		HPQ63YES
		BABY IN WRONG POSITION2		
ľ		BABY DISTRESSED3		
		PROLONGED LABOUR4		
		ONE PREVIOUS CAESAR5		
		TWO + PREVIOUS CAESARS6		
}		HIGH BLOOD PRESSURE7		
		OTHER8		
		(specify ) EPIDURAL/SPINAL		
64	Ws the bottom of your body made numb for the			HPQ64NUM
	Caesar, or did you have a general anaesthetic?	GENERAL ANAESTHETIC2		
<u> </u>	7771	TVD9	-	IIDO (FDIE
65	When you delivered, did you bleed so much	YES1	067	HPQ65DIE
	that you were afraid you might die?	NO2→	Q67	
66	If you for how many have did di-	HOUDE		HDOGGIDS
66	If yes, for how many hours did the severe	HOURS		HPQ66HRS
	bleeding last?	DAYS	İ	HPQ66DAY
		DON'T REMEMBER999		
$\perp$		DON I KEMEMBEK999		

67	Did you make provision for blood for your delivery?	YES		HPQ67PRO
9 68	Did you need blood during the delivery?	YES	Q70	HPQ68BLO
69	If yes, where did you get the blood?	HOSPITAL BANK (DELIVERY HOSP)		HPQ69GET
70	During your delivery, did you have a convulsion or fit?	YES		HPQ70FIT
71	Have you had any fits outside of pregnancy or delivery before this?	YES		HPQ70OUT
72	If you had stitches, was it painful when they were put in?	VERY PAINFUL		HPQ72STI
73	Were you told how to keep them clean?	YES.       1         NO.       2         NO STITCHES.       3		HPQ73CLE
74	Did you know the sex of the baby before you delivered?	YES	Q76	HPQ74SEX
75	If yes, how did you know?	AMNIOCENTESIS		HPQ75HOW
AFT	ER DELIVERING			
76	Was the baby weighed?	YES		HPQ76WEI
77	What did the baby weigh? (If not weighed, or if they don't remember, get them to guess) (They must also state small, medium or	KG       (Weighed)         KG       (Guessed)         SMALL       1         MEDIUM       2		HPQ77KG HPQ77SMA
78	How long were you separated from your baby immediately after the birth?	MINUTES		HPQ78MIN HPQ78HRS HPQ78DAY
79	Do you know why you and your baby were separated for so long?	TO CLEAN THE BABY	select all that apply	HPQ79CH1 HPQ79CH2
80	Did you breastfeed the baby on the first day?	YES	Q82	HPQ80FED
81	If no, why did you not breastfeed on the first day?	UNABLE TO BF.       1         FIRST MILK UNSUITABLE.       2         WANTED TO BOTTLE FEED.       3         BABY UNABLE TO FEED.       4         I WAS TOO WEAK.       5         OTHER.       6         (specify.       )		HPQ81NOT

		T	т-	TYDOGGE
82	How long after the delivery did you put the baby to your breast?	MINUTES	Q84	HPQ82MIN HPQ82HRS HPQ82DAY
83	How did you know how to breastfeed?	DIDN'T BREASTFEED AT ALL9999 7  DIDN'T BREASTFEED	Select all that apply	HPQ83HOW
}		(specify)		HOQ85SPF
84	Were you offered any bottled/cows milk for your baby?	YES1 NO2→	Q86	HPQ84COW
85	If yes, why was that?	PROBLEMS BREASTFEEDING.       1         NOT ENOUGH MILK.       2         BABY UNWELL.       3         BABY HUNGRY.       4         DON'T KNOW.       5         TOO WEAK TO BREASTFEED.       6         OTHER.       7         (specify)		HPQ85CH1 HPQ85CH2
86	When the baby was born (if it survived the first few days) did you have 2 or more children who are alive at the time?	YES	Q90 Q90	HPQ86TWO
87	If yes ,which of the following did you do?  Please remember this is absolutely confidential.	PAID 250 RS	Q90 Q89	HPQ87YES
88	If you didn't have to choose, why not?	RAN AWAY       1         PRIVATE HOSPITAL       2         TOO WEAK       3         OTHER       4         (specify       )		HPQ88NOT
				HPQ88SPF
89	If you had a tubal ligation- why?	DID NOT HAVE 250RS.       1         DID NOT WANT ANY MORE       2         CHILDREN.       2         NEEDED 100 RS.       3         OTHER.       4         (specify       )		HPQ89TUB HPQ89SPF
		(0,000)		
90	If you didn't have a total ligation, do you want to have another baby?	SOON.       1         LATER.       2         NEVER.       3         TUBAL LIGATION.       4		HPQ90BAB
91	Did anyone speak to you about how to delay or avoid another pregnancy?	YES1 NO2→	Q94	HPQ91DEL

92	If yes, what have you been advised to use?	TUBAL LIGATION.       1         MALA D (OC).       2         IUD.       3         OTHER.       4         (specify		HPQ92USE HPQ92SPF
93	Who advised you?	Specify		HPQ93ADV
94	Did you have to pay for any of the following during your stay in hospital?	General costs in hospital Rs USE OF BED_ FOOD AND DRINK LAUNDRY Medical costs before delivery: XRAY SONOGRAPHY DRIP INJECTIONS ANTIBIOTICS BLOOD ANAESTHETIC  NEEDLES_ OTHER Medication after delivery: ANTIBIOTICS INJECTIONS OTHER Other costs SANITARY PADS COTTON WOOL TIPS TO SWEEPERS TIPS TO AYABAIS TIPS TO NURSES AND ANMS TIPS TO DOCTORS OTHER (specify		HPQ94BED HPQ94FOO HPQ94LAU  HPQ94BXR HPQ94BSO HPQ94BDP HPQ94BIN HPQ94BAT HPQ94BAN HPQ94BAN HPQ94AOT  HPQ94AOT  HPQ94AOT  HPQ94YOL HPQ94SWE HPQ94BAI HPQ94HOC HPQ94OTH  HPQ94TOT
95	Did you have a scan (Sonography) during your pregnancy?	YES, ONCE	Q97	HPQ95SON
96	If yes, how much did this cost each time?	Rs		HPQ96RS
97	Did you have an X-ray of your pelvis during your pregnancy?	YES, ONCE	Q99	HPQ97XRY
98	If yes, how much did this cost each time?	Rs		HPQ98YES
99	Did you have an amniocentesis during your pregnancy?	YES1 NO2→	Mod 5	HPQ99AMN
.00	If yes, how much did this cost each time?	Rs		HPQ100RS

### MUMBAI SAFE MOTHERHOOD STUDY

### Module 5: Postnatal care

No.	Questions and filters	Coding categories	Skip to	Input
01	Now I would like to ask you about the first few days and weeks after the birth.  During your pregnancy or the delivery, did anyone advise you to have a check-up on your health after the baby was born?	YES	Q3	M5Q1ADV
02	Who advised you to have postnatal check ups?	DOCTOR       1         NURSE/MIDWIFE       2         DAI       3         MOTHER IN LAW       4         MOTHER       5         HUSBAND       6         OTHER MALE RELATIVE       7         FRIEND       8         OTHER       9         (specify       )		M5Q2WHO
03	How long did you stay in hospital after the birth?	DAYS_HOURS_HOME DELIVERY999		M5Q3DAYS M5Q3HRS
04	Who shared your workload at home after the delivery?	NOBODY       1         MOTHER IN LAW       2         MOTHER       3         HUSBAND       4         OTHER FAMILY MEMBERS       5         FRIEND       6		M5Q4WORK
05	Were you admitted to the hospital for even one day because there was a problem after the delivery?	YES1 NO	Q8	M5Q5ADMI
06	What was the problem?	FEVER/INFECTION       1         FITS       2         BLEEDING       3         PROBLEM WITH THE BABY       4         C-SECTION       5         OTHER       6         (specify       )		M5Q6PROB  M5Q6SPF
07	If you stayed at a hospital before, during or after the delivery, about how much did that cost in total (including drugs, food medical care etc)?	NO HOSPITAL STAYSN		M5Q7COST M5Q7STAY
08	Did you have a check up (at home or elsewhere) at any time during the six weeks following the birth?  If yes, how many times?	YES	Q10	M5Q8CHECK M5Q8HOW

09	Why did you not have a postnatal check up?	DIDN'T NEED TO GO		M5Q9NEVE
		INCONVENIENT		
	GOTO Q19	DIDN'T KNOW ABOUT POSTNATAL CHECKS		
		(specify)		
10	How many days after the delivery did you have your 1 <sup>st</sup> check up?	NO OF DAYS		M5Q10DAY
11	Who did you go to for your 1 <sup>st</sup> check up?	PRIVATE DOCTOR		M5Q11DOC
12	If you had more than one check – up, was it where you normally went?	ONLY ONE CHECK UP		M5Q12NOR
13	Why did you choose this place?	CONVENIENT.       1         NEARBY       2         EASY TO GET TO.       3         GOOD QUALITY.       4         CHEAP.       5         FREE SERVICE.       6         ATTACHED TO HOSPITAL WHERE I       7         ONLY OPTION I KNOW ABOUT.       8         RECOMMENDED.       9	select all that apply	M5Q13CH1 M5Q13CH2 M5Q13CH3
14	What was the main reason for your first check up?	ROUTINE CHECK UP	select all that apply	M5Q14CH1 M5Q14CH2
15	Did you have to pay for your first check up?	YES1		M5Q15PAY
		NO2→		
16	About how much did you have to pay?	RUPEES		M5Q16MUC
17	About how much did it cost in total for all your check ups (including drugs)?	RUPEES		M5Q17TOT

18	During any of your check ups, did you have	BLOOD PRESSURE MEASURED1	tick all	M5Q18BP
	any of the following?	VAGINAL EXAMINATION2	that	M5Q18VAG
)		ASKED ABOUT FOUL SMELLING	apply	
		DISCHARGE3		M5Q18SME
		ASKED ABOUT BLOOD LOSS4		M5Q18BLO
		ABDOMEN PALPATED5		M5Q18ABD
		ADVICE ON BREASTFEEDING6		M5Q18ADV
		BABY CHECKED7		M5Q18BAB
		ADVICE ON DIET8		M5Q18DIE
		ADVICE ON CONTRACEPTION9		M5Q18CON

19 During the six weeks after delivery, did you have bleeding, fits or fevers?

#### COMPLETE DOWNWARDS, COLUMN BY COLUMN

Vaginal bleeding	Fits	High fever
B1 In the six weeks period after you	F1 In the six weeks after your delivery,	H1 In the six week period after your
delivered, did you bleed so much that you	did you have a convulsion or fit?	delivery, did you have a high fever?
were afraid you might die?		,,
YES1	YES1	YES1
NO2→ Col 2 (Fits)	NO2 $\rightarrow$ Col 3 (High fever)	NO2→ Q20
B2 For how many days did the severe	F2 Have you had any fits outside of	H2 Was this fever associated with
bleeding last?	pregnancy/delivery before this?	abdominal pains?
oreamy and	programmely mentionly detected units.	The second participation of th
DAYS	YES	YES1
	NO2	NO2
B3 Did you seek treatment for this?	F3 Did you seek treatment for this?	H3 Did you seek treatment for this?
YES1	YES	YES1
NO2→B6	NO2→F6	NO2→H6
B4 Who did you go to?	F4 Who did you go to?	H4 Who did you go to?
(tick all that apply)	(tick all that apply)	(tick all that apply)
(tiek air that appry)	(tiek an that apply)	(tick all that apply)
PRIVATE DOCTOR1	PRIVATE DOCTOR1	PRIVATE DOCTOR1
DOCTOR IN PRIVATE NURSING	DOCTOR IN PRIVATE NURSING	DOCTOR IN PRIVATE NURSING
HOME2	HOME2	HOME2
DOCTOR IN MUNICIPAL HOSPITAL	DOCTOR IN MUNICIPAL HOSPITAL	DOCTOR IN MUNICIPAL HOSPITAL
3	3	3
DOCTOR IN CHARITABLE	DOCTOR IN CHARITABLE	DOCTOR IN CHARITABLE
HOSPITAL4	HOSPITAL4	HOSPITAL4
NURSE/MIDWIFE5	NURSE/MIDWIFE5	NURSE/MIDWIFE5
DAI6	DAI6	DAI6
OTHER7	OTHER7	OTHER7
(specify)	(specify)	(specify)
<u> </u>	(	(6)
B5 Did you go to hospital as a result of this	F5 Did you go to hospital as a result of	H5 Did you go to hospital as a result of
problem?	this problem?	this problem?
YES1	YES1	YES1
NO2	NO2	NO2
GOTO COL 2 (Fits)	GOTO COL 2 (Fever)	GOTO q27
<b>B6</b> Why did you not seek treatment?	F6 Why did you not seek treatment?	H6 Why did you not seek treatment?
INCONVENIENT TO GO1	INCONVENIENT TO GO1	INCONVENIENT TO GO1
TOO COSTLY TO GO2	TOO COSTLY TO GO2	TOO COSTLY TO GO2
TOO DIFFICULT TO GET TO3	TOO DIFFICULT TO GET TO3	TOO DIFFICULT TO GET TO3
I THOUGHT SYMPTOMS	I THOUGHT SYMPTOMS	I THOUGHT SYMPTOMS
NOT SERIOUS4	NOT SERIOUS4	NOT SERIOUS4
FAMILY MEMBERS THOUGHT	FAMILY MEMBERS THOUGHT	FAMILY MEMBERS THOUGHT
SYMPTOMS NOT SERIOUS5	SYMPTOMS NOT SERIOUS5	SYMPTOMS NOT SERIOUS5
POOR QUALITY OF TREATMENT6	POOR QUALITY OF TREATMENT6	POOR QUALITY OF TREATMENT6
OTHER7	OTHER7	OTHER7
(specify	(specify	(specify)
GOTO COL 2 (Fits)	GOTO COL 3 (Fever)	GOTO Q20
Coding M5B1-B6	Coding M5F1-F6	Coding M5H1-H6
-		

No.	Questions and filters	Coding categories	Skip to	Input
20	Did you have any of the following complications after your C-section?	Coding categoriesNO C-SECTION	Q24 tick all that apply	M5Q20CH1 M5Q20CH2
21	Dilas de la Constantina del Constantina de la Constantina de la Constantina de la Constantina de la Constantina de la Constantina de la Constantina de la Constantina de la Constantina de la Constantina de la Constantina de la Constantina de la Constantina de la Constantina de la Constantina de la Constantina de la Constantina de la Constantina de la Constantina de la Co	(specify) NO PROBLEM8	022	M5Q20SPF
21	Did you seek treatment for any of these problems?	YES. 1→ NO2	Q23	M5Q21TRE
22	Why did you not seek treatment?	SYMPTOMS NOT SERIOUS ENOUGH1→ NOT CONVENIENT	Q24 Q24 Q24	M5Q22NOT
23	Who did you go to?	PRIVATE DOCTOR		M5Q23WHO  M5Q23SPF
24	Did you have any other problems in the six weeks after delivery?	STITCHES INFLAMED		M5Q24CH1 M5Q24CH2 M5Q24CH3
25	Did you breastfeed the baby?	YES		M5Q25BFE
26	How long did you breastfeed for, in months?	MONTHSSTILL BREASTFEEDING	Q28	M5Q26LON
27	Have you had any of the following problems with breastfeeding?	MASTITIS       1         BABY WOULDN'T LATCH ON       2         NOT ENOUGH MILK       3         OTHER       4         (specify		M5Q27CH1 M5Q27CH2 M5Q27SPF
28	Do you want to have another baby?	SOON		M5Q28ANO

29	From the time that you were last pregnant,	TUBERCULOSIS1	select all	M5Q29CH1
	had you suffered from any of the following	DIABETES2	that	M5Q29CH2
3	health problems?	HIGH BLOOD PRESSURE3	apply	M5Q29CH3
		HEPATITIS4		
		TYPHOID5		
		KIDNEY DISEASE6		
		HIV7		
		MALARIA8		
		WHITE DISCHARGE9		
		OTHER10		
		(specify)		M5Q29SPF
		NO PROBLEM11		
30	After the delivery, did you have any of the	PROBLEMS HOLDING URINE	select all	M5Q30CH1
	following problems?	PROBLEMS HOLDINGS STOOLS2	that	M5Q30CH2
		BURNING SENSATION IN VAGINA3	apply	M5Q30CH3
		WHITE DISCHARGE4		
		FEELING OF HEAVINESS BELOW5		
		PILES6		
		OTHER7		
		(specify)		M5Q30SPF
		NO PROBLEM8		

### MUMBAI SAFE MOTHERHOOD STUDY Module 6: Autonomy

FR	REEDOM OF MOVEMENT			
no.	Questions and filters	Coding categories Select only one unless otherwise stated	Skip to	Input
01	If and when you go to the vegetable market, chakki or ration shops, who accompanies you?	MOSTLY GO ALONE		M6Q1SHOP
02	Who takes and brings back your children from school?	SELF-ALONE		M6Q2TAKE
03	If and when you go the market to do major shopping (e.g. clothes, vessels etc) who accompanies you?	MOSTLY GO ALONE		M6Q3ACCO
04	Can you visit your mother/brother sister/friends as and when you wish to?	YES		M6Q4WISH M6Q4IFNO
05	Do you usually need to ask someone's permission to visit the above close relatives?	YES		M6Q5PERM
06	Do you go out with friends/ colleagues out of your locality?	YES, OFTEN		M6Q6OUT
07	If you talk to males, who are not your relatives, what would be the reactions of others?	HUSBAND BECOMES SUSPICIOUS	select all that apply	M6Q7TALK
08	Who is the person in your family who visits the school for admission, paying fees, buying school books, parent-teacher meetings?	YOU ALONE		M6Q8SCHO M6Q8SPF
)9	If your child was ill, would you be allowed to take him/her to the doctor without the company of another adult?	YES		M6Q9CHIL
10	If you yourself were ill, would you be allowed to go to the doctor without the company of another adult?	YES		M6Q10YOU

DE	CISION MAKING POWER			
11	Are you allowed to wear clothes of your choice	YES 1 NO 2		M6Q11CLO
12	Do you have to cover your head in the presence of your in-laws even when you don't want to?	YES		M6Q12COV
13	Do you have to wear a burkha when you go out of the house even when you don't want to?	YES		M6Q13BUR
14	Do you have to wear the following even if you don't want to?	BINDI 1 2 GHUNGHAT 1 2		M6Q14BIN M6Q14GUN
14 a	Are you able to spend money for yourself for:  1. Presents 2. Kitchen vessels 3. Bed 4. Trunk 5. A sari for yourself 6. Clothing for children 7. Fan 8. Almirah /cupboard	YES, BY MYSELF		M6Q14APR M6Q14AVE M6Q14ABE M6Q14ATR M6Q14ASA M6Q14ACL M6Q14AFA M6Q14AAL
15	Who would make the final decision about your children's schooling?	BOTH YOU AND YOUR HUSBAND. 1 MAINLY YOU . 2 MAINLY YOUR HUSBAND. 3 YOUR IN-LAWS. 4 OTHER FAMILY MEMBERS. 5 NO SCHOOL GOING CHILDREN. 6		M6Q15DEC
16	Would you need permission to take up a job?	YES	Q18 Q18	M6Q16JOB
17	Whose permission would you need to take?	HUSBAND.       1         MOTHER-IN-LAW.       2         OTHERS.       3         (specify)		M6Q17PER
18	If you want to take up a job, would you be allowed only if it was close you your house?	YES		M6Q18CLO
19	If you are allowed to work generally, what are the jobs you would not be permitted to do?	SPECIFY		M6Q19NOT
20	do you ever discuss with your husband the following matters?	1. No. of children you should have 1 2 2. How many boys and how many girls 1 2 3. The decision on going nuclear or staying with joint with joint family 1 2 4. Contraception 1 2		M6Q20CH1 M6Q20HOW M6Q20NUC M6Q20CON

21	With whom does the final decision rest?	ON ME ALONE		M6Q21FIN M6Q21SPF
22	Do you ever discuss the following matters with your husband?	1. Children's education 1 2 2. Children's health problems 1 2 3. Your health problems 1 2 4. Household finances 1 2 5. Nirodh use 1 2		M6Q22EDU M6Q22HEA M6Q22YOU M6Q22FIN M6Q22NIR
23	Would you be able to decide on your own to practice contraception?	YES, MALA D		M6Q23CON
24	If you needed an abortion, would you be able to decide and get it done?	ON YOUR OWN		M6Q24ABO
AC	CESS TO RESOURCES			
25	Have you ever taken up paid employment?	YES1 NO2→	Q27	M6Q25PAI
26	If yes, would you be able to spend your money on buying the following things?	SAREES FOR YOURSELF		M6Q26SA M6Q26CHA M6Q26JEW M6Q26CIN M6Q26EAT M6Q26CHI M6Q26HUS
27	Does your husband give you housekeeping money in one go or do you have to ask him each time you need to incur expenses?	GIVES LUMP-SUM. $1 \rightarrow$ HAVE TO ASK EACH TIME. $2 \rightarrow$ NO HAVE ACCESS TO MONEY. $3 \rightarrow$	Q29	M6Q27MON
28	If you have to ask each time, have you ever been denied the money you asked for?	YES		M6Q28DEN M6Q28SPF
29	Have you ever had a smear test?	YES, IN LAST 5 YRS		M6Q29SME
	C INVOLVEMENT			
30	Have you been to any class to learn something as an adult?	YES		M6Q30CLA M6Q30SPF

31	Are you active with any organisation?	YES		M6Q31ORG M6Q31SPF
		NO2		
32	Are you a member of a local credit scheme?	YES		M6Q32CRE
33	What is the minimum legal age at marriage for a girl in India	AGE IN YRS		M6Q33AGE
34	Did you vote in the last election?	YES		M6Q34VOT
$\overline{DO}$	MESTIC VIOLENCE			
35	Have you been hit by your husband?	YES. 1 NO. 2		M6Q35HIT
36	If yes, where did it happen?	IN YOUR IN-LAWS HOUSE 1 IN YOUR OWN HOUSE 2 OTHER 3 (specify )		M6Q36WHE
37	Have you been hit so badly by your husband that you were injured?	YES		M6Q37BAD M6Q37SPF
38	If yes, did your injury require going to a doctor/hospital?	GOING TO A DOCTOR		M6Q38YES
39	When do you think it is right for a man to hit his wife?	WHEN SHE DOESN'T LOOK AFTER THE HOUSE WELL	select all that apply	M6Q39RIG M6Q39SPF

### MUMBAI SAFE MOTHERHOOD STUDY PART II: Hospital case study

#### **EXIT INTERVIEWS**

# MUMBAI SAFE MOTHERHOOD STUDY Hospital case study EXIT INTERVIEW Module 1 Background details

EXIT_ID	Questionnaire number		
EXIT_HOS	Hospital name		

no.	Questions and filters	coding categories	skip	input
110.	Questions and inters	select only one unless otherwise stated	to	mput
1	Hospital name	SHATABDI/CENTINARY		EXM1Q1
2	Questionnaire no			EXM1Q2
3	How old are you?	AGE IN YEARS		EXM1Q3
4	What locality are you from?	GAUTAM NAGAR       1→         GANESH NAGAR       2→         LAXMI NAGAR       3→         NAGAR BABA       4→         NEWBHART NAGAR       5→         RAHUL NAGAR       6→         SHAHAJI NAGAR       7→         OTHER       8	Q6 Q6 Q6 Q6 Q6 Q6 Q6	EXM1Q4
5	If from outside community survey area - what locality?	(specify)		EXM1Q5
6	What is your ward of residence?	VILLAGE1 OTHER (specify)		EXM1Q6A EXM1Q6B
7	What is the religion of your household?	HINDU		EXM1Q7
8	What is the caste of your household?	NEITHER SC OR ST		EXM1Q8
9	Who is the head of your household? (This is the person who decides where the children will go to school)	YOUR HUSBAND       1         YOUR FATHER IN LAW       2         YOUR MOTHER IN LAW       3         YOUR BROTHER       4         YOUR BROTHER IN LAW       5         YOUR MOTHER       6         YOUR FATHER       7         YOURSELF       8         OTHER       9         (specify       )		EXM1Q9

10	What is the occupation of the main income earner in your household?	PERMANENT SERVICE IN GOVT/ MUNICIPALITY		EXM1Q10A  EXM1Q10B
11	Do you live with either your mother or mother-in-law?	MOTHER		EXM1Q11
12	Is the house you live in your own or rented?	OWNED		EXM1Q12
13	Current marital status  (interviewer – probe as appropriate)	CURRENTLY MARRIED       1         SEPARATED       2         WIDOWED       3         DIVORCED       .4         OTHER       5→	Q16	EXM1Q13
14	How old were you at the time of your FIRST marriage?	AGE IN COMPLETED YEARS		EXM1Q14
15	Did you live in Mumbai before you were married?	YES		EXM1Q15
16	Have you had a smear test?	YES, IN THE LAST 5 YEARS		EXM1Q16
17	Do you usually do work for which you are paid?	YES	Q19	EXM1Q17

18	What kind of work do you do?	PERMANENT SERVICE IN GOVT/ MUNICIPALITY		EXM1Q18A
		(SPECIFY)		EXM1Q18B
19	Can you read a letter easily, with difficulty or not at all?	EASILY		EXM1Q19
20	Have you ever attended a school?	YES	Q22	EXM1Q20
21	What was the last class you passed in school?	GRADE 0-4		EXM1Q21
22a	What is the minimum legal age at marriage for a girl in India?	AGE IN YEARS99		EXM1Q22A
22b	How is the woman's knowledge of legal age at marriage?	SHE KNOWS RIGHT		EXM1Q22B
23	Did you vote in the last election?	YES		EXM1Q23
24a	What is the main source of water that your household uses?	MUNICIPAL TAP		EXM1Q24A
24b	If yes to other type of main source of water please specify.	(specify)		EXM1Q24B
25	Do you need to ask someone's permission to visit your nearest blood relative, to visit a friend or to go out with a friend?	YOUR NEAREST BLOOD RELATIVE		EXM1Q25
26	Are you allowed to leave the house without the company of another adult?	YES, ALWAYS		EXM1Q26
27	If your child is ill are you usually be able to take him/her to the doctor without the company of another adult?	YES		EXM1Q27

28	If there is a complication in pregnancy, to seek help what permission do you need?	GO ALONE WITH PERMISSION		EXM1Q28
29	Who's permission do you need?	HUSBAND		EXM1Q29
30	Do you feel that any of the following worries or problems affects you and/or your home?	DEBTS	select all that apply	EXM1Q30A EXM1Q30B EXM1Q30C EXM1Q30D EXM1Q30E EXM1Q30F EXM1Q30G EXM1Q30H EXM1Q30I
31	Please specify the other worries or problems affecting you and/or your home?	Specify		EXM1Q31
32	If yes to beating by husband – When does he beat you?	WHEN HE IS DRUNK	select all that apply	EXM1Q32A EXM1Q32B EXM1Q32C EXM1Q32D
33	When do you think it is right for a man to beat his wife?	WHEN SHE DOES NOT LOOK AFTER THE HOUSE WELL	select all that apply	EXM1Q33A EXM1Q33B
	Ask all	WHEN SHE DOES NOT LOOK AFTER PARENTS WELL		EXM1Q33C EXM1Q33D EXM1Q33E EXM1Q33F
		WHEN SHE IS ARROGANT/MISCHIEVOUS8		EXM1Q33G EXM1Q33H
		IT IS NOT RIGHT FOR A MAN TO BEAT HIS WIFE9 OTHER		EXM1Q33I
		(specify)10		EXM1Q33J

## MUMBAI SAFE MOTHERHOOD STUDY Hospital Case Study EXIT INTERVIEW: Module 2 Antenatal History and Case Notes

EXIT_ID	Questionnaire number		
EXIT_HOS	Hospital name		

no.	questions and filters	coding categories select only one unless otherwise stated	skip to	input
resp		n this module should be derived from a variety of so e cards. Reference to the specific source of informat		
Pre	gnancy History			
1	How many times have you been pregnant?	NO OF PREGNANCIES		EXM2Q
2	How many children have you had that are still alive today?	NO OF CHILDREN		EXM2Q2
3	How many children have you had that were born alive but are now dead?	NO OF CHILDREN		EXM2Q3
4	How many times have you given birth to a child that was dead (did not cry or breathe)?	NO OF STILL BIRTHS		EXM2Q4
5	How many miscarriages have you had?	NO OF MISCARRIAGES		EXM2Q5
6	Have you ever given birth to a child that died within one month of birth? (Interviewer note: if the response is yes enquire in to how many times this has happened and record the number)	YES		EXM2Q6
7	How many days old was that child when it died?	DAYS (most recent neonatal) DAYS (2nd most recent neonatal)		EXM2Q7 EXM2Q7B
8	How many abortions have you had?	NO OF ABORTIONS		EXM2Q8
9	How many times have you taken a goli, herbal remedy or injection to get rid of a suspected pregnancy?	GOLI		EXM2Q9
10	Have you ever had a pishwi saaf?	YES	Q13	EXM2Q10
1	Why did you have a pishwi saaf?	DIFFICULTY CONCEIVING		EXM2Q11

12	Where was the pishwi saaf performed?	PUBLIC FACILITY 1 PRIVATE FACILITY 2 HOME 3 OTHER 4		EXM2Q12
13	How many times have you given birth to a male child?	NO OF MALE CHILDREN		EXM2Q13
14	How many times have you given birth to a female child?	NO OF FEMALE CHILDREN		EXM2Q14
15	How many male children do you have that are alive today?	NO OF MALE CHILDREN		EXM2Q15
16	How many female children do you have that are alive today?	NO OF FEMALE CHILDREN		EXM2Q16
17	Have you ever given birth in your home?	YES	Q20	EXM2Q17
18	How many times have you given birth in your own home?	NO OF TIMES		EXM2Q18
19	If you have had a home delivery before – who attended your most recent home delivery?	DAI       1         ANM       2         DOCTOR       3         MOTHER       4         FEMALE RELATIVES       5         MOTHER-IN-LAW       6		EXM2Q19
20	Have you ever given birth in a private institution?	YES		EXM2Q20
21	Have you delivered a baby within the last two years?	YES		EXM2Q21
22	Have any of your previous deliveries been premature?	YES		EXM2Q22
23	Did you experience any serious difficulties during your last pregnancy or delivery?	YES		EXM2Q23
24	What type of complications did you have in your last delivery? (Tick more than one answer if necessary; cross check with obstetric history if available)	NONE       1         STILL BIRTH       2         SEVERE POST PARTUM BLEEDING       3         C-SECTION       4         NEONATAL DEATH       5         IUGR       6         SEVERE ANAEMIA       7         BLOOD PRESSURE       8         TEAR       9         BLOOD TRANSFUSION       10         REFERRED       11         OTHER (please specify)       12		EXM2Q24  EXM2Q24B

25	Were you admitted to hospital during this pregnancy for pregnancy related problems? What type of problem was it and when were you admitted? (Interviewer: Cross check with antenatal notes to assess if this admission has previously been recorded)	NO.       1         BLEEDING.       2         BLOOD PRESSURE.       3         LONG LABOUR.       4         ANAEMIA.       5         PROLONGED SECOND STAGE.       6         C-SECTION.       7         HAEMATOMA POST         PARTUM.       8         ANTE PARTUM BLEEDING.       9         PRETERM LABOUR.       10         OTHER.       11	select main comp- laint	EXM2Q25
26	Were there any other complications in this labour / delivery? What were they? (Interviewer: Cross check with obstetric history if available	NO       1         BLEEDING       2         BLOOD PRESSURE       3         LONG LABOUR       4         ANAEMIA       5         PROLONGED SECOND STAGE       6         CPD       7         BREECH       8         TEAR       9         BLOOD TRANSFUSION POST PARTUM       10         OTHER       11         REFERRAL DURING LABOUR       12         CAESAREAN SECTION       13		EXM2Q26
27	If other please specify.	COMPLICATION		EXM2Q27
4 ***	enatal history			
28	How many antenatal visits have you had in total? (Interviewer note: use antenatal notes)	TOTAL VISITS		EXM2Q28
29	What were the dates of each antenatal visit? (Interviewer note: use antenatal notes)	FIRST VISIT_ SECOND VISIT THIRD VISIT FOURTH VISIT_ FIFTH VISIT_ SIXTH VISIT_ SEVENTH VISIT_ DATE OF THE MOST RECENT VISIT_		EXM2Q29A EXM2Q29B EXM2Q29C EXM2Q29D EXM2Q29E EXM2Q29F EXM2Q29F EXM2Q29G
30	What was your weight at each antenatal visit? (Weight in KG's) (Interviewer note: use antenatal notes)	FIRST VISIT	_	EXM2Q30A EXM2Q30B

		FOURTH VISIT FIFTH VISIT SIXTH VISIT SEVENTH VISIT MOST RECENT VISIT	EXM2Q30C EXM2Q30D EXM2Q30E EXM2Q30F EXM2Q30G EXM2Q30H
31	What was your systolic blood pressure reading at each antenatal visit? What was the disystolic blood pressure at each visit? (Interviewer note: use antenatal notes)	FIRST VISIT SYSTOLIC BP READING	EXM2Q31A EXM2Q31B EXM2Q31C
		THIRD VISIT DISYSTOLIC BP	EXM2Q31D
		READING FOURTH VISIT SYSTOLIC BP READING FOURTH VISIT DISYSTOLIC BP	EXM2Q31E
		READING FIFTH VISIT SYSTOLIC BP READING	EXM2Q31F
		FIFTH VISIT DISYSTOLIC BP READING SIXTH VISIT SYSTOLIC BP READING	EXM2Q31G
		SIXTH VISIT DISYSTOLIC BP READING	EXM2Q31H
		MOST RECENT VISIT SYSTOLIC BP READING MOST RECENT VISIT DISYSTOLIC BP	EXM2Q31I
		READING	EXM2Q31J
			EXM2Q31K
			EXM2Q31L
			EXM2Q31M
			EXM2Q31N
32	Was your blood pressure taken and recorded	SYSTOLIC BP READING ON ARRIVAL	EXM2Q32A
	when you arrived at hospital? If so, what are your disystolic and blood pressure and systolic blood pressure measurements? (Interviewer note: use case notes)	DISYSTOLIC BP READING ON ARRIVAL_	EXM2Q32B
Case	Notes		

33	How many days spent in hospital? (Check with case notes)	DAYS		EXM2Q33
34	Date first arrived in hospital? (Check with case notes)	DAYMONTH		EXM2Q34
35	Time of arrival at hospital? (Check with case notes)	TIME_		EXM2Q35
36	What time of the day or night did you arrive at the hospital?  (Time according to the woman)	TIME		EXM2Q36
37	Date of the delivery? (Check with case notes)	DAYMONTH		EXM2Q37
38	Time of the delivery? (Check with case notes)	TIME		EXM2Q38
39	Time of the second delivery if given birth to twins? (Check with case notes)	TIME		EXM2Q39
40	Date of discharge? (Check with case notes)	DAYMONTH		EXM2Q40
41	Date of booking? (use antenatal notes)	DAYMONTH		EXM2Q41
42	Expected date of the delivery? (Check with antenatal notes)	DAYMONTH	-	EXM2Q42
43	Was the baby premature? (Check with antenatal notes)	YES	Q45	EXM2Q43
44	How many weeks premature was the baby? (Check with antenatal notes)	WEEKS_		EXM2Q44
45	What was the sex of the child?	MALE		EXM2Q45
46	What was the sex of the second child (if given birth to twins)?	MALE		EXM2Q46
47	What was the birth weight of the child? (Check with case notes; weight in kilograms)	WEIGHTKg's		EXM2Q47
48	What was the birth weight of the second child (if given birth to twins)? (Check with case notes; weight in kilograms)	WEIGHTKg's		EXM2Q48
49	Date of sonography? (use antenatal notes)	DAYMONTH		EXM2Q49
50	HB level at the time of the booking? (use labour notes)	НВ		EXM2Q50
51	HB readings at post delivery? (Readings either from case notes taken immediately after delivery or from tubal ligation case notes)	НВ		EXM2Q51
52	What was the result of the STD infection blood test?	POSITIVE		EXM2Q52

	(use labour notes)			
53	Did you have an episiotomy? (use labour notes)	YES		EXM2Q53
54	Did you have a perineal tear? (use labour notes)	YES		EXM2Q54
55	Were you given antibiotics? (use labour notes)	YES		EXM2Q55
56	Did you have a C-section? (use labour notes)	NO	Q58	EXM2Q56
57	For what reason were you given a C-section? (use labour notes)	REASON		EXM2Q57
58	Were forceps or venteuse used in the delivery? (use labour notes)	FORCEPS		EXM2Q58
59	Additional information on quality of antenatal, labour, discharge, and case notes: (Interviewer Note: Interviewer to give description of general state of record keeping.)			EXM2Q59

## MUMBAI SAFE MOTHERHOOD STUDY Hospital case study EXIT INTERVIEW: Module 3 Delivery Care

EXIT_ID	Questionnaire number		
EXIT HOS	Hospital name		

no.	Questions and filters	coding categories select only one unless otherwise stated	skip to	input
Deli	very Intentions			
1	Type of hospital that patient attended?	MUNICIPAL 1 PRIVATE 2 CHARITABLE 3		EXM3Q1
2	Is this the first hospital you went to when you started your labour?	YES	4	EXM3Q2
3	If no, which type of hospital was the first hospital you went into?	MUNICIPAL HOSPITAL		EXM3Q3
4	What was the name of the first hospital you went to?	NAME		EXM3Q4
5	Why did you not deliver in the first hospital that you went to?	REFERRED.         1           NOT BOOKED.         2           OTHER.         3		EXM3Q5
6	What was the other reason for not delivering in the first hospital you went to?	OTHER REASON (specify)		EXM3Q6
7	What day of the week was it when you went into hospital for your delivery?	MONDAY       1         TUESDAY       2         WEDNESDAY       3         THURSDAY       4         FRIDAY       5         SATURDAY       6         SUNDAY       7		EXM3Q7
8	Did you have any delays in getting to the hospital?	NO DELAYS		EXM3Q8
9	What were the other delays in getting to the hospital?	OTHER DELAYS (specify)	_	EXM3Q9

10	How long was it from what you thought were the first signs of labour until you left for the hospital?	HOURS IN HOSPITAL ALREADY		EXM3Q10
11	Who made the decision that you should go to the hospital when you did go?	ME       1         MOTHER-IN-LAW       2         MOTHER       3         SISTER       4         OTHER FEMALE RELATIVE       5         OTHER MALE RELATIVE       6         NEIGHBOUR       7         OTHER DOCTOR       8         ANM       9         OTHER(specify)       .10		EXM3Q11A
12	How long did it take from when you left to go to hospital to when you arrived at	HOURS MINUTES		EXM3Q11B EXM3Q12
13	the hospital?  How did you get to hospital?	ON FOOT.       1         TAXI.       2         MOTORCYCLE.       3         AUTORICKSHAW       4         BICYCLE.       5		EXM3Q13
14	Were you booked at this hospital?	YES	Q16	EXM3Q14
15a	If no, were you booked for a delivery at another hospital?	MUNICIPAL		EXM3Q15A
15b	What was the name of this other hospital?	NAME (specify)		EXM3Q15B
16	Had you planned to deliver in this hospital?	YES	Q18	EXM3Q16
17	Why did you plan to deliver at that particular hospital?	GOOD REPUTATION	select all that apply	EXM3Q17A EXM3Q17B EXM3Q17C EXM3Q17D EXM3Q17E EXM3Q17F EXM3Q17G
18	Why did you not deliver at a private hospital?	COST		EXM3Q18
19	Why did you plan to deliver at hospital rather than at home?	SAFER	select all that apply	EXM3Q19A EXM3Q19B EXM3Q19C EXM3Q19D

Del	Delivery Experience					
20	How long did the strong labour pains go on for?	HOURSMINUTES		EXM3Q20		
21	Who was the first person to examine you?	NURSE/ANM       1         DOCTOR       2         MATRON       3         AYABAI       4         OTHER       5         (specify       )		EXM3Q21		
22	When you arrived were any of the following true?	YOUR WATERS HAD GONE	select all that apply	EXM3Q22A EXM3Q22B EXM3Q22C EXM3Q22D EXM3Q22E EXM3Q22F		
23	Which of the following happened during your first examination?	PUBIC HAIR SHAVED	select all that apply	EXM3Q23A EXM3Q23B EXM3Q23C EXM3Q23D		
24	Were you attended to by a doctor during your labour?	YES		EXM3Q24		
25	Were you attended to by an ANM during your labour?	YES		EXM3Q25		
26	Were you attended to by a doctor during your delivery?	YES1 NO2		EXM3Q26		
27	Was the doctor a man or a woman?	MAN		EXM3Q27		
28	Were you attended to by an ANM/sister during your delivery?	YES		EXM3Q28		
29a	How did you feel about the state of the bed you were given whilst in the waiting/labour room?	BED WAS CLEAN		EXM3Q29A		
29b	Did you feel that the waiting/labour room was crowded?	YES		EXM3Q29B		
29c	How did you feel about the airiness of the waiting/labour room?	AIRY		EXM3Q29C		
30	Do any of the following describe your treatment by doctors/ANM during labour and delivery?	GENERALLY POSITIVE		EXM3Q30		

31	Were you slapped by anyone?	YES, BY A DOCTOR		EXM3Q31
32	Were you shouted at by the sister/ANM	YES		EXM3Q32
33	Were you shouted at by the doctor?	YES		EXM3Q33
34	Would you have liked any of the above to have been with you during labour that was not with you?	DOCTOR       1         SISTER/ANM       2         AYABAI       3         MOTHER       4         MOTHER IN LAW       5         MY SISTER       6         OTHER FEMALE RELATIVE       7         HUSBAND       8         NO ONE ELSE       9		EXM3Q34
35	Why were they not with you?	NOT ALLOWED BY HOSPITAL 1 LOOKING AFTER CHILDREN 2 OTHER 3		EXM3Q35
36	What was the other reason for them not being with you?	REASON		EXM3Q36
37	Was anyone waiting for you outside the labour room in (or just outside) the hospital until you had delivered?	YES		EXM3Q37
38	Who was that person who was waiting for you?	MOTHER. 1 MOTHER IN LAW. 2 HUSBAND. 3 OTHER FEMALE RELATIVE. 4 OTHER MALE RELATIVE. 5 FRIEND OR NEIGHBOUR. 6	select all that apply	EXM3Q38A EXM3Q38B EXM3Q38C EXM3Q38D EXM3Q38E EXM3Q38F
39	Did the person who attended you most in labour and delivery explain to you clearly what was happening?	YES       1         YES, TO SOME EXTENT       2         NO, NOT AT ALL       3         NO OPINION       4		EXM3Q39
40	Was anything done to relieve the pain of labour?	NOTHING 1 OXYGEN 2 INJECTION 3 HERBAL REMEDY 4		EXM3Q40
41	Was anything done to speed up or bring on labour?	HERBAL REMEDY $1 \rightarrow$ INJECTION2DRIP $3 \rightarrow$ PESSARY $4 \rightarrow$ ARTIFICIAL BREAKING OF WATERS $5 \rightarrow$ NO $6 \rightarrow$ NO OF INJECTIONS	Q43 Q43 Q43 Q43 Q43	EXM3Q39
42	How many injections were you given?	NO OF INJECTIONS		EXM3Q40
43	Were instruments used to help the baby out, or did the baby arrive by itself?	YES		EXM3Q43

44	Was anything else done to help the baby out?	NO1FUNDAL PRESSURE2C-SECTION3BORE DOWN MYSELF4PULLED BABY5		EXM3Q44
45	What part of the baby came out first?	HEAD		EXM3Q45
46	What position were you in when you delivered your baby?	LYING ON BACK		EXM3Q46
47	Did the placenta come out by itself?	YES.       1 →         NO.       2         DON'T KNOW       3         C-SECTION.       .4	Q49	EXM3Q47
48	What was done to remove it?	PULLED BY THE CORD		EXM3Q48
49	Was your uterus examined internally after the delivery of the placenta?	YES		EXM3Q49
50	When you delivered did you bleed so much that you were afraid you might die?	YES, SCARED BUT DID NOT THINK THAT I WOULD DIE		EXM3Q50
51	Did you have an injection immediately after delivery?	YES		EXM3Q51
52	If a C-section, was the cut across your body or downwards?	ACROSS		EXM3Q52
53	If you have previously had a C-section what is the direction of the scar?	ACROSS		EXM3Q53
54	Where was the previous C-section performed?	MUNICIPAL HOSPITAL		EXM3Q54
55	If you were given a C-section in this delivery, was it painful?	YES		EXM3Q55
56	Was it painful when you had your stitches?	NO STITCHES		EXM3Q56
Post-	Delivery Experience		_	
57	Did you know the sex of the baby before you delivered?	YES	Q59	EXM3Q57
58	If yes, how did you know?	SONOGRAPHY AT MUNICIPAL FACILITY1 SONOGRAPHY IN PRIVATE IN MUMBAI2 SONOGRAPHY IN MUNICIPAL FACILITY OUTSIDE MUMBAI		EXM3Q58

59	Do you think your baby is of big, medium			
	or small size?	MEDIUM2		EXM3Q59
)		SMALL		
		VERY SMALL4		
		DEAD BABY5	68	
60	How long was it after the birth that they	MDIVEEC	+	EXM3Q60
00				EXMISQUU
	handed the baby to you?	HOURS		
61	Do you know why you and your baby	TO CLEAN/CHECK THE BABY1		EXM3Q61
	were separated for that long?	THE BABY WAS NOT WELL2		
		THE BABY WAS DEAD3→	68	
		YOU WERE NOT WELL4		1
1		SUTURING AND TO CLEAN THE BABY5		1
	77 1 0 1 1 1 1 1 1 1 1	BLEEDING/INJECTION6		
62	How long after the delivery did you put	MINUTES		EXM3Q62
1	the baby to your breast?	HOURS		
		DAYS		
		NOT APPLICABLE9999	1	
	W/I 1'-1	NOT ENOUGH AGE	<del> </del>	EVM2072
63	Why did you not breastfeed sooner than	NOT ENOUGH MILK		EXM3Q63
	you did?	BABY SLEEPING2		
		BABY UNWELL3		
		DID NOT KNOW THAT COULD FEED		
		COLUSTRUM4		
			}	
	77	SEPARATED FROM BABY5		77/7/12/0/(4
64	Have you given your baby anything else	NO1		EXM3Q64
	to drink?	SUGAR WATER2	1	
		WATER3		
65	How did you know how to breastfeed?	CAME NATURALLY1	select	EXM3Q65
	, ,	HAD BABY BEFORE2	all that	======
		ANM/SISTER SHOWED ME		
			apply	
		BY SEEING OTHER PEOPLE4		
		MOTHER/OTHER RELATIVE SHOWED ME5	ĺ	
		ANTENATAL SLIDES/CASSETTES6		
		OTHER MOTHER SHOWED ME7		
66	Were you offered any bottled/cows milk	YES		EXM3Q66
00	for your baby?	NO2→	069	EXMISQUO
			Q68	1
67	If yes, why was that?	PROBLEMS BREASTFEEDING1		EXM3Q67
		NOT ENOUGH MILK & BABY WAS		
		HUNGRY2		
		BABY UNWELL3		
		TOO WEAK TO BREASTFEED4		
		DON'T KNOW5		
	Do you want to bear and 1 1 0 4 C			EVM2O(0
68	Do you want to have another baby? After	YEARS		EXM3Q68
	how many years?			
69	What sort of contraception will you use?	TUBAL LIGATION1		EXM3Q69
1		COPPER T/ IUD2		_
		ORAL CONTRACEPTIVE3		
ł		DON'T KNOW YET4		
ŀ		DON'T WANT TO USE CONTRACEPTIVE5		
		NO HUSBAND6		
		WANT CHILD SOON7		
70	Did you have a sonography during this	Rs		EXM3Q70
	pregnancy? If so how much did this cost?			
71		D.		EVM2071
71	Did you have a second sonography during	Rs		EXM3Q71
	this pregnancy? If so how much did this			
	cost?			

### MUMBAI SAFE MOTHERHOOD STUDY PART III: Quality Schedules

### **HOSPITAL PROFORMA**

#### Institutional Delivery – Municipal and Private Situation Analysis

• Whenever possible enter the source (even if there is more than one source) of your information.

Name of Hosptial/Nursing Home Date

1141	ne of thospital/Nutsing Home	Date	
No	QUESTIONS	RESPONSES	NOTES
Del	iveries		
1	What is the average number of deliveries in hospital/ward X?	Average number of deliveries	
		Per week	
		Per Month	
	Use last complete year March 1997-April 1998 as reference	Per Year(cross check with previous questions)	
2	What is the average percentage of births delivered by caeasrean section in hospital/ward X?	Average % per month	
	Use last complete year March 1997-April 1998 as reference	Average % per year	
Staf	if	<u> </u>	
3	Who is the person responsible for the overall running of the maternity	Position Name	
	wards/hospital?		
4	What is the total number staff employed by the hospital to work on the maternity ward per shift?	Number	

Please give a break down of a normal compliment of staff on labour and delivery wards by grading, length of shift and monthly pay in Rs.  If mixed in with post natal ward combine but try and get an idea of how many are available to assist women in labour.  SISTER in CHARGE MIDWIVES ANMS STAFF NURSE HOUSE SURGEON REGISTRAR LECTURER HONORARY ANAETHETISTS PAEDIATRICIAN RECEPTIONIST SWEEPERS AYABAIS MALE ATTENDANTS OTHERS?

No	QUESTIONS	RESPONSES	NOTES
Infr	astructure/Equipment		
6	In total, how many maternity beds are there in the building?	Examination room/s Waiting room/labour ward Delivery Room Operating Theatre Post Natal ward/s Private rooms	
		Room for cases of hypertension Total	
7	Briefly describe physical layout of maternity wards? (eg. number of rooms, number of operating theatres, number of delivery rooms, private rooms)  If possible draw brief sketch of layout		
8	Who do women usually see first when they arrive at the maternity wing?	State position/s	
9	Who is responsible for all new admissions?		
10	Usually, who is the first person to examine a woman presenting at the maternity wing?		
11	Examination Room How many handbasins are there in this/these rooms?		
12	Labour Room How many handbasins are there in this/these rooms?	Number of handbasins in room	

No	QUESTIONS	RESPONSES	NOTES
13	Delivery Room	Number of handbasins in room	
	How many handbasins are there in this/these		
l	rooms?		
14	Operating Theatre	Number of handbasins in room	
17	How many handbasins are there in this/these	TVUITIOOT OT MURICOUSINS IN TOOM	
	rooms?		
15	Post natal ward/rooms	Number of handbasins in room	
	How many handbasins are there in this/these		
	rooms?		
16	Is there soap/disinfectant available at each	Yes, all of them	
	handbasin?	Yes, some of them	
		Yes, only a few of them	
	Select appropriate response	No, none of them	
17	Are there curtains/blinds that can be put	Yes, enough for every bed	
	around beds to maintain privacy during	Yes, enough for some beds	
	examination?	Yes, but very few	
	Select appropriate response	No, none at all	
18	Are these curtains/blinds used for every	No, not for every examination	
	examination?	Yes, it appears so	
ļ	Take examination to mean then a women is in labour		
	and she is being physically examined (either internally or externally) by a member of staff)		
19	How many toilets are there available to	Number of toilets	
	women in labour?	Trained of terrote	
	women in labour.	In labour	
	How many toilets are there available to	111 140 041	
	women in post natal wards	Post natal	
	WOMEN IN POST HATAI WALUS	1 Oot Hatai	

No	QUESTIONS	RESPONSES	NOTES
20	How would you describe the toilets?	Very Quite Average Poor	
		Convenient	
	Select appropriate responses	Clean	
21	How many handbasins are there attached to	Total number of handbasins	
	the toilets?		
22	Do all the handbasins have soap easily	Yes	
	available?	No, only a few	
	Select appropriate response	No, none at all	
23	Who is primarily responsible for the	State position/s	
_	running of the labour room/s?		
24	Are all beds in labour room/delivery room	Labour Room Delivery Room	
	accessible from both sides?	Yes, all of them	
		Yes, some of them	
		Yes, but only a few	
	Select appropriate responses	No, none at all (one side only)	
25	How would you rate the level of privacy	Good	
	afforded a woman in labour? (i.e. well-	Reasonable	
	shielded from other women during labour ,if	Not very good	
	desired, vs no means of covering/providing	Poor	
	private space for labouring woman)		
	Select appropriate response		
Del	ivery Room and Equipment		
26	Is the delivery room the same room as the	Yes	
	labour room?	No	
	Select appropriate response	Sometimes	

Question 27	CHECK EQUIPMENT AVAILABLE FOR HOSPITAL STAFF	QUANTITY/UNITS	COMMENTS
	(if not able to do this in detail run through list with staff member responsible for stock checks and get an idea if usually in stock, no problem with supplies, sometimes problems with supplies or not kept in stock)	Usually in stock No supply problems Occassional supply problems Frequent supply problems Not routinely kept in stock	eg. Stocks low/broken/por quality/visibly not clean/sterile
Equipment	a) Vacuum extractor	a)	a)
	b) IV infusion sets	(b)	b)
	c) IV fluids	c)	(c)
	d) Ovum forceps	(d)	d)
	e) Vaginal speculum	e)	e)
	f) Artery forceps	f)	(f)
	g) Needles	g)	g)
	h) Sutures	h)	h)
	i) Syringes	(i)	i)
	j) Scissors	j)	j)
	k)Curette	k)	k)
	1) Sphygomomanometer	1)	1)
	m) Suction equipment  Note how easily accessible m, n & o are in different areas	m)	m)
	n) Defilbrillator	n)	n)
	o) Intubator equipment	0)	0)

TYPE	EQUIPMENT AVAILABLE	QUANTITY/UNITS	COMMENTS
	FOR HOSPITAL STAFF		
Key Drugs	a) Oxytocics	a)	a)
	b) Anticonvulsants	b)	b)
	c) Procaine Penicillin	c)	c)
	d) Crystalline Penicillin	d)	d)
	e) Gentamycin	e)	e)
	f) Metronidazole	f)	f)
	g) Ampicillin	g)	g)
	h) Local anaesthetics	h)	h)
	i) General anaesthetics	i)	i)
	j) Oxygen	j)	j)
	k) Adrenaline	k)	k)
	l) Epinephine	1)	1)
Laboratory Equipment	a) Microscope	a)	a)
	b) Test-tubes	(b)	(b)
	c) Slides	(c)	(c)
Blood Bank	a) Blood bags	a)	a)
	b) Anti-sera	b)	b)
	c) Storage capacity	c)	c)
Operating Theatre	a) Caeasrean section		
	b) Laparotomy set		
	c) Neo-natal intubation set		

TYPE	COMMENTS
Sterilisation Procedure	
Note procedure –delays in	
getting sterile equipment	
back? – enough sets?	
Blood Supplies	
Briefly describe	
stock/procedures for	
replenishing supplies etc	
_	

No	QUESTIONS	RESPONSES
Ma	nagement Information System Stationary/Forms	
28	What information is routinely collected and stored by	Detail (note time stored eg. Past five years)
	the hospital about each admission/delivery?	Booked/unbooked
		Date of admission
	If possible copy forms	Time of admission
		Name of woman
		Address
		Age in completed years
		Parity
		Number of children alive
		Length of labour
		Complication –diagnosis
		Treatment given
		Surgical intervention on delivery
		- Forceps/vacuum extractor/c-section/episiotomy
}		Treatment given
		Weight of baby
		Condition of baby at birth
		Condition of mother at birth
		Sex of baby
		Condition of perineum
		Post-natal complications
		Other
		(specify all)

No	QUESTIONS	RESPONSES
29	Does the facility maintain patient records throughout labour and delivery?  Request tenplate as below - detail what is required by hospital	
30	and/or what is done, observe examples  Does the facility keep a copy of these records or give	Yes, keeps a copy
	them to the woman on discharge?	Yes gives them to the woman
	Select as appropriate	Both
		Neither
31	What kinds of record keeping systems exist in the hospital/wards?	
	Take examples of forms/tenplates if possible	•
32	Is there some kind of 'Facility Data Summary Form'	
	ie. A form that records obstetric complications on a monthly basis? Request template for above	
33	Who is responsible for ensuring that these records are accurately maintained?	State position/s
34	How many C-sections were performed over last 3 yrs? Note total deliveries for these periods if possible -full 12 month periods	
35	What number/percentage of C-sections are performed under general anasthetic or epidural/spinal? Clarify whether percentage or number: note data source	
36	What percentage/number of C-sections performed in	Number/percentage (clarify)
	this hospital are elective?	
	That is not emergency C-sections – performed before labour has begun and for which woman has been prepared.	On average annually (verbal estimate)

No	QUESTIONS	RESPONSES
37	How many 'emergency cases' do you deal with on	Number
	average each week?	
	Emergency refers to a situation regarded as potentially life	
	threatening by senior obstetrician – for which specialist medical	Details available?
	attention is required and which cannot be handled by midwives	
	and junior doctors alone.	

No	QUESTIONS	RESPONSES	NOTES
39	Is blood testing available on site or outside the	On site	
	hospital premises?	Outside hospital (give details)	
40	How long does it usually take to receive the results of	HB Rhesus Typing	
	a routine blood test (eg. Hb levels)?	Minutes	
	How long does it usually take to receive the results of	Hours	
	a Rhesus Test?	Days	
41	In the case an emergency how long does it usually	HB Rhesus Typing	
	take to receive the results of a blood test (eg. Typing	Minutes	
	and Hb)	Hours	
		Days	
		Comment on blood	
42	Are blood testing facilities available on a 24 hour basis?	Yes No (detail)	
	Dasis.	Tvo (dectair)	
43	Are blood supplies available on a 24 hour basis?	Yes	
		No (detail)	
44	Do you ask women who you believe to be at risk of a		
	complication to arrange make blood available for her		
	confinement?		
45	Is anasthesia (and someone to administer it)	Yes	
	available on a 24 hour basis?		
		No (detail)	
	Probe availability of anaethetists		

No	QUESTIONS	RESPONSES	NOTES
46	Is the baby routinely taken away from the mother	Apgar checked by paediatrician/staff nurse	
	directly after birth for any of the following?	Cleaning	
		Other reasons	
47	Is early (within first few hours of delivery)	Yes	
	breastfeeding actively encouraged by staff?	No	
	Probe about breastfeeding/priority placed on it etc and observe		
48	If yes, do you have any written policy guidelines	Yes – not seen	
	available to staff about breastfeeding?	Yes – verified	
		No	
	Are they Baby Friendly certified?		
49	Is there a trained member of staff responsible for	Yes (if so state position)	
	aiding women with breastfeeding?	No	
50	If yes what is the recommended length of stay for	Recommended length of stay	
	women who have had deliveries that are not		
	considered complicated?		
51	In practice what is the average length of stay for a	1 day	
	woman whose delivery was not considered	2-3 days	
	complicated?	4-5 days	
	•	6-8 days	
		9 days+	
52	In practice what is the average length of stay for a	3-5 days	
	woman who has a c-section?	6-8 days	
		9-12 days	
		13-15 days	
	use supporting information if available	16 days+	

No	QUESTIONS	RESPONSI	ES			NOTES		
Pos	t Natal Care							
53	On postnatal wards how often are women and their	Once only						
	infants routinely examined by a	Once a day						
	doctor/paediatrician?	Twice a day	•					
		Three+ time	s a day					
		Every 4-6 ho	ours					
		Whenever n	ecessary					
54	On postnatal wards how often are women and their	Once only						
	infants examined by a midwife/anm?	Once a day						
		Twice a day	,					
		Three times	a day					
		Every 4-6 h	Every 4-6 hours					
		Whenever n	iecessary					
55	Whose decision is it to allow women to be dschrged?	State position	on/s					
56	Does the woman have to be examined by anyone	State position	on/s					
	particular before being discharged?							
57	On postnatal ward how often do midwives/anms	Routinely every 4 hrs	Once a day	About once during stay	Sometimes but not	Notes		
	Take women's temperatures?				usually			
	Inspect lochia?							
	Feel uterine fundus?							
	Check infant feeding patterns/problems?							
	Check Hb levels?							
	Check stitches?							
	Take Blood Pressure							

No	QUESTIONS	RESPONSES	NOTES
58	How much do you charge women for the following in	Food/drink	
	Rupees?	Laundry	
		Medication	
	Ask to have see and keep copy of current price list	Use of bed	
		Routine examinations	
		Blood testing	
		Blood transfusion	
		Anaesthesia	
		Baby formula/cows milk	
		X ray pelvimetry	
		Sonography	
		Other (specify)	
59	Are women encouraged to have a person or persons	Yes	
	of their choice to support them during labour?	No – if no, state reason given (eg. not hospital	·
		policy)	
60	Are women who have had a previous C-section	Yes, usually	
	actively considered for a subsequent vaginal	No, not normally	
	delivery?		
61	Are prophylactic antibiotics used for emergency c-	Yes, always	
	sections?	No	
		Sometimes	
		Usually	
62	Are prophylactic antibiotics used for elective c-	Yes, always X	
	sections?	No	
		Sometimes	
		Usually	

No	QUESTIONS	RESPONSES	NOTES
63	For the induction of a primiparous woman with an	Prostaglandins	
	unripe cervix do you usually manage this by	Artificial Rupture of the membranes	
	prostaglandins or artificial rupture of the	Oxytocin	
	membranes or oxytocin?		
	Tick all that apply or describe preferred process – which one first etc		
64	When pereneal trauma occurs what is the suturing	Subcuticular	
	method of first choice?	Don't know	
65	What is your suture material of first choice?	Polyglycolic acid suture	
		Catgut	
		Other (specify)	
		Why is this so?	
66	What do you encourage a women to do when in	Stay mobile	
	labour?	Lie down (left lateral)	
		Lie down (supine)	
	Tick all that apply	Breathe	
		Advise on pain relief	
		Other (specify)	
67	What position to you encourage to be in for delivery?		
	Probe – what if they want to deliver in a different		
	position – do you advise otherwise?		

P	le	ase	n	0	te	:

1)	Name of interviewer			

2) Position of all staff members who contributed to completing this situation analysis

# MUMBAI SAFE MOTHERHOOD STUDY PART IV Hospital records

### **HOSPITAL RECORD SHEET**

## MUMBAI SAFE MOTHERHOOD STUDY HOSPITAL RECORD

Hospital Name:	
Year of Record:	

April   May June   July   Aug   Sept   Oct   Nov   Dec   Jan   Feb   Mar		_					İ			<u> </u>			<u> </u>
Confinements   Deliveries   Complications		April	May	June	July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar
Confinements   Deliveries   Complications	Totals												
Number of deliveries													
Number of deliveries	Deliveries												
Booked   Unbooked   Total	Complications												
Unbooked   Total	Number of deliveries												
Transferred deliveries	Booked												
Transferred deliveries	Unbooked												
Booked   Unbooked	Total												
Unbooked	Transferred deliveries												
Age of mother													
Color	Unbooked												
20 - 35   35 >													
Religion   Hindu													
Hindu													
Hindu   Muslim   Buddhist/   Scheduled caste													
Muslim		· · · · · · · · · · · · · · · · · · ·										T	
Buddhist/  Scheduled caste	Į.		1										
Scheduled caste	l.												
Principal attendant													
Midwife   Staff nurse   Doctor   Sex of principal attendant   Sex of pri											_		
Staff nurse													
Doctor   Sex of principal attendant   Male   Female   Sex of principal attendant   Sex of principal a	h												
Sex of principal attendant         Male         Male <th< td=""><td><u></u></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>	<u></u>												
Male       Female         Female       Birth weight         < 2.5kg													
Female													
Birth weight	ļ.	-											
< 2.5kg													
2.5kg +													
Parity           Prima-gravida													<del></del>
Prima-gravida													
Multi-gravida         Multi Births           Twins								ŀ					
Multi Births Twins Total number Term													
Twins Total number Term													
Total number Term													
Term	_							+					****
						-1							
Pre-term Pre-term	<del></del>												

Delivery/labour type											
Normal											
Complicated				J							
labour											
Referred patients	 	<del>-</del>						_			
Number											
Delivery method	 	_					-				
Emergency	1										
lower segment cesarian section											
Elective lower				_		-	-			<del> </del>	_
segment cesarian											
section											
Forceps											
Vacuum											
Vertex											
Breech											
Episiotomy											
Normal		1									
Abortions					<u> </u>						
Complete											
Total											
Required blood transfusion	 										
Yes											
Maternal deaths											
During delivery											
Within the 6	1			1	İ		1				
weeks after				}							
delivery Within the 20		-				]		_			1
weeks prior to											
delivery					}						
Total						_					
Infant deaths				1	_			-		1	
Neo-natal 0-6						_					
Neo-natal 2-26											
Total neo-natal											
Medically											
terminated preg'											
During delivery											
Mascerated still											
birth								_			<u> </u>
Fresh still birth											
Still births											_
Complications Haemorrhage	 		-				-	_			
PP/AP			İ								ı
Prolonged/obstru											
cted labour Cephalo – pelvic		ı									
disproportion											
Post-partum				-							
sepsis											
Pre-eclampsia								_	-		
Eclampsia											

Ectopic pregnancy Ruptured uterus Anaemia Toxemia High BP (ANC & PIH) PPH/Low BP Apgar <7 Hand prolapse Face Bleeding per
Ruptured uterus       ————————————————————————————————————
Anaemia Toxemia High BP (ANC & PIH) PPH/Low BP Apgar <7 Hand prolapse Face Bleeding per
Toxemia
High BP (ANC & PIH) PPH/Low BP Apgar <7 Hand prolapse Face Bleeding per
& PIH) PPH/Low BP Apgar <7 Hand prolapse Face Bleeding per
PPH/Low BP Apgar <7 Hand prolapse Face Bleeding per
Apgar <7 Hand prolapse Face Bleeding per
Hand prolapse Face Bleeding per
Face Bleeding per
Bleeding per
vagina
Abnormal
delivery
Fever patients
Abnormal baby
Awaiting report
Abortion related
Complete
curettage
Contraception
Tubal ligation
Copper T
External deliveries
Referrals
Rickshaws
External transfers
Women
Babies

### Appendix One

#### Volume II

### MUMBAI SAFE MOTHERHOOD SURVEY Responses

PART I Exit interview modules	
Module 1	
Module 1: Background	2
Module 2	
Module 2: Antenatal history and case notes	23
Module 3	
Module 3: Delivery care	53
PART II Quality Inventories	
Chembur hospital proforma.	89
Rajawadi hospital proforma	109
Shtabdi hospital proforma	129
PART III Hospital records	
Chembur hospital record sheet 1996-98	150
Rajawadi hospital record sheet 1995-96	153
Rajawadi hospital record sheet 1996-97	156
Rajawadi hospital record sheet 1997-98	159
Rajawadi hospital record sheet 1998-99	162
Shtabdi hospital record sheet 1995-96	165
Shtabdi hospital record sheet 1996-97	168
Shtabdi hospital record sheet 1997-98	171

### MUMBAI SAFE MOTHERHOOD STUDY PART I

### EXIT INTERVIEW RESPONSES

#### **MUMBAI SAFE MOTHERHOOD STUDY**

### Module 1: Background Details

Variable name:

EXM1Q1

Question:

Hospital name

		Frequency	Percent	Valid Pe <u>rcent</u>
Valid	Shatabdi/Centinary	26	37.1	37.1
	Ramabai/Chembur	20	28.6	28.6
	Rajawadi	24	34.3	34.3
<u> </u>	Total	70	100.0	100.0

Variable name:

EXM1Q3

Question:

How old are you?

		Frequency	Percent	Valid
				Percent_
Valid	18	2	2.9	2.9
	19	3	4.3	4.3
	20	8	11.4	11.4
	21	6	8.6	8.6
	22	13	18.6	18.6
	23	5	7.1	7.1
	24	2	2.9	2.9
	25	6	8.6	8.6
	26	5	7.1	7.1
	27	3	4.3	4.3
	28	5	7.1	7.1
	29	3	4.3	4.3
	30	7	10.0	10.0
	32	1	1.4	1.4
	35	1	1.4	1.4
		70	100.0	100.0
Total				

Variable name:

EXM1Q4

Question:

What locality are you from?

		Frequency	Percent	Valid
		•		Percent
Valid	Shahaji Nagar	1	1.4	100.0
Missing	System	69	98.6	

Total

70 100.0

Variable name:

EXM1Q5

How would you describe your locality?

Question:

		Frequency	Percent	Valid Percent
Valid	Amardeep Seth, Chemb	1	1.4	1.4
	Ambedkar Nagar	1	1.4	1.4
	Anusharki Nagar	1	1.4	1.4
	Ashok Nagar	1	1.4	1.4
	Asrdash Nagar	1	1.4	1.4
	Baiganwadi Govandi	1	1.4	1.4
	Bainganwad Govandi	1	1.4	1.4
	Basant	1	1.4	1.4
	Bharat Nagar	1	1.4	1.4
	Chembur	4	5.7	5.7
	Chembur Camp	1	1.4	1.4
	Gaikwad Chawl, Bandup	1	1.4	1.4
	Gaikwad nagar	1	1.4	1.4
	Gaikwad Nagar	1	1.4	1.4
	Ghatkopar	4	5.7	5.7
	Ghatla Village	1	1.4	1.4
	Goregarn	1	1.4	1.4
	Govandi	6	8.6	8.6
	Indira nagar	1	1.4	1.4
	Indira Nagar	1	1.4	1.4
	Indira Thakur Chawl	1	1.4	1.4
	Joytap Chawl	1	1.4	1.4
	Kamrag Nagar, Ghatkopar	1	1.4	1.4
	Libonibag	1	1.4	1.4
	Mahul Rd, Chembur	1	1.4	1.4
	Mahul Road, Chembur	1	1.4	1.4
	Makad	1	1.4	1.4
	Milind Nagar	1	1.4	1.4
	Mitra Mandal	1	1.4	1.4
	Mukund Nagar	1	1.4	1.4
	New Municipal Pipeline	1	1.4	1.4
	Newcrot, Chembur	1	1.4	1.4
	Nimoni Barg, Govandi	1	1.4	1.4
	Nirmala Shivaji	1	1.4	1.4
	No.2 Pipeline, Bhandup (W)	1	1.4	1.4
	Nr. Tansa Pipeline	2	2.9	2.9
	Panjrapur, Chembur	_ 1	1.4	1.4
	PMG Colony, Mankurd	1	1.4	1.4
	Pranipole, chembur	1	1.4	1.4
	Rahul Nagar	1	1.4	1.4
	Railway Tracks, Gova	1	1.4	1.4
	Rajaram Nagar	1	1.4	1.4
	Sambu Chawl	1	1.4	1.4

Shahaji nagar	1		1.4	1.4
Shaivagi Nagar	1		1.4	1.4
Shivaji Nagar	1		1.4	1.4
Shivneri Nagar, Chem	1		1.4	1.4
Sidharth nagar	1		1.4	1.4
Tansa Pipeline	2		2.9	2.9
TB Colony	1		1.4	1.4
Trombay Rd. Sion	1		1.4	1.4
Vash Naka, Chembur	1		1.4	1.4
Vashi Naka	2		2.9	2.9
Vishu nagar	1		1.4	1.4
Vithal Prandir, Chem	1		1.4	1.4
Washinaka		1	1.4	1.4
Total		70	100.0	100.0

EXM1Q6A

Question:

What is your ward of residence?

	Frequency	Percent	Valid
			Percent
Valid	60	85.7	85.7
Alibarg Village	1	1.4	1.4
Village	9	12.9	12.9
Total	70	100.0	100.0

Variable name:

EXM1Q6B

Please specify your ward of residence if

Question:

other?

	Frequency	Percent	Valid
	· ·		Percent
Valid	69	98.6	98.6
N	1	1.4	1.4
Total	70	100.0	100.0

Variable name:

EXM1Q7

Question:

What is the religion of your household?

		Frequency	Percent	Valid
		•		Percent
Valid	hindu	48	68.6	68.6
	muslim	9	12.9	12.9
	buddhist	12	17.1	17.1
	christian	1	1.4	1.4
Total		70	100.0	100.0

EXM1Q8

Question:

What is the caste of your household?

		Frequency	Percent	Valid
				Percent
Valid	110	63	90.0	90.0
	scheduled caste	6	8.6	8.6
	schedule tribe	1	1.4	1.4
Total		70	100.0	100.0

Variable name:

EXM1Q9

Question:

Who is the head of your household?

		Frequency	Percent	Valid
		r requerie y	1 CICCIII	Percent
Valid	husband	44	62.9	62.9
	father-in-law	17	24.3	24.3
	mother-in-law	4	5.7	5.7
	brother-in-law	2	2.9	2.9
	mother	1	1.4	1.4
	yourself	2	2.9	2.9
Total		70	100.0	100.0

Variable name:

EXM1Q10A

What is the occupation of the main income earner in

Question:

your household

		Frequency	Percent	Valid Percent
Valid	perm service in govt/munic	5	7.1	7.1
	perm service in factory/wkshop	15	21.4	21.4
	perm service in shops/estabs	7	10.0	10.0
	casual work in factory/works/mill	10	14.3	14.3
	casual work in shops/estabs	15	21.4	21.4
	domestic sector fulltime	1	1.4	1.4
	unemployed	2	2.9	2.9
	farmer - temporary	3	4.3	4.3
	retired on pension	2	2.9	2.9
	self employed	8	11.4	11.4
	other	2	2.9	2.9
Total		70	100.0	100.0

EXM1Q10B

Other occupation of the main income earner in your household? Please specify

Question:

		Frequency	Percent	Valid
				Percent
Valid		49	70.0	70.0
	3	1	1.4	1.4
	casual farm labourer	1	1.4	1.4
	casual labourer	1	1.4	1.4
	contract work/ft in private company	1	1.4	1.4
	electrician	1	1.4	1.4
	electrician, temporary	1	1.4	1.4
	employed as taxi driver - fulltime not permanent	1	1.4	1.4
	father in law, railway pension	1	1.4	1.4
	full time work in press/not permanent	1	1.4	1.4
	gas	1	1.4	1.4
	helper in private hospital	1	1.4	1.4
	permanent driver	1	1.4	1.4
	self employed rickshaw driver	1	1.4	1.4
	self employed, sells bananas	1	1.4	1.4
	self employed, sells slippers	1	1.4	1.4
	sells toothpaste, own business	1	1.4	1.4
	teacher. 10th standard	1	1.4	1.4
	temporary service	1	1.4	1.4
	temporary service as school teacher	1	1.4	1.4
	unemployed	1	1.4	1.4
	was a painter, now she is unemployed	1	1.4	1.4
Total		70	100.0	100.0

Variable name:

EXM1Q11

Do you live with either your mother or mother-in-law?

Question:

		Frequency	Percent	Valid
				Percent
Valid	mother	1	1.4	1.4
	mother-in-law	46	65.7	65.7
	no	23	32.9	32.9
Total		70	100.0	100.0

EXM1Q12

Is the house you live in your own or

Question:

rented?

		Frequency	Percent	Valid
				Percent
Valid	owned	42	60.0	60.0
	rented	28	40.0	40.0
Total		70	100.0	100.0

Variable name:

EXM1Q13

Question:

Current marital status

		Frequency	Percent	Valid
		•		Percent
Valid	currently married	67	95.7	95.7
	separated	2	2.9	2.9
	widowed	1	1.4	_1.4
Total		70	100.0	100.0

Variable name:

EXM1Q14

How old were you at the time of your FIRST marriage?

Question:

·			
	Frequency	Percent	Valid
			Percent
Valid 14	1	1.4	1.4
15	9	12.9	12.9
16	1	1.4	1.4
16	3	4.3	4.3
17	4	5.7	5.7
18	19	27.1	27.1
19	5	7.1	7.1
20	4	5.7	5.7
21	7	10.0	10.0
22	5	7.1	7.1
23	1	1.4	1.4
25	4	5.7	5.7
26	4	5.7	5.7
34	1	1.4	1.4
no idea	2	2.9	2.9
Total	70	100.0	100.0

EXM1Q15

Did you live in Mumbai before you were

Question:

married?

		Frequency	Percent	Valid Percent
Valid	Village	22	31.4	31.4
	mumbai	48	68.6	68.6
Total		70	100.0	100.0

Variable name:

EXM1Q16

Question:

Have you had a smear test?

		Frequency	Percent	Valid Percent
Valid	yes - last 5 years	1	1.4	1.4
	yes - over 5 yrs ago	1	1.4	1.4
	no - never	68	97.1	97.1
Total		70	100.0	100.0

Variable name:

EXM1Q17

Do you usually do work for which you

Question:

are paid?

		Frequency	Percent	Valid Percent
Valid	yes	18	25.7	25.7
	no	51	72.9	72.9
	3	1	1.4	1.4
Total		70	100.0	100.0

EXM1Q18A

Question:

What kind of work do you do?

		Frequency	Percent	Valid
		•		Percent
Valid	perm service in shops/estabs	4	5.7	5.7
	casual work in factory/works/mill	1	1.4	1.4
	casual work in shops/estabs	4	5.7	5.7
	domestic sector parttime/casual	4	5.7	5.7
	unemployed	1	1.4	1.4
	farmer - casual	2	2.9	2.9
	laborer - casual	4	5.7	5.7
	other	1	1.4	1.4
	777	49	70.0	70.0
Total		70	100.0	100.0

Variable name:

EXM1Q18B

Question:

Other work? Please specify.

		Frequency	Percent	Valid
				Percent
Valid		48	68.6	68.6
	777	4	5.7	5.7
	any type - casual	1	1.4	1.4
	casual farm labourer	1	1.4	1.4
	casual helper - clean steel vessels	1	1.4	1.4
	casual labourer	1	1.4	1.4
	computer operator	1	1.4	1.4
	domestic help in return for accomodation	1	1.4	1.4
	domestic part time	1	1.4	1.4
	farmer casual	1	1.4	1.4
	farmer/cas	1	1.4	1.4
	full time telephne operator before baby	1	1.4	1.4
	husband died when she was 2 months pregn	1	1.4	1.4
	laborer/temp	1	1.4	1.4
	labourer	1	1.4	1.4
	labourer casual	1	1.4	1.4
	sewing -casual	1	1.4	1.4
	sister in private hospital	1	1.4	1.4

tailoring	1	1.4	1.4
wants to do BEd	1	1.4	_ 1.4
Total	70	100.0	100.0

EXM1Q19

Can you read a letter easily, with difficulty or not at all?

Question:

		Frequency	Percent	Valid
				Percent
Valid	easily	41	58.6	58.6
	with difficulty	3	4.3	4.3
	not at all	25	35.7	35.7
	11	1	1.4	1.4
Total		70	100.0	100.0

Variable name:

EXM1Q20

Question:

Have you ever attended a school?

		Frequency	Percent	Valid
				Percent
Valid	yes	53	75.7	75.7
	no	17	24.3	24.3
Total		70	100.0	100.0

Variable name:

EXM1Q21

What was the last class you passed in

Question:

school?

		Frequency	Percent	Valid
				Percent
Valid	grade 0-4	8	11.4	11.4
	grade 5-7	21	30.0	30.0
	grade 8-10	18	25.7	25.7
	beyond grade 10	6	8.6	8.6
	777	17	24.3	24.3
Total		70	100.0	100.0

EXM1Q22A

What is the minimum legal age at

Question:

marriage for a girl in India?

	-	Frequency	Percent	Valid
				Percent
Valid	18	36	51.4	51.4
	19	1	1.4	1.4
	20	3	4.3	4.3
	21	7	10.0	10.0
	999	23	32.9	32.9
Total		70	100.0	100.0

Variable name:

EXM1Q22B

How is the woman's knowledge of legal

Question:

age at marriage?

	<del></del>	Frequency	Percent	Valid
		•		Percent
Valid	knows right	37	52.9	52.9
	knows wrong	11	15.7	15.7
	doesn't know	22	31.4	31.4
Total		70	100.0	100.0

Variable name:

EXM1Q23

Question:

Did you vote in the last election?

		Frequency	Percent	Valid
				Percent_
Valid	yes	45	64.3	64.3
	no	25	35.7	35.7
Total		70	100.0	100.0

Variable name:

EXM1Q24A

What is the main source of water that

Question:

your household uses?

		Frequency	Percent	Valid
				Percent
Valid	municipal tap	40	57.1	57.1
	private tap (own)	19	27.1	27.1
	other	6	8.6	8.6
	municipal tap in home	5	7.1	7.1
Total		70	100.0	100.0

EXM1Q24B

If yes to other type of main source of water please specify.

Question:

		Frequency	Percent	Valid
		•		Percent
Valid		2	2.9	2.9
	777	62	88.6	88.6
	river	1	1.4	1.4
	tanker	1	1.4	1.4
	well	4	5.7	5.7
Total		70	100.0	100.0

Variable name:

EXM1Q25

Do you need to ask someone's permission to visit your nearest blood relative, to visit a friend or to go

Question:

out with a friend?

		Frequency	Percent	Valid
				Percent
Valid	yes to visit nearest blood rel/friend	32	45.7	45.7
	just need to tell someone where I'm going	3	4.3	4.3
	no	35	50.0	50.0
Total		70	100.0	100.0

Variable name:

EXM1Q26

Are you allowed to leave the house

Question:

without the company of another adult?

	<del></del>	Frequency	Percent	Valid
		·		Percent
Valid	yes always	43	61.4	61.4
	yes, sometimes	14	20.0	20.0
	not for short distances but yes for long	5	7.1	7.1
	no	8	11.4	11.4
Total		70	100.0	100.0

EXM1Q27

If your child is ill are you usually able to take him/her to the doctor without the

Question:

company of another adult?

	-	Frequency	Percent	Valid
				Percent
Valid	yes	59	84.3	84.3
	no	10	14.3	14.3
	allowed to go alone but wants to go with	1	1.4	1.4
	someone			
Total		70	100.0	100.0

Variable name:

EXM1Q28

If there is a complication in pregnancy,

to seek help what permission do you

Question:

need?

_		Frequency	Percent	Valid
		, ,		Percent
Valid	go alone with permission	17	24.3	25.8
	go alone without permission	39	55.7	59.1
	go accompanied with permission	8	11.4	12.1
	go accompanied without permission	1	1.4	1.5
	can go without permission but wants to be	1	1.4	1.5
	accompanied			
	Total	66	94.3	100.0
	Missing System	4	5.7	
Total		70	100.0	

Variable name:

EXM1Q29

Question:

Whose permission do you need?

		Frequency	Percent	Valid
				Percent
Valid	husband	25	35.7	78.1
	mother in law	3	4.3	9.4

husband or mother in law	3	4.3	9.4
father in law	1	1.4	3.1
Total	32	45.7	100.0
Missing System	38	54.3	
Total	70	100.0	

EXM1Q30A

Question:

Do you feel that you have worries or problems regarding debts that affect you and/or your home?

	•	Frequency	Percent	Valid
				Percent
Valid	yes	1	1.4	1.4
	no	66	94.3	94.3
	888	1	1.4	1.4
	999	2	2.9	2.9
Total		70	100.0	100.0

Variable name:

EXM1Q30B

Do you feel that you have worries or problems

regarding your husband's unemployment that affect

Question:

you and/or your home?

		Frequency	Percent	Valid
				Percent
Valid	yes	13	18.6	18.6
	no	54	77.1	77.1
	888	1	1.4	1.4
	999	2	2.9	2.9
Total		70	100.0	100.0

Variable name:

EXM1Q30C

Do you feel that you have worries or problems

regarding your husband's uncertain earnings that

Question:

affect you and/or your home?

		Frequency	Percent	Valid
				Percent
Valid	yes	21	30.0	30.0
	no	46	65.7	65.7
	888	1	1.4	1.4
	999	2	2.9	2.9
Total		70	100.0	100.0

EXM1Q30D

Do you feel that you have worries or problems

regarding your husband's alcoholism that affect you

Question:

and/or your home?

		Frequency	Percent	Valid
				Percent
Valid	yes	1	1.4	1.4
	no	66	94.3	94.3
	888	1	1.4	1.4
	999	2	2.9	2.9
Total		70	100.0	100.0

Variable name:

EXM1Q30E

Do you feel that you have worries or problems

regarding an illness in the household that affects you

Question:

and/or your home?

		Frequency	Percent	Valid
		•		Percent
Valid	1	2	2.9	2.9
	2	65	92.9	92.9
	888	1	1.4	1.4
	999	2	2.9	2.9
Total		70	100.0	100.0

Variable name:

EXM1Q30F

Question:

Specify, who's illness?

		Frequency	Percent	Valid
				Per <u>cent</u>
Valid	2	64	91.4	91.4
	777	1	1.4	1.4
	888	1	1.4	1.4
	999	2	2.9	2.9
	child	1	1.4	1.4
	son, 3yrs, often ill	1	1.4	1.4

Total	70	100.0	100.0

EXM1Q30G

Do you feel that you have worries or problems

regarding your own health that affects you and/or

Question:

your home?

,		Frequency	Percent	Valid
				Percent
Valid	no	66	94.3	95.7
	888	1	1.4	1.4
	999	2	2.9	2.9
	Total	69	98.6	100.0
Missing	System	1	1.4	
Total		70	100.0	

Variable name:

EXM1Q30H

Do you feel that you have worries or problems

regarding your husband's violence towards you that

Question:

affects you and/or your home?

	<del></del>	Frequency	Percent	Valid
				Percent
Valid	yes	1	1.4	1.4
	no	65	92.9	94.2
	888	1	1.4	1.4
	999	2	2.9	2.9
	Total	69	98.6	100.0
Missing	System	1	1.4	
 Total		70	100.0	

Variable name:

EXM1Q30I

Are there any other worries or

problems that affect you and/or your

Question:

home?

	Frequency	Percent	Valid
			Percent
Valid yes	7	10.0	10.0

no	60	85.7	85.7
888	1	1.4	1.4
999	2	2.9	2.9
Total	70	100.0	100.0

EXM1Q31

Please specify the other worries or problems affecting you and/or your

Question:

home?

		Frequency	Percent	Valid
				Percent
Valid		20	28.6	28.6
	2	10	14.3	14.3
	777	28	40.0	40.0
	888	1	1.4	1.4
	999	2	2.9	2.9
	brother in laws employment & marriage prospects	1	1.4	1.4
	deserted by husband	1	1.4	1.4
	does not own house so worries	1	1.4	1.4
	has to take care of everything, widowed, unemployed, 2 kids	1	1.4	1.4
	homesick	1	1.4	1.4
	husband graduated wants service	1	1.4	1.4
	husband not happy	1	1.4	1.4
	tension	1	1.4	1.4
	trouble with in laws	1	1.4	1.4
Total		70	100.0	100.0

Variable name:

EXM1Q32A

Question:

If yes to beating by husband – When does he beat you?- When he is drunk.

		Frequency	Percent	Valid
				Percent
Valid	yes	. 1	1.4	1.4
	no	66	94.3	94.3
	888	1	1.4	1.4
	999	2	2.9	2.9
Total		70	100.0	100.0

EXM1Q32B

If yes to beating by husband – When

does he beat you? - When I go out

Question:

to/return from work.

		Frequency	Percent	Valid
		•		Percent
Valid	yes		1.4	1.4
	no	65	92.9	94.2
	888	1	1.4	1.4
	999	2	2.9	2.9
	Total	69	98.6	100.0
Missing	System	1	1.4	
Total		70	100.0	

Variable name:

EXM1Q32C

If yes to beating by husband - When

does he beat you?- When I have not

Question:

done the housework.

		Frequency	Percent	Valid
				Percent
Valid	yes	4	5.7	5.7
	no	62	88.6	88.6
	used to beat her	1	1.4	1.4
	888	1	1.4	1.4
	999	2	2.9	2.9
Total		70	100.0	100.0

Variable name:

EXM1Q32D

Question:

If yes to beating by husband – When does he beat you? - Other reasons.

		Frequency	Percent	Valid
		_		Percent
Valid		46	65.7	65.7
	2	15	21.4	21.4

	888	1	1.4	1.4
	any mistake, more when drunk	1	1.4	1.4
	at first beated when he doubted her	1	1.4	1.4
	beaten when she makes a mistake	1	1.4	1.4
	If I am wrong and misbehave	1	1.4	1.4
	If I make a mistake	1	1.4	1.4
	used to beat her	1	1.4	1.4
	when it is my fault/usually does not	1	1.4	1.4
	when mother in law tells him to	1	1.4	1.4
Total		70	100.0	100.0

EXM1Q33A

When do you think it is right for a man to beat his wife? - When she does not

Question:

look after the house well.

		Frequency	Percent	Valid
				Percent
Valid	yes	25	35.7	36.2
	no	41	58.6	59.4
	888	1	1.4	1.4
	999	2	2.9	2.9
	Total	69	98.6	100.0
Missing	System	1	1.4	
Total		70	100.0	

Variable name:

EXM1Q33B

When do you think it is right for a man

to beat his wife? - When she does not

Question:

look after the children well.

		Frequency	Percent	Valid
		ricquerioy	1 0.0011	Percent
Valid	yes	2	2.9	2.9
	no	63	90.0	92.6
	888	1	1.4	1.5
	999	2	2.9	2.9
	Total	68	97.1	100.0
Missing	System	2	2.9	
Total	-	70	100.0	

Variable name:

EXM1Q33C

When do you think it is right for a man

to beat his wife? - When she does not

Question:

look after parents well.

Frequency	Percent	Valid
		Percent

Valid	yes	6	8.6	8.8
	no	59	84.3	86.8
	99	1	1.4	1.5
	888	1	1.4	1.5
	999	1	1.4	1.5
	Total	68	97.1	100.0
Missing	System	2	2.9	
Total		70	100.0	

EXM1Q33D

When do you think it is right for a man

to beat his wife? - When she is

Question:

disrespectful.

		Frequency	Percent	Valid
				Percent
Valid	yes	12	17.1	17.6
	no	53	75.7	77.9
	888	1	1.4	1.5
	999	2	2.9	2.9
	Total	68	97.1	100.0
Missing	System	2	2.9	
Total	-	70	100.0	

Variable name:

EXM1Q33E

When do you think it is right for a man

to beat his wife? - When she answers

Question:

back?

		Frequency	Percent	Valid
		_		Percent
Valid	no	65	92.9	95.6
	888	1	1.4	1.5
	999	2	2.9	2.9
	Total	68	97.1	100.0
Missing	System	2	2.9	
Total		70	100.0	

Variable name:

EXM1Q33F

When do you think it is right for a man

to beat his wife? - When she spends

Question:

money on herself.

		Frequency Percent	Valid
			Percent
Valid	yes	3 4.3	4.4

	no	62	88.6	91.2
	888	1	1.4	1.5
	999	2	2.9	2.9
	Total	68	97.1	100.0
Missing	System	2	2.9	
Total		70	100.0	

EXM1Q33G

When do you think it is right for a man

to beat his wife? - When she goes out

Question:

without permission?

		Frequency	Percent	Valid
				Percent
Valid	yes	10	14.3	14.7
	no	55	78.6	80.9
	888	1	1.4	1.5
	999	2	2.9	2.9
	Total	68	97.1	100.0
Missing	System	2	2.9	
Total		70	100.0	

Variable name:

EXM1Q33H

When do you think it is right for a man

to beat his wife? - When she is

Question:

arrogant/mischievous.

		Frequency	Percent	Valid
				Percent
Valid	yes	32	45.7	47.1
	no	33	47.1	48.5
	888	1	1.4	1.5
	999	2	2.9	2.9
	Total	68	97.1	100.0
Missing	System	2	2.9	
Total		70	100.0	

Variable name:

EXM1Q33I

When do you think it is right for a man

to beat his wife? - It is not right for a

Question:

man to beat his wife?

Frequency	Percent	Valid
		Percent

Valid	yes	32	45.7	47.1
	no	33	47.1	48.5
	888	1	1.4	1.5
	999	2	2.9	2.9
	Total	68	97.1	100.0
Missing	System	2	2.9	
Total	· · ·	70	100.0	

EXM1Q33J

When do you think it is right for a man to beat his wife? - Other reasons it might be right for a man to beat his wife?

Question:

		Frequency	Percent	Valid
		,		Percent
Valid		52	74.3	74.3
	777	1	1.4	1.4
	a wife should behave according to husband	1	1.4	1.4
	doesn't listen	1	1.4	1.4
	for making mistakes	1	1.4	1.4
	for many mistake	1	1.4	1.4
	if its her fault	1	1.4	1.4
	if no husband what is the meaning of life?	1	1.4	1.4
	if she disobeys him it is his duty to hit her	1	1.4	1.4
	if she dresses up and goes out without permis	1	1.4	1.4
	if she makes a mistake	2	2.9	2.9
	if she makes a mistake he may hit her	1	1.4	1.4
	if wife unfaithful	1	1.4	1.4
	it is right	1	1.4	1.4
	not listening	1	1.4	1.4
	not right unless arrogant mischievous	1	1.4	1.4
	behavior			
	when makes mistake	1	1.4	1.4
	when she makes a mistake	1	1.4	1.4
Total		70	100.0	100.0

### **MUMBAI SAFE MOTHERHOOD STUDY**

### Module 2: Antenatal history and Case Notes

Variable name Question EXM2Q1

How many times have you been pregnant?

		Frequency	Percent	Valid Percent
Valid	1	26	37.1	37.1
	2	20	28.6	28.6
	3	16	22.9	22.9
	4	5	7.1	7.1
	5	2	2.9	2.9
	6	1	1.4	1.4
	Total	70	100.0	100.0

Variable name

EXM2Q2

Question

How many children have you had that are still alive today?

Frequency Valid Percent Percent Valid 0 5 7.1 7.1 30 42.9 42.9 1 2 24 34.3 34.3 3 10.0 10.0 7 4 3 4.3 4.3

Variable name

Total

EXM2Q3

Question

How many children have you had that were born alive but are now dead?

1

70

1.4

100.0

1.4

100.0

	Frequency	Percent	Valid	Cumulative
			Percent	Percent
Valid	0	60	85.7	85.7
	1	8	11.4	11.4
	2	2	2.9	2.9
	Total	70	100.0	100.0

### Question

#### EXM2Q4

How many times have you given birth to a child that was dead (did not cry or breathe)?

		Frequency	Percent	Valid
				Percent
Valid	0	65	92.9	92.9
	1	5	7.1	7.1
	Total	70	100.0	100.0

Variable name Question

### EXM2Q5

How many miscarriages have you had?

<del>.</del>				
		Frequency	Percent	Valid
				Percent
Valid	0	61	87.1	87.1
	1	8	11.4	11.4
	2	1	1.4	1.4
	Total	70	100.0	100.0

Variable name

### EXM2Q6

Question

Have you ever given birth to a child that died within one month of birth?

		Frequency	Percent	Valid
		_		Percent
Valid	0	68	97.1	97.1
	1	2	2.9	2.9
	Total	70	100.0	100.0

Variable name

### EXM2Q7

Question

How many days old was that child when it died?

		Frequency	Percent	Valid
		1 3		Percent
Valid	2.00	1	1.4	100.0
Missing	System	69	98.6	
Total		70	100.0	

# EXM2Q8 How many abortions have you had?

		Frequency	Percent	Valid
		_		Percent
Valid	0	69	98.6	98.6
	1	1	1.4	1.4
	Total	70	100.0	100.0

Variable name

EXM2Q9

How many times have you taken a goli,

herbal remedy or injection to get rid of a

Question

suspected pregnancy?

		Frequency	Percent	Valid
		_		Percent
Valid	injection	1	1.4	1.4
	no	69	98.6	98.6
	Total	70	100.0	100.0

Variable name Question

EXM2Q10

Have you ever had a peshwi saaf?

		Frequency	Percent	Valid
		-		Percent
Valid	yes	2	2.9	2.9
	no	68	97.1	97.1
	Total	70	100.0	100.0

Variable name Question

EXM2Q11

Why did you have a peshwi saaf?

		Frequency	Percent	Valid
				Percent
Valid	difficulty conceiving	2	2.9	2.9
	777	68	97.1	97.1
	Total	70	100.0	100.0

# EXM2Q12 Where was the peshwi saaf performed?

		Frequency	Percent	Valid Percent
Valid	public facility	2	2.9	2.9
	777	68	97.1	97 <u>.1</u>
	Total	70	100.0	100.0

Variable name

EXM2Q13

How many times have you given birth to

Question

a male child?

<u>-</u>		Frequency	Percent	Valid
				Percent
Valid	0	19	27.1	27.1
	1	30	42.9	42.9
	2	16	22.9	22.9
	3	4	5.7	5.7
	4	1	1.4	1.4
	Total	70	100.0	100.0

Variable name

EXM2Q14

Question

How many times have you given birth to a female child?

		Frequency	Percent	Valid
				Percent
Valid	0	25	35.7	35.7
	1	31	44.3	44.3
	2	9	12.9	12.9
	3	5	7.1	7.1
	Total	70	100.0	100.0

Variable name

EXM2Q15

Question

How many male children do you have that are alive today?

		Frequency	Percent	Valid
				Percent
Valid	0	21	30.0	30.0
	1	32	45.7	45.7
	2	16	22.9	22.9
	3	1	1.4	1.4
	Total	70	100.0	100.0

EXM2Q16

Question

How many female children do you have that are alive today?

		Frequency	Percent	Valid
				Percent
Valid	0	26	37.1	37.1
	1	32	45.7	45.7
	2	8	11.4	11.4
	3	4	5.7	5.7
	Total	70	100.0	100.0

Variable name Question

EXM2Q17 Have you ever given birth in your home?

		Frequency	Percent	Valid
				Percent
Valid	yes	12	17.1	17.1
	no	58	82.9	82.9
	Total	70	100.0	100.0

Variable name

EXM2Q18

Question

How many times have you given birth in your own home?

		Frequency	Percent	Valid
				Percent_
Valid	1	9	12.9	75.0
	2	1	1.4	8.3
	3	2	2.9	16.7
	Total	12	17.1	100.0
Missing	System	58	82.9	
Total	<del>-</del>	70	100.0	

EXM2Q19

Question

If you have had a home delivery before – who attended your most recent home delivery?

		Frequency	Percent	Valid
				Percent
Valid	dai	, 6	8.6	50.0
	mother	3	4.3	25.0
	female relatives	1	1.4	8.3
	mother-in-law	1	1.4	8.3
	7	1	1.4	8.3
	Total	12	17.1	100.0
Missing	777	58	82.9	
Total		70	100.0	

Variable name Question

EXM2Q20

Have you ever given birth in a private institution?

<u> </u>		Frequency	Percent	Valid
. <u></u>				Percent
Valid	yes	8	11.4	13.8
	no	49	70.0	84.5
	4	1	1.4	1.7
	Total	58	82.9	100.0
Missing	System	12	17.1	
Total		70	100.0	

Variable name

EXM2Q21

Question Have you delivered a baby within the last two years?

		Frequency	Percent	Valid
			_	Percent
Valid	yes	20	28.6	29.0
	no	48	68.6	69.6
	first birth	1	1.4	1.4
	Total	69	98.6	100.0
Missing	888	1	1.4	
Total		70	100.0	

EXM2Q22 Have any of your previous deliveries been premature?

		Frequency	Percent	Valid
				Percent
Valid	yes	4	5.7	6.9
	no	54	77.1	93.1
	Total	58	82.9	100.0
Missing	System	12	17.1	

Variable name

EXM2Q23

Question

Did you experience complications in your last pregnancy or delivery?

		Frequency	Percent	Valid
				Percent
Valid	yes	13	18.6	18.6
	no	56	80.0	80.0
	first pregnancy	1	1.4	1.4
	Total	70	100.0	100.0

Variable name Question

EXM2Q24

What was the nature of complications in the last delivery?

		Frequency	Percent	Valid
				Percent
Valid	no	35	50.0	83.3
	severe post partum bleeding	1	1.4	2.4
	c-section	1	1.4	2.4
	neonatal death	2	2.9	4.8
	iugr	1	1.4	2.4
	blood pressure	1	1.4	2.4
	tear	1	1.4	2.4
	Total	42	60.0	100.0
Missing	System	28	40.0	
Total		70	100.0	

EXM2Q24B

Question

What was the nature of complications in the last delivery? – Other responses

		Frequency	Percent	Valid
				Percent
Valid	no	38	54.3	92.7
	prolonged labour	2	2.9	4.9
	referred	1	1.4	2.4
	Total	41	58.6	100.0
Missing	System	29	41.4	
Total		70	100.0	

Variable name

EXM2Q25

Question

Were you admitted to hospital during this pregnancy for pregnancy related problems? What type?

		Frequency	Percent	Valid
				Percent
Valid	no	40	57.1	57.1
	bleeding	4	5.7	5.7
	blood pressure	5	7.1	7.1
	long labour	2	2.9	2.9
	anaemia	2	2.9	2.9
	prolonged second stage	1	1.4	1.4
	c-section	4	5.7	5.7
	hematoma post partum	1	1.4	1.4
	ante partum bleeding	1	1.4	1.4
	preterm labour	4	5.7	5.7
	other	6	8.6	8.6
	Total	70	100.0	100.0

### EXM2Q26

### Question

Were there any other problems in this labour or delivery? What type?

		Frequency	Percent	Valid
			_	Percent
Valid	no	45	64.3	68.2
	bleeding	2	2.9	3.0
	long labour	1	1.4	1.5
	prolonged second stage	1	1.4	1.5
	post partum bleeding	3	4.3	4.5
	cpd	1	1.4	1.5
	breech	2	2.9	3.0
	tear	2	2.9	3.0
	blood transfusion post partum	1	1.4	1.5
	other	7	10.0	10.6
	777	1	1.4	1.5
	Total	66	94.3	100.0

Variable name

EXM2Q27

Question

Were there any other problems in this labour or delivery? Please specify.

		Frequency	Percent	Valid
				Percent
Valid		51	72.9	72.9
	baby febri	1	1.4	1.4
	c-section	1	1.4	1.4
	emergency	1	1.4	1.4
	fever post	1	1.4	1.4
	gave duvad	1	1.4	1.4
	had to ret	1	1.4	1.4
	high an bp	1	1.4	1.4
	high bp (n	1	1.4	1.4
	induction,	1	1.4	1.4
	Injection	1	1.4	1.4
	ĪUGR	1	1.4	1.4
	leaking fo	1	1.4	1.4
	MSB - high	1	1.4	1.4
	odema of f	1	1.4	1.4
	referred f	1	1.4	1.4
	std test p	1	1.4	1.4
	still birt	1	1.4	1.4
	waters wen	2	2.9	2.9
	Total	70	100.0	100.0

EXM2Q28

How many antenatal visits have you had in total?

		Frequency	Percent	Valid
		-		Percent
Valid	0	2	2.9	2.9
	1	10	14.3	14.3
	2	9	12.9	12.9
	3	10	14.3	14.3
	4	15	21.4	21.4
	5	10	14.3	14.3
	6	9	12.9	12.9
	7	1	1.4	1.4
	8	1	1.4	1.4
	888	3	4.3	4.3
	Total	70	100.0	100.0

EXM2Q30A

Question

What was your weight measured at on your 1st antenatal visit?

		Frequency	Percent	Valid Percent
Valid	33	1	1.4	1.5
	35	2	2.9	2.9
	37	1	1.4	1.5
	39	2	2.9	2.9
	40	3	4.3	4.4
	41	1	1.4	1.5
	42	3	4.3	4.4
	44	5	7.1	7.4
	45	9	12.9	13.2
	46		2.9	2.9
	47	2 5	7.1	7.4
	48	2 2	2.9	2.9
	49	2	2.9	2.9
	50	4	5.7	5.9
	51	4	5.7	5.9
	52	3	4.3	4.4
	54	3	4.3	4.4
	55	2	2.9	2.9
	56	1	1.4	1.5
	57	1	1.4	1.5
	58	1	1.4	1.5
	60	1	1.4	1.5
	63	1	1.4	1.5
	64	1	1.4	1.5
	69	1	1.4	1.5
	777	1	1.4	1.5
	888	6	8.6	8.8
	Total	68	97.1	100.0
Missing	not taken/recorded	2	2.9	
Γotal		70	100.0	

EXM2Q30B

Question

What was your weight measured at on your 2nd antenatal visit?

		Frequency	Percent	Valid
		1		Percent
Valid	36	.1	1.4	1.6
	40	1	1.4	1.6
	42	1	1.4	1.6
	43	1	1.4	1.6
	44	2	2.9	3.3
	45	9	12.9	14.8
	46	3	4.3	4.9
	47	2	2.9	3.3
	48	2 3	2.9	3.3
	49	3	4.3	4.9
	50	1	1.4	1.6
	51	2	2.9	3.3
	52	4	5.7	6.6
	53	2	2.9	3.3
	55	5	7.1	8.2
	59	1	1.4	1.6
	61	1	1.4	1.6
	66	1	1.4	1.6
	67	1	1.4	1.6
	72	1	1.4	1.6
	777	10	14.3	16.4
	888	7	10.0	11.5
	Total	61	87.1	100.0
Missing	not taken/recorded	9	12.9	
Total		70	100.0	

EXM2Q30C

Question

What was your weight measured at on your 3rd antenatal visit?

		Frequency	Percent	Valid
				Percent
Valid	38	1	1.4	1.6
	43	1	1.4	1.6
	45	7	10.0	10.9
	46	2	2.9	3.1
	47	2	2.9	3.1
	48	3	4.3	4.7
	50	6	8.6	9.4
	52	3	4.3	4.7
	53	2	2.9	3.1
	54	3	4.3	4.7
	55	2	2.9	3.1
	57	1	1.4	1.6
	58	1	1.4	1.6
	59	1	1.4	1.6
	61	1	1.4	1.6
	65	1	1.4	1.6
	66	2	2.9	3.1
	72	1	1.4	1.6
	777	20	28.6	31.3
	888	4	5.7	6.3
	Total	64	91.4	100.0
Missing	not taken/recorded	6	8.6	
Total		70	100.0	

EXM2Q30D

What was your weight measured at on your 4th antenatal visit?

Question

		Frequency	Percent	Valid
		Troquonoy	1 0100111	Percent
Valid	43	1	1.4	1.5
	45	1	1.4	1.5
	46	4	5.7	5.9
	47	1	1.4	1.5
	48	4	5.7	5.9
	49	1	1.4	1.5
	50	2	2.9	2.9
	51	1	1.4	1.5
	52	2	2.9	2.9
	53	1	1.4	1.5
	55	5	7.1	7.4
	56	1	1.4	1.5
	58	3	4.3	4.4
	59	1	1.4	1.5
	60	1	1.4	1.5
	67	2	2.9	2.9
	70	1	1.4	1.5
	777	32	45.7	47.1
	888	4	5.7	5.9
	Total	68	97.1	100.0
Missing	not taken/recorded	2	2.9	
Total		70	100.0	

EXM2Q30E

Question

What was your weight measured at on your 5th antenatal visit?

	Frequency	Percent	Valid
			Percent
Valid 46	1	1.4	1.4
48	2	2.9	2.9
49	1	1.4	1.4
50	4	5.7	5.7
51	1	1.4	1.4
52	1	1.4	1.4
53	1	1.4	1.4
54	1	1.4	1.4
55	2	2.9	2.9
56	2	2.9	2.9
58	1	1.4	1.4
59	1	1.4	1.4
60	2	2.9	2.9
777	46	65.7	65.7
888	4	5.7	5.7
Total	70	100.0	100.0

Variable name  Question		EXM2Q30F			
		What was your weight measured at on your 6th antenatal visit?			
		Frequency	Percent	Valid	
				Percent	
Valid	45	1	1.4	1.7	
	50	2	2.9	3.3	
	52	2	2.9	3.3	
	53	1	1.4	1.7	
	55	2	2.9	3.3	
	60	3	4.3	5.0	
	777	49	70.0	81.7	
	Total	60	85.7	100.0	
Missing	888	4	5.7		
	System	6	8.6		
	Total	10	14.3		
Total		70	100.0		

EXM2Q30G

Question

What was your weight measured at on your 7th antenatal visit?

		Frequency	Percent	Valid
		- · ·		Percent
Valid	50	1	1.4	1.7
	777	57	81.4	96.6
	not recorded/taken	1	1.4	1.7
	Total	59	84.3	100.0
Missing	888	4	5.7	
	System	7	10.0	
	Total	11	15.7	
Total		70	100.0	

Variable name

EXM2Q30H

Question

What was your weight measured at on your most recent antenatal visit?

		Frequency	Percent	Valid
				Percent
Valid	35	1	1.4	1.5
	38	1	1.4	1.5
	40	1	1.4	1.5
	41	1	1.4	1.5
	43	3	4.3	4.5
	44	1	1.4	1.5
	45	3	4.3	4.5
	46	4	5.7	6.1
	47	1	1.4	1.5
	48	1	1.4	1.5
	49	1	1.4	1.5
	50	7	10.0	10.6
	51	2	2.9	3.0
	52	6	8.6	9.1
	55	7	10.0	10.6
	56	1	1.4	1.5
	58	2	2.9	3.0
	60	4	5.7	6.1
	67	2	2.9	3.0
	70	1	1.4	1.5
	72	1	1.4	1.5
	777	8	11.4	12.1
	888	7	10.0	10.6
	Total	66	94.3	100.0
Missing	not taken/recorded	4	5.7	
Total		70	100.0	

EXM2Q31A

Question

What was your systolic blood pressure reading on your 1st antenatal visit?

		Frequency	Percent	Valid
		· ·		Percent
Valid	70	1	1.4	1.6
	90	3	4.3	4.8
	100	14	20.0	22.6
	110	22	31.4	35.5
	120	12	17.1	19.4
	130	2	2.9	3.2
	140	1	1.4	1.6
	777	1	1.4	1.6
	888	6	8.6	9.7
	Total	62	88.6	100.0
Missing	not taken/recorded	8	11.4	
Total		70	100.0	

Variable name

EXM2Q31B

Question

What was your disystolic blood pressure reading on your 1st antenatal visit?

		Frequency	Percent	Valid
		-		Percent
Valid	50	2	2.9	3.1
	60	7	10.0	10.9
	70	19	27.1	29.7
	80	11	15.7	17.2
	777	1	1.4	1.6
	not taken/recorded	24	34.3	37.5
	Total	64	91.4	100.0
Missing	888	6	8.6	
Total		70	100.0	

EXM2Q31C

Question

What was your systolic blood pressure reading on your 2nd antenatal visit?

		Frequency	Percent	Valid
				Percent
Valid	90	. 5	7.1	8.1
	100	11	15.7	17.7
	110	19	27.1	30.6
	120	6	8.6	9.7
	122	1	1.4	1.6
	130	4	5.7	6.5
	777	10	14.3	16.1
	888	6	8.6	9.7
	Total	62	88.6	100.0
Missing	not taken/recorded	7	10.0	
	System	1	1.4	
	Total	8	11.4	
Total		70	100.0	

Variable name

EXM2Q31D

Question

What was your disystolic blood pressure reading on your 2nd antenatal visit?

		Frequency	Percent	Valid
				Percent
Valid	60	7	10.0	11.1
	70	13	18.6	20.6
	80	9	12.9	14.3
	110	1	1.4	1.6
	777	10	14.3	15.9
	not taken/recorded	23	32.9	36.5
	Total	63	90.0	100.0
Missing	888	4	5.7	
	System	3	4.3	
	Total	_7_	10.0	
Total		70	100.0	

EXM2Q31E

Question

What was your systolic blood pressure reading on your 3rd antenatal visit?

		Frequency	Percent	Valid Percent
Valid	80	1	1.4	1.5
	90	1	1.4	1.5
	100	8	11.4	12.1
	106	1	1.4	1.5
	110	21	30.0	31.8
	120	7	10.0	10.6
	130	4	5.7	6.1
	777	17	24.3	25.8
	888	6	8.6	9.1
	Total	66	94.3	100.0
Missing	not taken/recorded	2	2.9	
J	System	2	2.9	
	Total	4	5.7	
Total		70	100.0	

Variable name

EXM2Q31F

Question

What was your disystolic bottom blood pressure reading on your 3rd antenatal visit?

	-	Frequency	Percent	Valid
		_		Percent
Valid	50	1	1.4	1.6
	60	4	5.7	6.5
	70	12	17.1	19.4
	80	13	18.6	21.0
	100	1	1.4	1.6
	77 <b>7</b>	17	24.3	27.4
	not taken/recorded	14	20.0	22.6
	Total	62	88.6	100.0
Missing	888	4	5.7	
	System	4	5.7	
	Total	8	11.4	
Total		70	100.0	

EXM2Q31G

Question

What was your systolic blood pressure reading on your 4th antenatal visit?

		Frequency	Percent	Valid
				Percent
Valid	80	1	1.4	1.5
	88	1	1.4	1.5
	90	2	2.9	2.9
	100	5	7.1	7.4
	104	1	1.4	1.5
	110	16	22.9	23.5
	120	6	8.6	8.8
	130	2	2.9	2.9
	150	1	1.4	1.5
	777	27	38.6	39.7
	888	6	8.6	8.8
	Total	68	97.1	100.0
Missing	System	2	2.9	
Total	<u> </u>	70	100.0	

Variable name

EXM2Q31H

Question

What was your disystolic blood pressure reading on your 4th antenatal visit?

	<u> </u>	Frequency	Percent	Valid
				Percent
Valid	64	1	1.4	1.9
	70	7	10.0	13.2
	80	8	11.4	15.1
	90	4	5.7	7.5
	777	26	37.1	49.1
	888	6	8.6	11.3
	77777	1	1.4	1.9
	Total	53	75.7	100.0
Missing	999	15	21.4	
	System	2	2.9	
	Total	17	24.3	
Total		70	100.0	

EXM2Q31I

Question

What was your systolic blood pressure reading on your 5th antenatal visit?

		Frequency	Percent	Valid
		-		Percent
Valid	90	5	7.1	8.2
	100	3	4.3	4.9
	110	9	12.9	14.8
	120	3	4.3	4.9
	130	1	1.4	1.6
	777	40	57.1	65.6
	Total	61	87.1	100.0
Missing	888	4	5.7	
_	System	5	7.1	
	Total	9	12.9	
Total		70	100.0	

Variable name

EXM2Q31J

Question

What was your disystolic blood pressure reading on your 5th antenatal visit?

		Frequency	Percent	Valid
				Percent
Valid	60	1	1.4	1.6
	70	2	2.9	3.3
	80	3	4.3	4.9
	84	1	1.4	1.6
	90	1	1.4	1.6
	777	40	57.1	65.6
	not recorded/taken	13	18.6	21.3
	Total	61	87.1	100.0
Missing	888	4	5.7	
_	System	5	7.1	
	Total	9	12.9	
Total		70	100.0	

EXM2Q31K

Question

What was your systolic blood pressure reading on your 6th antenatal visit?

		Frequency	Percent	Valid
				Percent
Valid	80	1	1.4	1.7
	90	1	1.4	1.7
	100	4	5.7	6.7
	110	2	2.9	3.3
	120	2	2.9	3.3
	130	1	1.4	1.7
	777	49	70.0	81.7
	Total	60	85.7	100.0
Missing	888	4	5.7	
	System	6	8.6	
	Total	10	14.3	
Total		70	100.0	

Variable name EXM2Q31L
What was your disystolic blood pressure reading
Question on your 6th antenatal visit?

Questic	on	on your 6th antenatal visit?		
		Frequency	Percent	Valid
		•		Percent
Valid	60	1	1.4	1.7
	70	1	1.4	1.7
	80	1	1.4	1.7
	90	1	1.4	1.7
	104	1	1.4	1.7
	777	49	70.0	81.7
	not recorded/taken	6	8.6	10.0
	Total	60	85.7	100.0
Missing	888	4	5.7	
	System	6	8.6	
	Total	10	14.3	
Total		70	100.0	

EXM2Q31M

Question

What was your systolic blood pressure reading on your most recent antenatal visit?

		Frequency	Percent	Valid Percent
Valid	80	1	1.4	1.6
	90	5	7.1	7.8
	100	14	20.0	21.9
	104	1	1.4	1.6
	110	21	30.0	32.8
	120	8	11.4	12.5
	122	1	1.4	1.6
	130	2	2.9	3.1
	150	2	2.9	3.1
	777	2	2.9	3.1
	888	7	10.0	10.9
	Total	64	91.4	100.0
Missing	not taken/recorded	6	8.6	
Total		70	100.0	

Variable name

EXM2Q31N

Question

What was your disystolic blood pressure reading on your most recent antenatal visit?

		Frequency	Percent	Valid
				Percent
Valid	60	7	10.0	11.1
	70	18	25.7	28.6
	80	9	12.9	14.3
	84	1	1.4	1.6
	90	4	5.7	6.3
	110	1	1.4	1.6
	777	2	2.9	3.2
	not taken/recorded	21	30.0	33.3
	Total	63	90.0	100.0
Missing	888	5	7.1	
_	System	2	2.9	
	Total	7	10.0	
Total		70	100.0	

EXM2Q32A

Question

Was your blood pressure taken and recorded when you arrived at hospital? If so, what was your systolic blood pressure reading?

		Frequency	Percent	Valid
				Percent
Valid	110	8	11.4	11.9
	120	5	7.1	7.5
	130	5	7.1	7.5
	140	1	1.4	1.5
	150	1	1.4	1.5
	180	1	1.4	1.5
	not taken/recorded	46	65.7	68.7
	Total	67	95.7	100.0
Missing	888	1	1.4	
	System	2	2.9	
	Total	3	4.3	
Total		70	100.0	

Variable name EXM2Q32B

Was your blood pressure taken and recorded when you arrived at hospital? If so, what was your disystolic blood pressure reading?

		Frequency	Percent	Valid
				Percent
Valid	70	2	2.9	3.0
	80	7	10.0	10.4
	90	1	1.4	1.5
	100	1	1.4	1.5
	not taken/recorded	56	80.0	83.6
	Total	67	95.7	100.0
Missing	888	1	1.4	
	System	2	2.9	
	Total	3	4.3	
Total		70	100.0	

EXM2Q33 How many days spent in hospital?

		Frequency	Percent	Valid
				Percent
Valid	1	2	2.9	2.9
	2	9	12.9	12.9
	3	14	20.0	20.0
	4	5	7.1	7.1
	5	3	4.3	4.3
	6	2	2.9	2.9
	7	1	1.4	1.4
	888	13	18.6	18.6
	999	21	30.0	30.0
	Total	70	100.0	100.0

Variable name Question

EXM2Q43 Was the baby premature?

-		Frequency	Percent	Valid
			_	Percent
Valid	yes	21	30.0	30.0
	no	25	35.7	35.7
	edd unknown	23	32.9	32.9
	888	1	1.4	1.4
	Total	70	100.0	100.0

Variable name Question

EXM2Q44
How many weeks premature was the baby?

		Frequency	Percent	Valid
		1 3		Percent
Valid	0	4	5.7	11.1
	1	3	4.3	8.3
	2	7	10.0	19.4
	3	7	10.0	19.4
	4	9	12.9	25.0
	5	1	1.4	2.8
	6	1	1.4	2.8
	7	1	1.4	2.8
	8	1	1.4	2.8
	888	1	1.4	2.8
	777777	1	1.4	2.8
	Total	36	51.4	100.0
Missing	777	32	45.7	
	System	2	2.9	
	Total	34	48.6	
Total		70	100.0	

# EXM2Q45 What was the sex of the child?

		Frequency	Percent	Valid
				Percent
Valid	male	40	57.1	57.1
	female	30	42.9	42.9
	Total	70	100.0	100.0

Variable name

EXM2Q46

What was the sex of the second child

Question (if given birth to twins)?

		Frequency	Percent	Valid
				Percent
Valid	1	1	1.4	100.0
Missing	System	69	98.6	
Total		70	100.0	

EXM2Q47
What was the birth weight of the child? (in KG's)

		Frequency	Percent	Valid Percent
Valid	.90	1	1.4	1.4
	1.00	1	1.4	1.4
	1.20	1	1.4	1.4
	1.30	1	1.4	1.4
	1.90	1	1.4	1.4
	2.00	4	5.7	5.7
	2.05	1	1.4	1.4
	2.10	1	1.4	1.4
	2.20	1	1.4	1.4
	2.25	6	8.6	8.6
	2.30	2	2.9	2.9
	2.40	3	4.3	4.3
	2.50	6	8.6	8.6
	2.55	1	1.4	1.4
	2.60	2	2.9	2.9
	2.70	3	4.3	4.3
	2.75	10	14.3	14.3
	2.80	3	4.3	4.3
	2.90	3	4.3	4.3
	2.95	2	2.9	2.9
	3.00	7	10.0	10.0
	3.10	1	1.4	1.4
	3.20	1	1.4	1.4
	3.25	4	5.7	5.7
	3.30	1	1.4	1.4
	3.35	2	2.9	2.9
	4.00	1	1.4	1.4
	Total	70	100.0	100.0

Variable name

Question

EXM2Q48

What was the birth weight of the second child (if given birth to twins)?

		Frequency	Percent	Valid
				Percent
Valid	2.00	1	1.4	100.0
Missing	System	69	98.6	
Total		70	100.0	

EXM2Q50 HB level at the time of the booking?

-		Frequency	Percent	Valid
		1 3		Percent
Valid	5.00	1	1.4	1.6
	7.50	3	4.3	4.7
	8.00	3	4.3	4.7
	8.50	5	7.1	7.8
	9.00	11	15.7	17.2
	9.20	1	1.4	1.6
	9.50	4	5.7	6.3
	10.00	12	17.1	18.8
	10.50	6	8.6	9.4
	10.80	1	1.4	1.6
	11.00	6	8.6	9.4
	11.40	1	1.4	1.6
	11.50	2	2.9	3.1
	12.00	6	8.6	9.4
	12.50	1	1.4	1.6
	13.00	1	1.4	1.6
	Total	64	91.4	100.0
Missing	999.00	5	7.1	
	System	1	1.4	
	Total	6	8.6	
Total		70	100.0	

Variable name Question

EXM2Q51 HB readings at post delivery

	Г	70 4	Val: J
	Frequency	Percent	Valid
			Percent
8.50	2	2.9	11.1
8.80	1	1.4	5.6
9.50	2	2.9	11.1
9.90	1	1.4	5.6
10.00	1	1.4	5.6
10.40	1	1.4	5.6
10.50	2	2.9	11.1
10.60	1	1.4	5.6
11.00	1	1.4	5.6
11.40	1	1.4	5.6
11.50	1	1.4	5.6
12.00	1	1.4	5.6
14.00	1	1.4	5.6
999.00	2	2.9	11.1
Total	18	25.7	100.0
System	52	74.3	
	70	100.0	
	8.80 9.50 9.90 10.00 10.40 10.50 10.60 11.00 11.40 11.50 12.00 14.00 999.00 Total	8.80 1 9.50 2 9.90 1 10.00 1 10.40 1 10.50 2 10.60 1 11.40 1 11.50 1 12.00 1 14.00 1 999.00 2 Total 18 System 52	8.50 2 2.9 8.80 1 1.4 9.50 2 2.9 9.90 1 1.4 10.00 1 1.4 10.40 1 1.4 10.50 2 2.9 10.60 1 1.4 11.00 1 1.4 11.50 1 1.4 11.50 1 1.4 12.00 1 1.4 14.00 1 1.4 1999.00 2 2.9 Total 18 25.7 System 52 74.3

## EXM2Q52 What was the result of the STD infection blood test?

		Frequency	Percent	Valid
				Percent
Valid	positive	2	2.9	2.9
	negative	67	95.7	97.1
	Total	69	98.6	100.0
Missing	999	1	1.4	
Total		70	100.0	

Variable name
Question

EXM2Q53

Did she have an episiotomy?

		Frequency	Percent	Valid
				Percent
Valid	yes	24	34.3	34.3
	no	46	65.7	65.7
	Total	70	100.0	100.0

Variable name Question EXM2Q54

Did she have a perineal tear?

		Frequency	Percent	Valid
				Percent
Valid	yes	11	15.7	15.7
	no	59	84.3	84.3
	Total	70	100.0	100.0

Variable name Question

EXM2Q55

Was she given antibiotics?

_		Frequency	Percent	Valid
				Percent
Valid	yes	37	52.9	53.6
	no	22	31.4	31.9
	yes after tl or csection	10	14.3	14.5
	Total	69	98.6	100.0
Missing	999	1	1.4	
Total		70	100.0	

# EXM2Q56 Did the woman have a C-section?

		Frequency	Percent	Valid
				Percent
Valid	no	66	94.3	94.3
	emergency	. 3	4.3	4.3
	elective	1	1.4	1.4
	Total	70	100.0	100.0

Variable name Question

EXM2Q57

For what reason was the woman given a C-section?

		Frequency	Percent	Valid Percent
Valid		66	94.3	94.3
v and	handh and law ii an	1		
	breech and low liqor	l -	1.4	1.4
	cpd	l	1.4	1.4
	previous c-section 'in view of cpd'	1	1.4	1.4
	previous/pp breech	1	1.4	1.4
<u> </u>	Total	70	100.0	100.0

### MUMBAI SAFE MOTHERHOOD STUDY

### Module 3: Delivery Care

Variable name:

EXM3Q1

Question:

Type of hospital that patient attended?

		Frequency	Percent	Valid
				Percent
Valid	municipal	70	100.0	100.0

Variable name:

EXM3Q2

Is this the first hospital you went to when you started your

Question:

labour?

	<u> </u>	Frequency	Percent	Valid
				Percent
Valid	yes	63	90.0	91.3
	no	6	8.6	8.7
	Total	69	98.6	100.0
Missing	System	1	1.4_	
Total		70	100.0	

Variable name:

EXM3Q3

If no, which type of hospital was the first hospital you went

Question:

into?

		Frequency	Percent	Valid
				Percent
Valid	municipal hospital	6	8.6	8.6
	municipal maternity home	1	1.4	1.4
	777	63	90.0	90.0
	Total	70	100.0	100.0

EXM3Q4

What was the name of the first hospital you went

Question:

to?

		Frequency	Percent	Valid
		•		Percent
Valid	777	63	90.0	90.0
	Bhandup	2	2.9	2.9
	BMC	1	1.4	1.4
	Chembur Maternity Home	1	1.4	1.4
	Chembur naka	1	1.4	1.4
	Chembur Naka	1	1.4	1.4
	Savibribai Phule, Bhandup	1	1.4	1.4
	Total	70	100.0	100.0

Variable name:

EXM3Q5

Why did you not deliver in the first hospital that you went

Question:

to?

	<del></del>	Frequency	Percent	Valid
		-		Percent
Valid	referred	4	5.7	5.7
	not booked	3	4.3	4.3
	777	63	90.0	90.0
	Total	70	100.0	100.0

Variable name:

EXM3Q6

What was the other reason for not delivering in the first

Question:

hospital you went to?

		Frequency	Percent	Valid
				Percent
Valid	777	65	92.9	92.9
	anaemia/pih/bp?	1	1.4	1.4
	breech/liqor low	1	1.4	1.4
	high bp, not booked, premature	1	1.4	1.4
	referred 'may require lscs'	1	1.4	1.4
	very high bp	1	1.4	1.4
	Total	70	100.0	100.0

EXM3Q7

What day of the week was it when you went into hospital for your delivery?

Question:

		Frequency	Percent	Valid
				Percent
Valid	Monday	10	14.3	14.3
	Tuesday	9	12.9	12.9
	Wednesday	7	10.0	10.0
	Thursday	13	18.6	18.6
	Friday	6	8.6	8.6
	Saturday	17	24.3	24.3
	Sunday	8	11.4	11.4
	Total	70	100.0	100.0

Variable name:

EXM3Q8

Did you have any delays in getting to the hospital?

		Frequency	Percent	Valid
				Percent
Valid	no delays	50	71.4	71.4
	had to wait for husband	1	1.4	1.4
	had to wait for transport	2	2.9	2.9
	second hospital	6	8.6	8.6
	had to wait for other relative	3	4.3	4.3
	other	8	11.4	11.4
	Total	70	100.0	100.0

EXM3Q9

What were the other delays in getting to the

Question:

hospital?

		Frequency	Percent	Valid Percent
Valid		29	41.4	41.4
vand	12 hours at home h/a not full pains	1	41.4 1.4	1.4
	12 hours at home b/c not full pains		1.4	1.4
	2 hours through inefficiency/reg and dr	1 1	1.4	1.4
	3 days at home but pain only slight 777	16	22.9	22.9
			1.4	1.4
	arrived 12noon @ 1st then transferred, 3pm @ 2nd	1	1.4	1.4
	Arrived Chembur @ 20.30 & Rajaw. @ 23.45	1	1.4	1.4
	distance - staying with sister in law	1	1.4	1.4
	had to have sonography on arrival at 2nd hosp	1	1.4	1.4
	had to wait for father	1	1.4	1.4
	leaking but not recognised as problem so earl	1	1.4	1.4
	leaking for 24 hours but no pain, mother had high bp did not want to disturb her	1	1.4	1.4
	night time everyone asleep	1	1.4	1.4
	night time so thought wouldn't get a rickshaw so	1	1.4	1.4
	waited no fetal movts/sonog confirm/3pm 1st hosp/10pm 2nd	1	1.4	1.4
	no one at home to care for child had to wait	1	1.4	1.4
	no one to take her/nighttime/referred	1	1.4	1.4
	not know pains r	1	1.4	1.4
	pains stopped and started	1	1.4	1.4
	slight pain at first	1	1.4	1.4
	slight pain for 4 days, doctor said wait until	1	1.4	1.4
	stronger			
	slight pains for 3 days, came when they increased	1	1.4	1.4
	slight pains for 8-10 hours, came only when	1	1.4	1.4
	waters went			
	wait for brother	1	1.4	1.4
	wait for mother	1	1.4	1.4
	waters broke but no pain so did not present	1	1.4	1.4
	went home after referral, 2nd hospital long distance	1	1.4	1.4
_	Total	70	100.0	100.0

Variable name:

EXM3Q10

How long was it from what you thought were the first signs of labour until you left for the hospital?

		Frequency	Percent	Valid Percent
Valid	.00	6	8.6	8.6
	.10	1	1.4	1.4
	.30	3	4.3	4.3
	1.00	4	5.7	5.7
	1.30	4	5.7	5.7
	2.00	3	4.3	4.3
	2.30	1	1.4	1.4
	3.00	4	5.7	5.7
	3.15	1	1.4	1.4
	4.00	7	10.0	10.0
	4.30	1	1.4	1.4
	5.00	3	4.3	4.3
	6.00	2	2.9	2.9
	7.00	3	4.3	4.3
	8.00	3 3	4.3	4.3
	8.30	2	2.9	2.9
	9.00	1	1.4	1.4
	11.00	1	1.4	1.4
	12.00	5	7.1	7.1
	16.00	2	2.9	2.9
	23.00	1	1.4	1.4
	24.00	2	2.9	2.9
	27.30	1	1.4	1.4
	48.00	1	1.4	1.4
	56.00	1	1.4	1.4
	72.00	2	2.9	2.9
	96.00	2	2.9	2.9
	777.00	1	1.4	1.4
	don't remember	2	2.9	2.9
	Total	70	100.0	100.0

EXM3Q11A

Who made the decision that you should go to the hospital when you did go?

		Frequency	Percent	Valid
				Percent
Valid	me	29	41.4	41.4
	mother-in-law	2	2.9	2.9
	mother	19	27.1	27.1
	sister	2	2.9	2.9
	other female relative	3	4.3	4.3
	husband	12	17.1	17.1
	other male relative	1	1.4	1.4
	neighbour	1	1.4	1.4
	doctor	1	1.4	1.4
	Total	70	100.0	100.0

EXM3Q11B

Question:

Please specify if 'other'.

		Frequency	Percent	Valid
		-		Percent
Valid	777	68	97.1	97.1
	father	1	1.4	1.4
	grandmother	1	1.4	1.4
	Total	70	100.0	100.0

Variable name:

EXM3Q12

How long did it take from when you left to go

to hospital to when you arrived at the

Question:

hospital?

		Frequency	Percent	Valid
		•		Percent
Valid	.10	2	2.9	2.9
	.15	6	8.6	8.6
	.20	9	12.9	12.9
	.30	47	67.1	67.1
	.45	1	1.4	1.4
	1.00	5	7.1	7.1
	Total	70	100.0	100.0

Variable name:

EXM3Q13

Question:

How did you get to hospital?

		Frequency	Percent	Valid
		•		Percent
Valid	on foot	1	1.4	1.4
	auto rickshaw	69	98.6	98.6
	Total	70	100.0	100.0

EXM3Q14

Question:

Were you booked at this hospital?

		Frequency	Percent	Valid
				Percent
Valid	yes	63	90.0	90.0
	no	_ 7	10.0	10.0
	Total	70	100.0	100.0

Variable name:

EXM3Q15A

If no, were you booked for a delivery at another

Question:

hospital?

		Frequency	Percent	Valid
				Percent
Valid	municipal	7	10.0	10.0
	777	63	90.0	90.0
	Total	70	100.0	100.0

Variable name:

EXM3Q15B

Question:

What was the name of this other hospital?

		Frequency	Percent	Valid
		•		Percent
Valid		1	1.4	1.4
	777	62	88.6	88.6
	Bhandup	1	1.4	1.4
	Bhanup	1	1.4	1.4
	bmc	1	1.4	1.4
	chembur	2	2.9	2.9
	Chembur MH	1	1.4	1.4
	Savibribai Phule	1	1.4	1.4
	Total	70	100.0	100.0

Variable name:

EXM3Q16

Question:

Had you planned to deliver in this hospital?

		Frequency	Percent	Valid
				Percent
Valid	yes	63	90.0	90.0
	no	7	10.0	10.0
	Total	70	100.0	100.0

EXM3Q17A

Why did you plan to deliver at that particular

Question:

hospital? - Because it has a good reputation.

		Frequency	Percent	Valid
				Percent
Valid	yes	10	14.3	14.3
	2	60	85.7	85.7
	Total	70	100.0	100.0

Variable name:

EXM3Q17B

Why did you plan to deliver at that particular

Question:

hospital? - Because it was near by.

		Frequency	Percent	Valid
			_	Percent
Valid	yes	45	64.3	64.3
	no	25	35.7	35.7
	Total	70	100.0	100.0

Variable name:

EXM3Q17C

Why did you plan to deliver at that particular hospital? - Because it was recommended by

Question:

friends and relatives.

·		Frequency	Percent	Valid
		_		Percent
Valid	yes	12	17.1	17.1
	no	58	82.9	82.9
	Total	70	100.0	100.0

Variable name:

EXM3Q17D

Why did you plan to deliver at that particular hospital? - Because I have delivered here before?

Question:

		Frequency	Percent	Valid Percent
Valid	yes	10	14.3	14.3
	no	60	85.7	85.7
	Total	70	100.0	100.0

Variable name:

EXM3Q17E

Why did you plan to deliver at that particular

hospital? - Because I was told to by my

Question:

relatives.

		Frequency	Percent	Valid
				Percent
Valid	yes	4	5.7	5.7
	no	66	94.3	94.3
	Total	70	100.0	100.0

Variable name:

EXM3Q17F

Why did you plan to deliver at that particular hospital? - because I knew somebody who

worked there.

		Frequency	Percent	Valid
				Percent
Valid	yes	1	1.4	1.4
	no	69	98.6	98.6
	Total	70	100.0	100.0

EXM3Q17G

Why did you plan to deliver at that particular hospital? - Other reasons.

Question:

		Frequency	Percent	Valid
				Percent
Valid		41	58.6	58.6
	2	1	1.4	1.4
	777	8	11.4	11.4
	all people go to bmc hospitals	1	1.4	1.4
	best hospital	1	1.4	1.4
	big general good hospital	1	1.4	1.4
	BMC Hospital	1	1.4	1.4
	come here for minor ailments	1	1.4	1.4
	come here oth prbs	1	1.4	1.4
	free service	1	1.4	1.4
	good facility better than private	1	1.4	1.4
	good hospital	1	1.4	1.4
	I like it	1	1.4	1.4
	it is good	1	1.4	1.4
	last delivery hospital too far (municipal)	1	1.4	1.4
	like it	1	1.4	1.4
	likes it here	1	1.4	1.4
	money difficulties - wanted private	1	1.4	1.4
	mother lives in Mumbai now so access to hosp	1	1.4	1.4
	my mother delivered here	1	1.4	1.4
	no village hospital	1	1.4	1.4
	safe delivery	1	1.4	1.4
	TL by electricity ok	1	1.4	1.4
	Total	70	100.0	100.0

Variable name:

EXM3Q18

Question:

Why did you not deliver at a private hospital?

		Frequency	Percent	Valid
				Percent
Valid	cost	64	91.4	91.4
	do c-section too soon	1	1.4	1.4
	not good service at private	1	1.4	1.4
	wanted tubal ligation	1	1.4	1.4
	don't know	3	4.3	4.3
	Total	70	100.0	100.0

Variable name:

EXM3Q19A

Why did you plan to deliver at hospital rather than at home? - Because it is safer.

Question:

		Frequency	Percent	Valid
		-		Percent
Valid	yes	41	58.6	58.6
	no	28	40.0	40.0
	777	1	1.4	1.4
	Total	70	100.0	100.0

Variable name:

EXM3Q19B

Why did you plan to deliver at hospital rather than at home? - Because there is no-one to

Question:

attend to me at home.

		Frequency	Percent	Valid
				Percent
Valid	yes	33	47.1	47.1
	no	36	51.4	51.4
	777	1	1.4	1.4
	Total	70	100.0	100.0

Variable name:

EXM3Q19C

Why did you plan to deliver at hospital rather

Question:

than at home? - Because this is my first child.

		Frequency	Percent	Valid
				Percent
Valid	yes	2	2.9	2.9
	no	66	94.3	95.7
	777	1	1.4	1.4
	Total	69	98.6	100.0
Missing	System	1	1.4	
Total		70	100.0	

Variable name:

EXM3Q19D

# Why did you plan to deliver at hospital rather than at home? - Because of a previous complication.

Question:

		Frequency	Percent	Valid
			_	Percent
Valid	yes	5	7.1	7.1
	no	64	91.4	91.4
	7 <b>7</b> 7	1	1.4	1.4
	Total	70	100.0	100.0

Variable name:

EXM3Q19E

Why did you plan to deliver at hospital rather than at home? - Other reasons.

Question:

		Frequency	Percent	Valid Percent
Valid		37	52.9	52.9
	how to have a child at home?	1	1.4	1.4
	because first child died	1	1.4	1.4
	had to stay at in-laws to work so could not go to natal home	1	1.4	1.4
	home delivery problems (tear) and 2nd child died aged 2	1	1.4	1.4
	is good	1	1.4	1.4
	it is good to deliver in hospital	1	1.4	1.4
	many facilities	1	1.4	1.4
	more facilities at hosp	1	1.4	1.4
	mother in law not experienced	1	1.4	1.4
	mother in law too old to deliver	1	1.4	1.4
	necessary for good birth	1	1.4	1.4
	never delivered a child at home	1	1.4	1.4
	no birth certificate hme	1	1.4	1.4
	no facilities	1	1.4	1.4
	no idea how at hme	1	1.4	1.4
	no major problem why go to private	1	1.4	1.4
	none of my 5 children born at home	1	1.4	1.4
	not to face difficulty	1	1.4	1.4
	nothing available at home	1	1.4	1.4
	preferred hospital	1	1.4	1.4
	previous lscs	1	1.4	1.4
	scared at home	4	5.7	5.7
	scared, don't know how to deliver	1	1.4	1.4
	she was anaemic	1	1.4	1.4
	wanted tl	2	2.9	2.9
	wanted TL	1	1.4	1.4
	wanted to have baby at natal home but couldn't go	1	1.4	1.4
	there			
	who would see to me at home no facilities	1	1.4	1.4
	would at home if anm	1	1.4	1.4
	Total	70	100.0	100.0

Variable name:

How long did the strong labour pains go on for?

Question:

Valid Frequency Percent Percent Valid less than 2 hours 85.7 85.7 60 2-5 hours 5 7.1 7.1 1.4 don't know 1 1.4 5.7 777 4 5.7 Total 70 100.0 100.0

Variable name:

EXM3Q21

Question:

Who was the first person to examine you?

		Frequency	Percent	Valid
		-		Percent
Valid	doctor	42	60.0	60.0
	anm	25	35.7	35.7
	delivered straight away	1	1.4	1.4
	777	2	2.9	2.9
	Total	70	100.0	100.0

Variable name:

EXM3Q22A

When you arrived were any of the following

Question:

true? - Your waters had gone.

		Frequency	Percent	Valid
		-		Percent
Valid	yes	15	21.4	21.4
	no	40	57.1	57.1
	leaking	15	21.4	21.4
_	Total	70	100.0	100.0

Variable name:

EXM3Q22B

When you arrived were any of the following

Question:

true? - You were bleeding.

		Frequency	Percent	Valid Percent
Valid	yes	6	8.6	8.6
	no	64	91.4	91.4
	Total	70	100.0	100.0

Variable name:

EXM3Q22C

When you arrived were any of the following true? - You had been in labour for a very long

Question:

time that worried you or your family.

		Frequency	Percent	Valid
			_	Percent
Valid	yes	1	1.4	1.4
	no	69	98.6	98.6
	Total	70	100.0	100.0

Variable name:

EXM3Q22D

When you arrived were any of the following

Question:

true? - You had recently had a fit

		Frequency	Percent	Valid
				Percent
Valid	no	70	100.0	100.0

Variable name:

EXM3Q22E

When you arrived were any of the following

Question:

true? - You had recently blacked out.

		Frequency	Percent	Valid
			_	Percent
Valid	no	70	100.0	100.0

Variable name:

EXM3Q22F

When you arrived were any of the following

true? - You had not felt the baby move for a

Question:

long time.

-		Frequency	Percent	Valid
				Percent
Valid	yes	3	4.3	4.3
	no	67	95.7	95.7
	Total	70	100.0	100.0

Variable name:

EXM3Q23A

## Which of the following happened during your first examination? - Pubic hair shaved

#### Question:

<del></del>		Frequency	Percent	Valid
		1		Percent
Valid	yes	48	68.6	68.6
	no	6	8.6	8.6
	shaved at home	9	12.9	12.9
	no hair	1	1.4	1.4
	delivered to quickly after arrival	6	8.6	8.6
	Total	70	100.0	100.0

Variable name:

EXM3Q23B

Which of the following happened during your

Question:

first examination? - Given an enema

		Frequency	Percent	Valid
				Percent
Valid	yes	37	52.9	52.9
	no	27	38.6	38.6
	delivered too quickly after arrival	6	8.6	8.6
	Total	70	100.0	100.0

Variable name:

EXM3Q23C

Which of the following happened during your first examination? - Vaginal examination (how

Question:

many).

_		Frequency	Percent	Valid Percent
Valid	0	5	7.1	7.1
	1	28	40.0	40.0
	2	16	22.9	22.9
	3	11	15.7	15.7
	4	6	8.6	8.6
	5	1	1.4	1.4
	6	1	1.4	1.4
	delivered too quickly for any	2	2.9	2.9
	Total	70	100.0	100.0

Variable name:

EXM3Q23D

# Which of the following happened during your first examination? - Blood pressure checked.

#### Question:

		Frequency	Percent	Valid
				Percent
Valid	yes	25	35.7	44.6
	no	14	20.0	25.0
	999	17	24.3	30.4
	Total	56	80.0	100.0
Missing	888	1	1.4	
	System	13	18.6	
	Total	14	20.0	
Total		70	100.0	

Variable name:

EXM3Q24

Were you attended to by a doctor during your

Question:

labour?

_		Frequency	Percent	Valid
		_		Percent
Valid	yes	39	55.7	56.5
	no	27	38.6	39.1
	777	1	1.4	1.4
	delivered too quickly/no one	2	2.9	2.9
	Total	69	98.6	100.0
Missing	System	1	1.4 _	
Total		70	100.0	

Variable name:

EXM3Q25

Were you attended to by an ANM during your

Question:

labour?

		Frequency	Percent	Valid
				Percent
Valid	yes	67	95.7	97.1
	no	1	1.4	1.4
	777	1	1.4	1.4
	Total	69	98.6	100.0
Missing	System	1	1.4	

Variable name:

#### Were you attended to by a doctor during your delivery?

Question:

	-	Frequency	Percent	Valid
		1		Percent
Valid	yes	39	55.7	56.5
	no	30	42.9	43.5
	Total	69	98.6	100.0
Missing	System	1	1.4	
Total		70	100.0	•

Variable name:

EXM3Q27

Question:

Was the Doctor a man or a woman?

		Frequency	Percent	Valid
				Percent
Valid	man	20	28.6	28.6
	woman	23	32.9	32.9
	777	24	34.3	34.3
	999	3	4.3	4.3
	Total	70	100.0	100.0

Variable name:

EXM3Q28

Were you attended to by an ANM/sister during your delivery?

		Frequency	Percent	Valid
				Percent
Valid	0	1	1.4	1.5
	yes	65	92.9	95.6
	2	2	2.9	2.9
	Total	68	97.1	100.0
Missing	System	2	2.9	
Total		70	100.0	

EXM3Q29A

How did you feel about the state of the bed

you were given whilst in the waiting/labour

Question:

room?

		Frequency	Percent	Valid
				Percent
Valid	clean	3	4.3	7.7
	dirty	3	4.3	7.7
	expressed no opinion	33	47.1	84.6
	Total	39	55.7	100.0
Missing	System	31	44.3	_
Total		70	100.0	

Variable name:

EXM3Q29B

Did you feel that the waiting/labour room was

Question:

crowded?

	·	Frequency	Percent	Valid
				Percent
Valid	no	3	4.3	7.7
	no opinion	36	51.4	92.3
	Total	39	55.7	100.0
Missing	System	31	44.3	
Total	- 100 -	70	100.0	

Variable name:

EXM3Q29C

How did you feel about the airiness of the

Question:

waiting/labour room?

		Frequency	Percent	Valid
				Percent
Valid	no opinion	39	55.7	100.0
Missing	System	31	44.3	
Total		70	100.0	

Variable name:

# Do any of the following describe your treatment by doctors/ANM during labour and delivery?

Question:

		Frequency	Percent	Valid
		-		Percent
Valid	generally positive	33	47.1	86.8
	generally negative	5	7.1	13.2
	Total	38	54.3	100.0
Missing	System	32	45.7	
Total	-	70	100.0	

Variable name:

EXM3Q31

Question:

Were you slapped by anyone?

		Frequency	Percent	Valid
		-		Percent
Valid	yes by a doctor	1	1.4	2.6
	yes by an anm/sister	36	51.4	94.7
	no	1	1.4	2.6
	Total	38	54.3	100.0
Missing	System	32	45.7	
Total	-	70	100.0	

Variable name:

EXM3Q32

Question:

Were you shouted at by the sister/ANM

		Frequency	Percent	Valid
		•		Percent
Valid	yes	3	4.3	7.9
	no	34	48.6	89.5
	yes by ayabai	1	1.4	2.6
	Total	38	54.3	100.0
Missing	System	32	45.7	
Total		70	100.0	

Variable name:

Question:

Were you shouted at by the doctor?

		Frequency	Percent	Valid Percent
Valid	yes	1	1.4	2.6
	no	37	52.9	97.4
	Total	38	54.3	100.0
Missing	System	32	45.7	
Total		70	100.0	

Variable name:

EXM3Q34

Would you have liked any of the above to have been with you during labour that was

Question:

not with you?

	-	Frequency	Percent	Valid
				Percent
Valid	mother	37	52.9	53.6
	mother-in-law	4	5.7	5.8
	my sister	3	4.3	4.3
	other female relative	1	1.4	1.4
	husband	10	14.3	14.5
	no one else	12	17.1	17.4
	777	2	2.9	2.9
	Total	69	98.6	100.0
Missing	888	1	1.4	
Total		70	100.0	

Variable name:

EXM3Q35

Question:

Why were they not with you?

		Frequency	Percent	Valid
				Percent
Valid	not allowed by hospital	56	80.0	81.2
	777	13	18.6	18.8
	Total	69	98.6	100.0
Missing	888	1	1.4	
Total		70	100.0	

Variable name:

Was anyone waiting for you outside the labour room in (or just outside) the hospital until you had delivered?

Question:

		Frequency	Percent	Valid Percent
Valid	yes	68	97.1	98.6
	no	1	1.4	1.4
	Total	69	98.6	100.0
Missing	888	1	1.4	
Total		70	100.0	

Variable name:

EXM3Q37

What was the other reason for them not

Question:

being with you?

		Frequency	Percent	Valid
				Percent
Valid		1	1.4	1.4
	777	67	95.7	95.7
	888	1	1.4	1.4
	looking after kids	1	1.4	1.4
	Total	70	100.0	100.0

Variable name:

EXM2Q38A

Who was that person who was waiting for

Question:

you? - Mother.

		Frequency	Percent	Valid
				Percent
Valid	yes	34	48.6	49.3
	no	35	50.0	50.7
	Total	69	98.6	100.0
Missing	888	1	1.4	
Total		70	100.0	

Variable name:

EXM3Q38B

Who was that person who was waiting for you? - Mother-in-law.

Question:

Frequency Percent Valid Percent Valid 8 11.6 yes 11.4 88.4 61 87.1 no Total 100.0 69 98.6 Missing 888 1.4 Total 70 100.0

Variable name:

EXM3Q38C

Who was that person who was waiting for

Question:

you? - Husband.

		Frequency	Percent	Valid
				Percent
Valid	yes	39	55.7	56.5
	no	30	42.9	43.5
	Total	<b>6</b> 9	98.6	100.0
Missing	888	1	1.4	
Total		70	100.0	

Variable name:

EXM3Q38D

Who was that person who was waiting for

Question:

you? - Other female relative.

		Frequency	Percent	Valid
				Percent
Valid	yes	20	28.6	29.0
	no	<b>4</b> 9	70.0	71.0
	Total	69	98.6	100.0
Missing	888	1	1.4	
Total		70	100.0	

Variable name:

EXM3Q38E

Who was that person who was waiting for you? - Other male relative.

Question:

		Frequency	Percent	Valid Percent
Valid	yes	21	30.0	30.4
	no	48	68.6	69.6
	Total	69	98.6	100.0
Missing	888	1	1.4	
Total		70	100.0	

Variable name:

EXM3Q38F

Who was that person who was waiting for

Question:

you? - Friend or neighbour.

		Frequency	Percent	Valid Percent
Valid	yes	6	8.6	8.7
	no	63	90.0	91.3
	Total	69	98.6	100.0
Missing	888	1	1.4	
Total		70	100.0	

Variable name:

EXM3Q39

Did the person who attended you most in labour and delivery explain to you clearly

Question:

what was happening?

		Frequency	Percent	Valid
		•		Percent
Valid	yes	4	5.7	5.7
	to some extent	37	52.9	52.9
	no not really/bit confused	27	38.6	38.6
	no opinion	1	1.4	1.4
	no, did not know baby dead until born, don't	1	1.4	1.4
	know why died			
	Total	70	100.0	100.0

Variable name:

Was anything done to relieve the pain of labour?

Question:

		Frequency	Percent	Valid
				Percent
Valid	nothing	68	97.1	97.1
	777	2	2.9	2.9
	Total	70	100.0	100.0

Variable name:

EXM3Q41

Was anything done to speed up or bring on

Question:

labour?

		Frequency	Percent	Valid
				Percent
Valid	injection	11	15.7	15.7
	drip	14	20.0	20.0
	no	44	62.9	62.9
	777	1	1.4	1.4
	Total	70	100.0	100.0

Variable name:

EXM3Q42

Question:

How many injections were you given?

		Frequency	Percent	Valid
				Percent
Valid	1	10	14.3	14.5
	2	1	1.4	1.4
	3	2	2.9	2.9
	777	56	80.0	81.2
	Total	69	98.6	100.0
Missing	System	1	1.4	
Total		70	100.0	

Variable name:

Were instruments used to help the baby out, or did the baby arrive by itself?

Question:

		Frequency	Percent	Valid
				Percent
Valid	yes	2	2.9	2.9
	no	64	91.4	91.4
	c-section	3	4.3	4.3
	777	1	1.4	1.4
	Total	70	100.0	100.0

Variable name:

EXM3Q44

Was anything else done to help the baby

Question:

out?

		Frequency	Percent	Valid
				Percent
Valid	no	61	87.1	87.1
	fundal pressure	2	2.9	2.9
	c-section	3	4.3	4.3
	bore down myself	1	1.4	1.4
	pulled baby	2	2.9	2.9
	777	1	1.4	1.4
	Total	70	100.0	100.0

Variable name:

EXM3Q45

Question:

What part of the baby came out first?

		Frequency	Percent	Valid
				Percent
Valid	head	64	91.4	91.4
	other	2	2.9	2.9
	c-section	2	2.9	2.9
	777	2	2.9	2.9
	Total	70	100.0	100.0

Variable name:

# What position were you in when you delivered your baby?

Question:

		Frequency	Percent	Valid
		•		Percent
Valid	lying on back	68	97.1	97.1
	other	1	1.4	1.4
	777	1	1.4	1.4
	Total	70	100.0	100.0

Variable name:

EXM3Q47

Question:

Did the placenta come out by itself?

		Frequency	Percent	Valid
				Percent
Valid	yes	34	48.6	48.6
	no	31	44.3	44.3
	don't know	1	1.4	1.4
	c-section	3	4.3	4.3
	777	1	1.4	1.4
	Total	70	100.0	100.0

Variable name:

EXM3Q48

Question:

What was done to remove it?

•		Frequency	Percent	Valid
			_	Percent
Valid	pulled by cord	24	34.3	34.3
	abdominal massage	7	10.0	10.0
	777	39	55.7	55.7
·	Total	70	100.0	100.0

Variable name:

EXM3Q49

Was your uterus examined internally after the delivery of the placenta?

		Frequency	Percent	Valid
			_	Percent
Valid	yes	42	60.0	60.0
	no	23	32.9	32.9
	3	1	1.4	1.4
	777	4	5.7	5.7
	Total	70	100.0	100.0

EXM3Q50

When you delivered did you bleed so much

Question:

that you were afraid you might die?

		Frequency	Percent	Valid Percent
Valid	yes, scared but did not think would die	7	10.0	12.1
	yes, so much thought I would die	1	1.4	1.7
	no or not significantly	48	68.6	82.8
	777	2	2.9	3.4
	Total	58	82.9	100.0
Missing	System	12	17. <u>1</u>	
Total		70	100.0	

Variable name:

EXM3Q51

If you bled lots did you have an injection after

Question:

delivery?

		Frequency	Percent	Valid
		Trequency	1 0100	Percent
Valid	yes	7	10.0	38.9
	no	1	1.4	5.6
	777	10	14.3	55.6
	Total	18	25.7	100.0
Missing	System	52	74.3	
Total		70	100.0	

Variable name:

EXM3Q52

If a C-section, was the cut across your body

Question:

or downwards?

		Frequency	Percent	Valid
			_	Percent
Valid	across	4	5.7	100.0
Missing	System	66	94.3	
Total		70	100.0	

Variable name:

If you have previously had a C-section what is the direction of the scar?

Question:

		Frequency	Percent	Valid
				Percent
Valid	across	1	1.4	50.0
	down	1	1.4	50.0
	Total	2	2.9	100.0
Missing	System	68	97.1	
Total		70	100.0	

Variable name:

EXM3Q54

Where was the previous C-section

Question:

performed?

		Frequency	Percent	Valid
		•		Percent
Valid	private	2	2.9	100.0
Missing	System	68	97.1	
Total		70	100.0	

Variable name:

EXM3Q55

If you were given a C-section in this delivery,

Question:

was it painful?

		Frequency	Percent	Valid
				Percent
Valid	yes	2	2.9	50.0
	no	2	2.9	50.0
	Total	4	5.7	100.0
Missing	System	66	94.3	
Total		70	100.0	

Variable name:

EXM3Q56

Question:

Was it painful when you had your stitches?

		Frequency	Percent	Valid
				Percent
Valid	no stitches	38	54.3	54.3
	very painful	19	27.1	27.1
	uncomfortable	6	8.6	8.6
	no	2	2.9	2.9
	C-section	2	2.9	2.9
	777	3	4.3	4.3
	Total	70	100.0	100.0

EXM3Q57

Did you know the sex of the baby before you

Question:

delivered?

		Frequency	Percent	Valid
				Percent
Valid	yes	68	97.1	98.6
	no	1	1.4	1.4
	Total	69	98.6	100.0
Missing	888	1	1.4	
Total		70	100.0	

Variable name:

EXM3Q58

Question:

If yes, how did you know?

		Frequency	Percent	Valid
				Percent
Valid	sonography at municipal facility in Mumbai	1	1.4	20.0
	sonography in private in Mumbai	2	2.9	40.0
	sonography in municipal facility outside	1	1.4	20.0
	Mumbai			
	sonography at charitable facility (Lions Club)	1	1.4	20.0
	Total	5	7.1	100.0
Missing	System	65	92.9	
Total		70	100.0	

Variable name:

EXM3Q59

Do you think your baby is of big, medium or

Question:

small size?

		Frequency	Percent	Valid Percent
Valid	big	3	4.3	4.3
	medium	55	78.6	78.6
	small	7	10.0	10.0
	very small	2	2.9	2.9
	999	3	4.3	4.3
	Total	70	100.0	100.0

Variable name:

How long was it after the birth that they handed the baby to you?

Question:

		Frequency	Percent	Valid Percent
Valid	0:00	2	2.9	3.0
	0:30	15	21.4	22.7
	0:45	2	2.9	3.0
	1:00	21	30.0	31.8
	1:30	4	5.7	6.1
	2:00	12	17.1	18.2
	2:30	3	4.3	4.5
	3:00	5	7.1	7.6
	3:15	1	1.4	1.5
	5:00	1	1.4	1.5
	Total	66	94.3	100.0
Missing	System	4	5.7	
Total		70	100.0	

Variable name:

EXM3Q61

Do you know why you and your baby were separated for that long?

Question:

		Frequency	Percent	Valid
				Percent
Valid	no, not sure	6	8.6	14.6
	to clean/check baby	22	31.4	53.7
	baby was not well	1	1.4	2.4
	suturing and to clean baby	4	5.7	9.8
	bleeding/injection	1	1.4	2.4
	777	5	7.1	12.2
	999	2	2.9	4.9
	Total	41	58.6	100.0
Missing	System	29	41.4	
Total		70	100.0	

Variable name:

How long after the delivery did you put the baby to your breast?

Question:

	Frequency	Percent	Valid Percent
Valid .00	1	1.4	1.4
.30	3	4.3	4.3
.45	2	2.9	2.9
1.00	18	25.7	25.7
1.30	5	7.1	7.1
2.00	10	14.3	14.3
2.30	1	1.4	1.4
3.00	6	8.6	8.6
3.15	1	1.4	1.4
4.00	1	1.4	1.4
4.30	1	1.4	1.4
5.00	1	1.4	1.4
6.30	1	1.4	1.4
7.00	3	4.3	4.3
7.30	1	1.4	1.4
8.00	2	2.9	2.9
10.00	1	1.4	1.4
11.40	1	1.4	1.4
12.00	4	5.7	5.7
20.00	1	1.4	1.4
24.00	1	1.4	1.4
48.00	1	1.4	1.4
62.00	1	1.4	1.4
777.00	3	4.3	4.3
Total	70	100.0	100.0

Variable name:

EXM3Q63

Why did you not breastfeed sooner than you

Question:

did?

		Frequency	Percent	Valid Percent
Valid	no milk	5	7.1	23.8
	baby sleeping	10	14.3	47.6
	baby unwell	1	1.4	4.8
	did not know could feed colostrum until rounds	1	1.4	4.8
	separated from baby	1	1.4	4.8
	777	3	4.3	14.3
	Total	21	30.0	100.0
Missing	System	49	70.0	
Total		70	100.0	_

EXM3Q64

Have you given your baby anything else to

Question:

eat drink?

		Frequency	Percent	Valid
				Percent
Valid	no	10	14.3	14.9
	sugar water	50	71.4	74.6
	water	4	5.7	6.0
	777	3	4.3	4.5
	Total	67	95.7	100.0
Missing	System	3	4.3	
Total		70	100.0	

Variable name:

EXM3Q65

Question:

How did you know how to breastfeed?

		Frequency	Percent	Valid
		• •		Percent
Valid	came naturally	3	4.3	4.3
	had baby before	34	48.6	48.6
	anm/sister showed me	21	30.0	30.0
	by seeing other people	1	1.4	1.4
	mother/other relative showed me	5	7.1	7.1
	antenatal slides/cassettes	2	2.9	2.9
	other mother showed me	1	1.4	1.4
	777	3	4.3	4.3
	Total	70	100.0	100.0

Variable name:

EXM3Q66

Were you offered any bottled/cows milk for

Question:

your baby?

		Frequency	Percent	Valid Percent
Valid	yes	1	1.4	1.4
	no	66	94.3	94.3
	777	3	4.3	4.3
	Total	70	100.0	100.0

Variable name:

EXM3Q67

Question:

If yes, why was that?

		Frequency	Percent	Valid Percent
Valid	not enough milk & baby hungry	1	1.4	1.4
	777	69	98.6	98.6
	Total	70	100.0	100.0

EXM3Q68

Do you want to have another baby? After

Question:

How many years?

		Frequency	Percent	Valid
				Percent
Valid	1.0	2	2.9	2.9
	2.0	4	5.7	5.8
	2.5	6	8.6	8.7
	3.0	7	10.0	10.1
	3.5	2	2.9	2.9
	4.0	1	1.4	1.4
	5.0	2	2.9	2.9
	5.5	2	2.9	2.9
	haven't thought yet	5	7.1	7.2
	777.0	21	30.0	30.4
	don't want any more/or want one soon	17	24.3	24.6
	Total	69	98.6	100.0
Missing	888.0	1	1.4	
Total		70	100.0	

Variable name:

EXM3Q69

Question:

What sort of contraception will you use?

		Frequency	Percent	Valid Percent
Valid	tubal ligation	30	42.9	42.9
	copper t/iud	4	5.7	5.7
	oral contraceptive	3	4.3	4.3
	don't know yet	22	31.4	31.4
	don't want to use contraceptive	2	2.9	2.9
	no husband	2	2.9	2.9
	want child soon	1	1.4	1.4
	777	4	5.7	5.7
	888	1	1.4	1.4
	999	1	1.4	1.4
	Total	70	100.0	100.0

Variable name:

Did you have a sonography during this pregnancy? If so how much did this cost?

Question:

		Frequency	Percent	Valid Percent
Valid	free - husband works there	1	1.4	1.4
v and	50	20	28.6	29.0
	100	2	2.9	2.9
	150	5	7.1	7.2
	200	1	1.4	1.4
	250	12	17.1	17.4
	300	1	1.4	1.4
	350	8	11.4	11.6
	450	2	2.9	2.9
	no sonography	17	24.3	24.6
	Total	69	98.6	100.0
Missing	System	1	1.4	
Total		70	100.0	

Variable name:

EXM3Q71

Question:

Did you have a second sonography during this pregnancy? If so how much did this cost?

		Frequency	Percent	Valid
		•		Percent
Valid	0	1	1.4	20.0
	250	2	2.9	40.0
	350	2	2.9	40.0
	Total	5	7.1	100.0
Missing	System	65	92.9	
Total		70	100.0	

## MUMBAI SAFE MOTHERHOOD STUDY PART II

**QUALITY INVENTORIES** 

## Institutional Delivery – Municipal and Private Situation Analysis

• Whenever possible enter the source (even if there is more than one source) of your information.

Nar	ne of Hosptial/Nursing Home	<u>Chembur</u> <u>Date</u>	
No	QUESTIONS	RESPONSES	NOTES
Del	iveries		
1	What is the average number of deliveries in hosptial/ward X?	Average number of deliveries	
	·	Per week	
		Per Month 225	
	Use last complete year March 1997-April 1998 as reference	Per Year(cross check with previous questions)	
2	What is the average percentage of births delivered by caeasrean section in hospital/ward X?	Average % per month	Hardly any- perhaps one per year, and this is almost certainly an elective- all suspected
	Use last complete year March 1997-April 1998 as reference	Average % per year	complications are transferred.
Sta	ff		
3	Who is the person responsible for the overall running of the maternity wards/hospital?	Position <u>Medical Officer</u> Name	

No	QUESTIONS	RESPONSES	NOTES
4	What is the total number staff employed by the hospital to work on the maternity ward per shift?	Number 27	16 midwives conduct deliveries (4 on morning shift, 2 for other two shifts) 1 staff nurse to assist with operations (do
			lots of tubal ligations, and some MTP)  1 sister in charge 1 paediatrician 1 gynaecologist/obstetri cian (who works in
			two hospitals) 1 medical officer (resident in maternity home) 2 operating theatre attendants (for
			morning shift operations) 2 sweepers 2 ayabais 27 staff in total

No	QUESTIONS	RESPONSES				NOTES
No 5	Please give a break down of a normal compliment of staff on labour and delivery wards by grading, length of shift and monthly pay in Rs.  If mixed in with post natal ward combine—but try and get an idea of how many are available to assist women in labour.	SISTER IN CHARGE MIDWIVES ANMs STAFF NURSE HOUSE SURGEON REGISTRAR MEDICAL OFFICER GYNAE/OBSTET LECTURER HONORARY ASS. HONORARY ANAETHETISTS	NUMBER	NORMAL SHIFT  1  16 11 1/2  1 1/2  1	MONTHLY PAY 11-12000 8-9000 9-10000 4100	NOTES
		PAEDIATRICIAN RECEPTIONIST SWEEPERS AYABAIS MALE ATTENDANTS		1/2	500	

No	QUESTIONS	RESPONSES	NOTES			
Infr	nfrastructure/Equipment					
6	In total, how many maternity beds are there in the building?	Examination room/s 5 Vaiting room/labour ward 1 Delivery Room 2	(not including, waiting room			
		Operating Theatre 1 Post Natal ward/s 25 Private rooms Room for cases of hypertension Total 30	delivery room or operating theatre)			
7	Briefly describe physical layout of maternity wards? (eg. Number of rooms, number of operating theatres, number of delivery rooms, private rooms)  If possible draw brief sketch of layout	The waiting room/labour room is to the left, separate from the post natal wards and close to delivery room. Operating theatre and sterilisation room on same side. To the right is a big room separated by low walls and bars/partitions – quite dark – beds very close together. Split into labour ward (five beds with basin in this part of room and toilets close by). The next section is the post partum room – for women who delivered within one day and the next part is for women who deliver 2 days ago.				
8	Who do women usually see first when they arrive at the maternity wing?	State position/s: ANM				
9	Who is responsible for all new admissions?					
10	Usually, who is the first person to examine a woman presenting at the maternity wing?	MIDWIFE / ANM ON DUTY				
11	Examination Room How many handbasins are there in this/these rooms?	Number of handbasins in room1				

No	QUESTIONS	RESPONSES	NOTES
12	Labour Room How many handbasins are there in this/these rooms?	Number of handbasins in room1	
13	Delivery Room How many handbasins are there in this/these rooms?	Number of handbasins in room1	
14	Operating Theatre How many handbasins are there in this/these rooms?	Number of handbasins in room1	
15	Post natal ward/rooms How many handbasins are there in this/these rooms?	Number of handbasins in room1	
16	Is there soap/disinfectant available at each handbasin?  Select appropriate response	Yes, all of them X Yes, some of them Yes, only a few of them No, none of them	
17	Are there curtains/blinds that can be put around beds to maintain privacy during examination? Select appropriate response	Yes, enough for every bed Yes, enough for some beds Yes, but very few No, none at all X	
18	Are these curtains/blinds used for every examination?	No, not for every examination Yes, it appears so	
	Take examination to mean then a women is in labour and she is being physically examined (either internally or externally) by a member of staff)		

No	QUESTIONS	RESPONSES	NOTES
19	How many toilets are there available to	Number of toilets	
l	women in labour?		
		In labour2	
	How many toilets are there available to		
	women in post natal wards	Post natal 2	
20	How would you describe the toilets?	Very Quite Average Poor	
		Convenient X	
	Select appropriate responses	Clean X	
21	How many handbasins are there attached to	Total number of handbasins 1	
	the toilets?		
22	Do all the handbasins have soap easily	Yes X	
	available?	No, only a few	
	Select appropriate response	No, none at all	
23	Who is primarily responsible for the	State position/s	
	running of the labour room/s?		
24	Are all beds in labour room/delivery room	Labour Room Delivery Room	
	accessible from both sides?	Yes, all of them X X	
		Yes, some of them	
		Yes, but only a few	
	Select appropriate responses	No, none at all (one side only)	

No	QUESTIONS	RESPONSES	NOTES
25	How would you rate the level of privacy	Good	Compared
	afforded a woman in labour? (i.e. well-	Reasonable X	to other
	shielded from other women during labour ,if	Not very good X	places not
	desired, vs no means of covering/providing	Poor	bad –
	private space for labouring woman)		examination
	Select appropriate response		room
			slightly
1			separate
		l ·	from other
			rooms and
			labour ward
			partitioned
			off from rest
			of ward –
			although
			you can see
			through
			partition it
			is not very
			exposed
Del	livery Room and Equipment		
26	Is the delivery room the same room as the	Yes	
	labour room?	No X	
	Select appropriate response	Sometimes	

<b>Equiptment Roster</b>			
Question 27	CHECK EQUIPMENT AVAILABLE FOR HOSPITAL STAFF (if not able to do this in detail run through list with staff member responsible for stock checks and get an idea if usually in stock, no problem with supplies, sometimes problems with supplies or not kept in stock)	QUANTITY/UNITS  Usually in stock No supply problems Occassional supply problems Frequent supply problems Not routinely kept in stock	comments  eg. Stocks low/broken/por quality/visibly not clean/sterile
Equipment	a) Vacuum extractor	a)	a)
•	b) IV infusion sets	(b)	(b)
	c) IV fluids	c)	(c)
	d) Ovum forceps	d)	d)
	e) Vaginal speculum	e)	e)
	f) Artery forceps	f)	f)
	g) Needles	(g)	(g)
	h) Sutures	h)	h)
	i) Syringes	i)	i)
	j) Scissors	j)	<b>j</b> )
	k)Curette	k)	k)
	1) Sphygomomanometer	1)	1)
	m) Suction equipment Note how easily accessible m, n & o are in different areas	m)	m)
	n) Defilbrillator	n)	n)
	o) Intubator equipment	0)	0)

	EQUIPMENT AVAILABLE FOR HOSPITAL STAFF	QUANTITY/UNITS	COMMENTS
Key Drugs	a) Oxytocics	a)	a)
	b) Anticonvulsants	b)	b)
	c) Procaine Penicillin	c)	c)
	d) Crystalline Penicillin	d)	d)
	e) Gentamycin	e)	e)
	f) Metronidazole	f)	f)
	g) Ampicillin	g)	g)
	h) Local anaesthetics	h)	h)
	i) General anaesthetics	i)	i)
	j) Oxygen	j)	j)
	k) Adrenaline	k)	k)
	1) Epinephine	1)	1)
Laboratory Equipment	a) Microscope	a)	a)
	b) Test-tubes	b)	b)
	c) Slides	c)	(c)
Blood Bank	a) Blood bags	a)	a)
	b) Anti-sera	(b)	b)
	c) Storage capacity	c)	(c)
	(d)		
<b>Operating Theatre</b>	a) Caeasrean section		
	b) Laparotomy set		
	c) Neo-natal intubation set		
	d)		

TYPE	COMMENTS
Sterilisation Procedure	
Note procedure -delays in	
getting sterile equipment	
back? – enough sets?	
Blood Supplies	
Briefly describe	
stock/procedures for	
replenishing supplies etc	

No	QUESTIONS	RESPONSES			
Ma	Management Information System Stationary/Forms				
28	What information is routinely collected and stored by	Detail (note time stored eg. Past five years)			
	the hospital about each admission/delivery?	Booked/unbooked			
	-	Date of admission Time of admission			
	If possible copy forms	Name of woman			
	(NB: information here is replicated from proformas used	Address			
	at Chembur, these are standard for all municipal	Age in completed years			
	hospitals)	Parity			
		Number of children alive			
		Length of labour			
		Complication –diagnosis			
		Treatment given			
		Surgical intervention on delivery			
		- Forceps/vacuum extractor/c-section/episiotomy			
		Treatment given			
		Weight of baby			
		Condition of baby at birth			
		Condition of mother at birth			
		Sex of baby			
		Condition of perineum			
		Post-natal complications			

No	QUESTIONS	RESPONSES	NOTES
29	Does the facility maintain patient records throughout labour and delivery?  Request tenplate as below - detail what is required by hospital and/or what is done, observe examples	Yes, comprehensive X Yes, basic X Only in complicated cases No, not routinely	As they generally only deliver non complicated deliveries notes are relatively complete (BP, Temp, etc)
30	Does the facility keep a copy of these records or give them to the woman on discharge? Select as appropriate	Yes, keeps a copy Yes gives them to the woman Both Neither	As with others woman goes away with discharge card
31	What kinds of record keeping systems exist in the hospital/wards?  Take examples of forms/tenplates if possible		Refer to Q28
32	Is there some kind of 'Facility Data Summary Form' ie. A form that records obstetric complications on a monthly basis? Request template for above	Yes X No	As with others – details of complications not clear
33	Who is responsible for ensuring that these records are accurately maintained?	State position/s: _Sister in Charge No one:	
34	How many C-sections were performed over last 3 yrs?  Note total deliveries for these periods if possible -full 12 month periods		Refer to hospital records
35	What number/percentage of C-sections are performed under general anasthetic or epidural/spinal? Clarify whether percentage or number: note data source		Prefer spinal
36	What percentage/number of C-sections performed in this hospital are elective?  That is not emergency C-sections – performed before labour has begun and for which woman has been prepared.	Number/percentage (clarify)  On average annually (verbal estimate)	Refer to hospital records

No	QUESTIONS	RESPONSES	NOTES
37	How many 'emergency cases' do you deal with on	Refer to hospital records	All high risk cases and unbooked
	average each week?		women refered
	Emergency refers to a situation regarded as potentially life		
	threatening by senior obstetrician – for which specialist medical		
	attention is required and which cannot be handled by midwives		
	and junior doctors alone.		

No	QUESTIONS	RESPON	SES		NOTES
	edures, policies and guidelines				1,0120
38	Which of the following procedures would you say are	Routinely	Most of the time	Some of the	Never
	applicable to the management of labour in this			time	
	hospital?				
	a) Use of enema	X			
	b) Pubic shaving (for non C-section delivery)	X			
	c) Use of intravenous infusion			X	
	d) Use of prophylactic insertion of intravenous cannula			X	
	e) Use of supine position during labour				
	f) Rectal examination				
	g) Xray pelvimetry				
	h) Use of lithotomy position with or without strirrups for				
	delivery (probe if routine – why do they prefer this?)	X			
	i) Sustained, directed bearing down movements				
	(valsalva manoeuvere) during second stage labour	X			
	j) The use of oral tablets of ergometrine in the third				
	stage of labour to prevent or control haemorrhage				
	k) Lavage of the uterus after delivery				
	1) Revision (manual exploration) of uterus after delivery			X	
	m) The use of third stage oxytocic drug?	X			
	n) Vertical caesarean cut (navel down)				
	o) Horizontal caesarean cut				
	p) Rhesus Blood Test (note when used)				
	q) Episiotomy for first births	X			
	r) Episiotomy for subsequent births (probe)			X	
	If routine for any group ask why – and probe explanation.				
	s) Use of magnesium sulphate for preeclampsia – drug of				
	first choice?				

No	QUESTIONS	RESPONSES	NOTES
39	Is blood testing available on site or outside the	On site X	
	hospital premises?	Outside hospital (give details)	
40	How long does it usually take to receive the results of		Not verified
	a routine blood test (eg. Hb levels)?	Minutes X X	
	How long does it usually take to receive the results of	Hours	
	a Rhesus Test?	Days	
41	In the case an emergency how long does it usually	HB Rhesus Typing	Not verified
	take to receive the results of a blood test (eg. Typing	Minutes X	
	and Hb)	Hours	
		Days	
		Comment on blood	_
42	Are blood testing facilities available on a 24 hour	Yes	only during
	basis?	No (detail) X	normal working
			hours
43	Are blood supplies available on a 24 hour basis?	Yes	
		No (detail) X	
44	Do you ask women who you believe to be at risk of a	Yes	transfer woman
	complication to arrange make blood available for	No X	
	her confinement?		

No	QUESTIONS	RESPONSES	NOTES
45	Is anasthesia (and someone to administer it) available on a 24 hour basis?	Yes	in theory can call on anaesthetists
	Probe availability of anaethetists	No (detail) X	but the fee is so low little motivation to come so very difficult – better to transfer
46	Is the baby routinely taken away from the mother	Apgar checked by paediatrician/staff nurse	patient
	directly after birth for any of the following?	Cleaning X Other reasons suturing/if jaundiced/if problem and needs to be transferred	
47	Is early (within first few hours of delivery) breastfeeding actively encouraged by staff?	Yes X No	
	Probe about breastfeeding/priority placed on it etc and observe		
48	If yes, do you have any written policy guidelines available to staff about breastfeeding?  Are they Baby Friendly certified?	Yes – not seen Yes – verified Baby friendly – saw certificate No	
49	Is there a trained member of staff responsible for aiding women with breastfeeding?	Yes (if so state position)No X	all/most midwives and ANMs are responsible for this
50	If yes what is the recommended length of stay for women who have had deliveries that are not considered complicated?	Recommended length of stay	verified using case notes and exit interviews

No	QUESTIONS	RESPONSES	NOTES
51	In practice what is the average length of stay for a	1 day	
	woman whose delivery was not considered	2-3 days X	
	complicated?	4-5 days	
	_	6-8 days	
		9 days+	
52	In practice what is the average length of stay for a	3-5 days	
	woman who has a c-section?	6-8 days X	
		9-12 days	
		13-15 days	
	use supporting information if available	16 days+	
Post	Natal Care		
53	On postnatal wards how often are women and their	Once only	
	infants routinely examined by a	Once a day	
	doctor/paediatrician?	Twice a day X	
		Three+ times a day	
		Every 4-6 hours	
		Whenever necessary	
54	On postnatal wards how often are women and their	Once only	
	infants examined by a midwife/anm?	Once a day	
		Twice a day	
		Three times a day	
		Every 4-6 hours	
		Whenever necessary	
55	Whose decision is it to allow women to be dischrged?	State position/s Medical Officer/House man	if doctor not there staff nurse. "patient takes own
			decisions"

No	QUESTIONS	RESPONSI	ES		***	NOTES
56	Does the woman have to be examined by anyone particular before being discharged?	State position/s Doctor				
57	On postnatal ward how often do midwives/anms	Routinely every 4 hrs	Once a day	About once during stay	Sometimes but not	Notes It was not possible to
	Take women's temperatures?				usually	verfy the responses
	Inspect lochia?					to this question – not consideredreliable
	Feel uterine fundus?					considereareitable
	Check infant feeding patterns/problems?					
	Check Hb levels?					
	Check stitches?					
	Take Blood Pressure					
58	How much do you charge women for the following in	Food/drink				Officially nothing
	Rupees?	Laundry				Sonography and X-
		Medication				ray pelvrimetry are
	Ask to have see and keep copy of current price list	Use of bed				not available on
		Routine exa				site
		Blood testing	•			
		Blood trans				
		Anaesthesia				
		1	ıla/cows milk			
		X ray pelvi	•			
		Sonography				
		Other (spec	ify)			

NO	QUESTIONS	RESPONSES	NOTES
59	Are women encouraged to have a person or persons of their choice to support them during labour?	Yes No X	hospital policy "they ask but they are not allowed" why? "Usually not clean – want to keep labour room sterile"
60	Are women who have had a previous C-section actively considered for a subsequent vaginal delivery?	Yes, usually X No, not normally	
61	Are prophylactic antibiotics used for emergency c-sections?	Yes, always No Sometimes X Usually	
62	Are prophylactic antibiotics used for elective c-sections?	Yes, always No Sometimes X Usually	
63	For the induction of a primiparous woman with an unripe cervix do you usually manage this by prostaglandins or artificial rupture of the membranes or oxytocin?  Tick all that apply or describe preferred process – which one first etc	Prostaglandins Artificial Rupture of the membranes Oxytocin  Do not use vaginal pessaries "because cannot do c-sections and with vaginal pessaries you cannot control uterine contractions"	Do not use vaginal pessaries "because cannot do c-sections and with vaginal pessaries you cannot control uterine contractions"
64	When pereneal trauma occurs what is the suturing method of first choice?	Subcuticular Don't know	

NO	QUESTIONS	RESPONSES	NOTES
65	What is your suture material of first choice?	Polyglycolic acid suture	
		Catgut X	
		Other (specify)	
		Why is this so?	
66	What do you encourage a women to do when in	Stay mobile X	
	labour?	Lie down (left lateral)	
		Lie down (supine)	
	Tick all that apply	Breathe	
		Advise on pain relief	
		Other (specify)	
67	What position to you encourage to be in for delivery?	Very rarely allow them to use any other position	
		than lying down	
	Probe – what if they want to deliver in a different	why? "not trained to deliver in another position"	
	position – do you advise otherwise?		

• Whenever possible enter the source (even if there is more than one source) of your information.

Name of Hosptial/Nursing Home Rajawadi Date

No	QUESTIONS	RESPONSES	NOTES
Del	iveries		
1	What is the average number of deliveries in hosptial/ward X?	Average number of deliveries	Jan 1998-Dec 1998  Number of deliveries5968  confinements  Full term 4087
	Use last complete year March 1997-April	14 per day) Per Month	Preterm 413 Masurated Still Birth – 126 Fresh Still Birth – 117
	1998 as reference	Per Year(cross check with previous questions)	Abortion related complications – 376 Check curretage – 607 (incomplete, induced 2 <sup>nd</sup> trimester, septic (not recorded separately) Total 'babies – 5049 Maternal Deaths – 5 Neonatal deaths – 204 Complete abortions (miscarriage nothing remaining in uterus) – 27 Baby death – within 2 hours of birth – 1

No	QUESTIONS	RESPONSES	NOTES
2	What is the average percentage of	Average % per month: 9-10% (1-2 a day)	
	births delivered by caeasrean section		
	in hosptial/ward X?		
	Use last complete year March 1997-April 1998 as reference	Average % per year	
Staf	f		
3	Who is the person responsible for the overall running of the maternity wards/hospital?	Position Medical officer _ Name	
4	What is the total number staff employed by the hospital to work on	Number9 excluding 1 sweeper and 2 ayabis	
	the maternity ward per shift?		

No	QUESTIONS	RESPONSES				NOTES
	Please give a break down of a normal compliment of staff on labour and delivery wards by grading, length of shift and monthly pay in Rs.  If mixed in with post natal ward combine – but try and get an idea of how many are available to assist women in labour.	SISTER in CHARGE MIDWIVES ANMS STAFF NURSE HOUSE SURGEON REGISTRAR MEDICAL OFFICER GYNAE/OBSTET LECTURER HONORARY ASS. HONORARY ANAETHETISTS PAEDIATRICIAN RECEPTIONIST SWEEPERS AYABAIS MALE- ATTENDANTS OTHERS?	NUMBER  1 0 1 3 1 1 1 1 1 None dedicated exclusively to this ward.  1 2 1(morning shift only)	NORMAL SHIFT	MONTHLY PAY  11-12000  8-9000 8-9000 4100 4400 9000 500  5-6000  5-6000	



No	QUESTIONS	RESPONSES	NOTES
Infr	astructure/Equipment		
6	In total, how many maternity beds are there in the building?	Examination room/s 10  Waiting room/labour ward 1  Delivery Room 6  Operating Theatre 1  Post Natal ward/s 60  Private rooms 60  Room for cases of hypertension 2  Total 80 (not including, waiting room delivery room or operating theatre)	
7	Briefly describe physical layout of maternity wards? (eg. number of rooms, number of operating theatres, number of delivery rooms, private rooms)  If possible draw brief sketch of layout  Who do women usually see first when they	1 examination room, one labour room, one waiting room (big and empty – beds pushed to sides of room), one side room for hypertensive cases – one huge room with 60 beds closely lined up for post natal.  State position/s: <i>House officer</i>	
	arrive at the maternity wing?		
9	Who is responsible for all new admissions?	House officer	
10	Usually, who is the first person to examine a woman presenting at the maternity wing?	House officer	
11	Examination Room How many handbasins are there in this/these rooms?	Number of handbasins in room1	
12	Labour Room How many handbasins are there in this/these rooms?	Number of handbasins in room0	

No	QUESTIONS	RESPONSES	NOTES
13	Delivery Room How many handbasins are there in this/these rooms?	Number of handbasins in room1	
14	Operating Theatre How many handbasins are there in this/these rooms?	Number of handbasins in room1	
15	Post natal ward/rooms How many handbasins are there in this/these rooms?	Number of handbasins in room1	
16	Is there soap/disinfectant available at each handbasin?  Select appropriate response	Yes, all of them Yes, some of them Yes, only a few of them X No, none of them	
17	Are there curtains/blinds that can be put around beds to maintain privacy during examination? Select appropriate response	Yes, enough for every bed X Yes, enough for some beds Yes, but very few No, none at all	
18	Are these curtains/blinds used for every examination?	No, not for every examination X Yes, it appears so	
	Take examination to mean then a women is in labour and she is being physically examined (either internally or externally) by a member of staff)		

No	QUESTIONS	RESPONSES	NOTES
19	How many toilets are there available to	Number of toilets	
	women in labour?	In labour2	
	How many toilets are there available to		
	women in post natal wards	Post natal 4	
20	How would you describe the toilets?	Very Quite Average Poor	
		Convenient X	
	Select appropriate responses	Clean X	
21	How many handbasins are there attached to	Total number of handbasins 2	
	the toilets?		
22	Do all the handbasins have soap easily	Yes	
	available?	No, only a few X	
	Select appropriate response	No, none at all	
22	W/L a is a wine on its account to the country of th	State medition/a	Design
23	Who is primarily responsible for the	State position/s  Medical officer an electronic above.	Registrar
1	running of the labour room/s?	Medical officer or sister in charge X No fixed person	
24	Are all beds in labour room/delivery room	Labour Room Delivery Room	
24	accessible from both sides?	Yes, all of them X X	
	accessione from both sides.	Yes, some of them	
		Yes, but only a few	
	Select appropriate responses	No, none at all (one side only)	
25	How would you rate the level of privacy	Good	
	afforded a woman in labour? (i.e. well-	Reasonable	
	shielded from other women during labour, if	Not very good	
	desired, vs no means of covering/providing	Poor X	
	private space for labouring woman)		
	Select appropriate response		

No	QUESTIONS	RESPONSES	NOTES
Delivery Room and Equipment			
26	Is the delivery room the same room as the	Yes	
	labour room?	No X	
	Select appropriate response	Sometimes	

<b>Equipment Ross</b>	ter		
Question 27	CHECK EQUIPMENT AVAILABLE FOR HOSPITAL STAFF	QUANTITY/UNITS	COMMENTS
	(if not able to do this in detail run through list with staff member responsible for stock checks and get an idea if usually in stock, no problem with supplies, sometimes problems with supplies or not kept in stock)	Usually in stock No supply problems Occassional supply problems Frequent supply problems Not routinely kept in stock	eg. Stocks low/broken/por quality/visibly not clean/sterile
Equipment	a) Vacuum extractor	a) 3-4 (caps of different	a)
-1 -1		sizes suction machine)	,
	b) IV infusion sets	b) 50 per day	b)
	c) IV fluids	c) 40	c)
	d) Ovum forceps	d) 3	d)
	e) Vaginal speculum	e) 3	e)
	f) Artery forceps	f) 9	f)
	g) Needles	g) 24 a day (disposable)	g)
	h) Sutures	h) 24 a day (disposable)	h)
	i) Syringes	i) 50 (disposable)	i)
	j) Scissors	j) 6	<b>j</b> )
	k)Curette	k) 3	k)
	1) Sphygomomanometer	1) 1	1)
	m) Suction equipment Note how easily accessible m, n & o are in different	m) 2	m)
	n) Defilbrillator	n)0	n)
	o) Intubator equipment	o)	0)

TYPE	EQUIPMENT AVAILABLE	QUANTITY/UNITS	COMMENTS
	FOR HOSPITAL STAFF		
Key Drugs	a) Oxytocics	a) boxes	a)
	b) Anticonvulsants	b)1 box	b)
	c) Procaine Penicillin	c)1-2 viles for emergency	c) not routinely kept unless heart disease
	d) Crystalline Penicillin	d)1-2 viles for emergency	d) not routinely kept unless heart disease
	e) Gentamycin	e) 25 per day	e) also kept as emergency but not routinely
	f) Metronidazole	f) 50 per day	f)
	g) Ampicillin	g)	g) very routinely used – depending on indication
	h) Local anaesthetics	h) 1 bulb	h) lignocaine 2% (30 mls a day) diluted with saline for perineal – 6cc per )
	i) General anaesthetics	i) not in labour ward	i)
	j) Oxygen	j) 2 cylinders	j)
		k)not routinely used	k) for emergency patients only 5-10 ampules
	k) Adrenaline		a day
	1) Epinephine	1)	1)
Laboratory Equipment	a) Microscope	a)	a)
	b) Test-tubes	b)	(b)
	c) Slides	(c)	(c)
Blood Bank	a) Blood bags	a)	a)
	b) Anti-sera	b)	b)
	c) Storage capacity	c)	c)
Operating Theatre	a) Caeasrean section	a) two beds one room "could do with more"	a)
	b) Laparotomy set	b)	b)
	c) Neo-natal intubation set	c)	c)

TYPE	COMMMENTS
Sterilisation Procedure Note procedure –delays in getting sterile equipment back? – enough sets?	
Blood Supplies Briefly describe stock/procedures for replenishing supplies etc	Store capacity – 5000 units  At time of interview 250 units in store  40% replacement 60% voluntary donations  Typing and Hb Results returned within 11/2 hours normally but within 15 minutes if emergency – 24 hours a day  If patient stable prefer to avoid giving one unit of blood – only if unstable. Patients not allowed to be discharged until they have replaced any blood transfused (hospital policy).

No	QUESTIONS	RESPONSES			
Ma	Management Information System Stationary/Forms				
28	What information is routinely collected and stored by	Detail (note time stored eg. Past five years)			
	the hospital about each admission/delivery?	Booked/unbooked			
		Date of admission			
	If possible copy forms	Time of admission			
	(NB: information here is replicated from proformas used	Name of woman			
	at Rajawadi, these are standard for all municipal	Address			
	hospitals)	Age in completed years			
		Parity			
		Number of children alive			
		Length of labour			
		Complication –diagnosis (not standardised procedure)			
		Treatment given (on labour notes – variable quality)			
		Surgical intervention on delivery			
		- Forceps/vacuum extractor/c-section/episiotomy			
		Treatment given			
		Weight of baby			
		Condition of baby at birth			
		Condition of mother at birth			
		Sex of baby			
		Condition of perineum			
		Post-natal complications (not standardised)			
		AGPAR- whether baby cried or not			
		Religion			

No	QUESTIONS	RESPONSES
29	Does the facility maintain patient records throughout labour and delivery?  Request template as below - detail what is required by hospital and/or what is done, observe examples	Yes, comprehensive X - for labour blank piece of paper – at Rajawadi complete (often illegible) and notes also through labour Yes, basic Only in complicated cases No, not routinely
30	Does the facility keep a copy of these records or give them to the woman on discharge? Select as appropriate	Yes, keeps a copy X Yes gives them to the woman Both Neither  Notes: Gives woman a discharge card only with date of delivery, time of delivery, weight of baby, condition of both on discharge confinement number, mode of delivery, blood group, and complication
31	What kinds of record keeping systems exist in the hospital/wards? Take examples of forms/tenplates if possible	See attached templates – same used throughout municipal system.  Antenatal form, labour and delivery notes and discharge card.
32	Is there some kind of 'Facility Data Summary Form' ie. A form that records obstetric complications on a monthly basis? Request template for above	Yes X - 4 times a year data must be forwarded to census office and yearly records are kept in facility  No
33	Who is responsible for ensuring that these records are accurately maintained?	State position/s: Highest qualified staff on site
34	How many C-sections were performed over last 3 yrs?  Note total deliveries for these periods if possible -full 12 month periods	Number performed: Year 1998 Jan –Dec – 538 c-sections (5968 confinements) 149 forceps and 16 vacuum

No	QUESTIONS	RESPONSES
35	What number/percentage of C-sections are performed under general anasthetic or epidural/spinal? Clarify whether percentage or number: note data source	Prefer to use spinal unless contraindicated or fetal distress. Approx. 90% spinal
36	What percentage/number of C-sections performed in this hospital are elective? That is not emergency C-sections – performed before labour has begun and for which woman has been prepared.	Number/percentage (clarify) Do elective sections if two previous LSCS, breech primi (no vaginal trials) or if big baby – if head not engaged at term in primi and x-ray pelvimetry indicates cephlopelvic disproportion then rather give c-section rather than trial labour  On average annually (verbal estimate)
37	How many 'emergency cases' do you deal with on average each week? Emergency refers to a situation regarded as potentially life threatening by senior obstetrician – for which specialist medical attention is required and which cannot be handled by midwives and junior doctors alone.	Number: About 15-19  Details available? this includes unbooked patients referred from other hospitals (verbal reply)

No QUESTIO	_ <del></del>	RESPONS	SES			NOTES
Procedures, policies and guidelines						
38 Which of the	ne following procedures would you say are	Routinel	Most of the	Some of	Never	
	o the management of labour in this	y	time	the time		
hospital?						
a) Use of e						
b) Pubic sh	aving (for non C-section delivery)	X				
	ntravenous infusion	X		X		
d) Use of p	rophylactic insertion of intravenous cannula			X		
e) Use of s	upine position during labour					
f) Rectal e	xamination			X		
g) Xray pel	•			X		
h) Use of 1	thotomy position with or without strirrups for					
delivery	(probe if routine – why do they prefer this?)					
i) Sustaine	d, directed bearing down movements	X				
	manoeuvere) during second stage labour					
	of oral tablets of ergometrine in the third	X				
stage of	labour to prevent or control haemorrhage					
k) Lavage	of the uterus after delivery				X	
l) Revision	(manual exploration) of uterus after delivery			X		
	of third stage oxytocic drug?		X			
n) Vertical	caesarean cut (navel down)				X	
	tal caesarean cut				2 1	
'	Blood Test (note when used)	X				
	my for first births	X				
	my for subsequent births (probe)					
If routine fo	r any group ask why – and probe explanation.					
s) Use of ma	agnesium sulphate for preeclampsia – drug of					
first choice?						
mst choice.						

No	QUESTIONS	RESPONSES	NOTES
39	Is blood testing available on site or outside the	On site X	
	hospital premises?	Outside hospital (give details)	
40	How long does it usually take to receive the results of	HB Rhesus Typing	Not verified
	a routine blood test (eg. Hb levels)?	Minutes 90 90 90	
	How long does it usually take to receive the results of	Hours	
	a Rhesus Test?	Days	
41	In the case an emergency how long does it usually	HB Rhesus Typing	Not verified
	take to receive the results of a blood test (eg. Typing	Minutes 15 15	
	and Hb)	Hours	
		Days	
		Comment on blood	
42	Are blood testing facilities available on a 24 hour	Yes X	
	basis?	No (detail)	
43	Are blood supplies available on a 24 hour basis?	Yes X	
		No (detail)	
44	Do you ask women who you believe to be at risk of a	Yes X	Discourage
	complication to arrange make blood available for	No (detail)	transfusion where
	her confinement?		only 1 unit required
45	Is anasthesia (and someone to administer it)	Yes X	
	available on a 24 hour basis?	No (detail)	
	Probe availability of anaethetists		

No	QUESTIONS	RESPONSES	NOTES
46	Is the baby routinely taken away from the mother directly after birth for any of the following?	Apgar checked by paediatrician/staff nurse Cleaning X Other reasons	
47	Is early (within first few hours of delivery) breastfeeding actively encouraged by staff?	Yes X No	(within 2 hours)
48	Probe about breastfeeding/priority placed on it etc and observe  If yes, do you have any written policy guidelines available to staff about breastfeeding?  Are they Baby Friendly certified?	Yes – not seen Yes – verified No Baby friendly certified	
49	Is there a trained member of staff responsible for aiding women with breastfeeding?	Yes (if so state position)  No X	no specially appointed person – only labour and post natal staff nurses
50	If yes what is the recommended length of stay for women who have had deliveries that are not considered complicated?	Recommended length of stay 2-3 days	
51	In practice what is the average length of stay for a woman whose delivery was not considered complicated?	1 day 2-3 days X 4-5 days 6-8 days 9 days+	

No	QUESTIONS	RESPONSES	NOTES
52	In practice what is the average length of stay for a	3-5 days	
	woman who has a c-section?	6-8 days X	
		9-12 days	
		13-15 days	
	use supporting information if available	16 days+	
Post	Natal Care		
53	On postnatal wards how often are women and their	Once only	
	infants routinely examined by a	Once a day X	unless problem
	doctor/paediatrician?	Twice a day	e.g. Hypertensive
		Three+ times a day	
		Every 4-6 hours	
		Whenever necessary	
54	On postnatal wards how often are women and their	Once only	
	infants examined by a midwife/anm?	Once a day	
		Twice a day	
		Three times a day X	
		Every 4-6 hours	
		Whenever necessary	
55	Whose decision is it to allow women to be dschrged?	State position/s: Either House surgeon or	
		lecturer	
56	Does the woman have to be examined by anyone particular before being discharged?	State position/s: House surgeon	

No	QUESTIONS	RESPONS	ES			NOTES
57	On postnatal ward how often do midwives/anms	Routinely every 4 hrs	Once a day	About once during stay	Sometimes but not	Notes It was not possible to
	Take women's temperatures?	X	X		usually	verfy the responses
	Inspect lochia?					to this question – not
	Feel uterine fundus?		X			consideredreliable
	Check infant feeding patterns/problems?					
	Check Hb levels?					
	Check stitches?		X			
	Take Blood Pressure		X			
58	How much do you charge women for the following in	Food/drink	0			
	Rupees?	Laundry	0			
		Medication	Depe	nds		
	Ask to have see and keep copy of current price list	Use of bedr	n 0			
		Routine exa	minations	0		
		Blood testing	ng 0			
		Blood trans	fusion 0			
		Anaesthesia	a 0			
		Baby formu	ıla/cows milk	0		
		X ray pelvi	metry 50			
		Sonography	y 50			
		Other (spec	ify)Afte	r fifth day ha	ve to pay for	
		food drink etc – otherwise no charge – bar 250 Rs			- bar 250 Rs	
		fine for not	agreeing to h	iave sterilisai	ion after	
		10	third live chi			
59	Are women encouraged to have a person or persons	Yes				
	of their choice to support them during labour?	No – if no,	state reason g	given (e.g. no	t hospital	
		policy) no	ot hospital pe	rson		_

No	QUESTIONS	RESPONSES	NOTES
60	Are women who have had a previous C-section actively considered for a subsequent vaginal delivery?	Yes, usually X No, not normally	
61	Are prophylactic antibiotics used for emergency c-sections?	Yes, always X No Sometimes Usually	
62	Are prophylactic antibiotics used for elective c-sections?	Yes, always X No Sometimes Usually	
63	For the induction of a primiparous woman with an unripe cervix do you usually manage this by prostaglandins or artificial rupture of the membranes or oxytocin?  Tick all that apply or describe preferred process – which one first etc	Prostaglandins Artificial Rupture of the membranes Oxytocin	Protocol – if posterior – unripe – use prostaglandins – if cervix open ARM then oxytocin
64	When pereneal trauma occurs what is the suturing method of first choice?	Subcuticular Don't know	Vertical mattress – absorbable suture material
65	What is your suture material of first choice?	Polyglycolic acid suture Catgut Other (specify) Chromic – catgut no. 1-0 Why is this so? Freely available from Municipal corporation of greater Mumbai	

No	QUESTIONS	RESPONSES	NOTES
66	What do you encourage a women to do when in	Stay mobile	
	labour?	Lie down (left lateral)	
		Lie down (supine)	
	Tick all that apply	Breathe	
		Advise on pain relief	
		Other (specify) walk to toilet alone, lie down -	
		left lateral – advise them to move	
67	What position to you encourage to be in for delivery?	Lie on back – why – advocated by doctors "easier	
		for doctors"	
	Probe – what if they want to deliver in a different		
	position – do you advise otherwise?		

<b>Institutional Delivery</b>	y – Municipal a	and Private	Situation Analysi	S
-------------------------------	-----------------	-------------	-------------------	---

• Whenever possible enter the source (even if there is more than one source) of your information.

Name of Hosptial/Nursing Home Shtabdi Date \_\_\_\_\_

No	QUESTIONS	RESPONSES	NOTES			
Deli	Deliveries					
1	What is the average number of deliveries in hosptial/ward X?	Average number of deliveries  Per week				
	Use last complete year March 1997-April 1998 as reference	Per Month150-200  Per Year				
2	What is the average percentage of births delivered by caeasrean section in hosptial/ward X?	Average % per month  Average % per year	Refer to hospital records			
	Use last complete year March 1997-April 1998 as reference					
Sta	Staff					
3	Who is the person responsible for the overall running of the maternity wards/hospital?	Position Medical officer Name				

No	QUESTIONS	RESPONSES	NOTES
4	What is the total number		Staff complement differ am and pm: in
	staff employed by the	Number	am 2 staff nurses, 2 sweepers and 1
	hospital to work on the		ayabai in pm and night 1 staff nurse, 1
	maternity ward per		sweeper and 1 ayabai. There is 1 sister in
	shift?		charge of the maternity ward in the am in
			the pm there is only 1 sister in charge for
			the whole hospital. The following work
			24 hour shifts: 1 registrar, 1 houseman, 1
			honorary (in charge – not resident but
			'lose by') and 1 paediatrician. No
			anaesthetists employed – they draw on a
			pool of 5-6 who work in private practice
			and pay them per case.

No	QUESTION	RESPONSES				NOTES
5	Please give a break down of a normal compliment of staff on labour and delivery wards by grading, length of shift and monthly pay in Rs.  If mixed in with post natal ward combine – but try and get an idea of how many are available to assist women in labour.	SISTER in CHARGE MIDWIVES  ANMS STAFF NURSE HOUSE SURGEON REGISTRAR LECTURER HONORARY ASS. HONORARY ANAETHETISTS PAEDIATRICIAN RECEPTIONIST SWEEPERS  AYABAIS MALE ATTENDANTS	NUMBER	NORMAL SHIFT  I for maternity ward in am and 1 for whole hospital for pm and night  0 2 in am (7am-3pm)  I in pm and night  1  pool  in am 1 in pm/night ditto	MONTHLY PAY  11-12000  5-6000 4100  4400 500	NOTES
		OTHERS?				

No	QUESTION	RESPONSES	NOTES
Infr	astructure/Equipment		-
6	In total, how many maternity beds are there in the building?	Examination room/s 43  Waiting room/labour ward 0  Delivery Room 4  Operating Theatre 2  Post Natal ward/s 43 (same as labour ward)  Private rooms  Room for cases of hypertension 2  Total 47	
7	Briefly describe physical layout of maternity wards? (eg. number of rooms, number of operating theatres, number of delivery rooms, private rooms)  If possible draw brief sketch of layout	Big room split into three areas one for labour, one for post natal and one for post op. Then next door just past staff desk delivery room with 4 marble beds attached to floor. Between labour ward and delivery ward there is a room with a bed in it ostensibly for use in special cases (hypertension etc) – otherwise used by staff for	
8	Who do women usually see first when they arrive at the maternity wing?	breaks/lunch. Opposite this room where ayabais prepare food.  State position/s: staff nurse	
9	Who is responsible for all new admissions?	Honorary	
10	Usually, who is the first person to examine a woman presenting at the maternity wing?	Sister	
11	Examination Room  How many handbasins are there in this/these rooms?	Number of handbasins in room1	
12	Labour Room How many handbasins are there in this/these rooms?	Number of handbasins in room0	

No	QUESTIONS	RESPONSES	NOTES
13	Delivery Room How many handbasins are there in this/these rooms?	Number of handbasins in room1	
14	Operating Theatre How many handbasins are there in this/these rooms?	Number of handbasins in room1	
15	Post natal ward/rooms How many handbasins are there in this/these rooms?	Number of handbasins in room0	
16	Is there soap/disinfectant available at each handbasin?  Select appropriate response	Yes, all of them X Yes, some of them Yes, only a few of them No, none of them	There is only the one in the delivery
			room – yes soap
17	Are there curtains/blinds that can be put around beds to maintain privacy during examination? Select appropriate response	Yes, enough for every bed Yes, enough for some beds Yes, but very few No, none at all X	
18	Are these curtains/blinds used for every examination?	No, not for every examination X Yes, it appears so	No curtains
	Take examination to mean then a women is in labour and she is being physically examined (either internally or externally) by a member of staff)		

No	QUESTIONS	RESPONSES	NOTES
19	How many toilets are there available to	Number of toilets	1 for women
1	women in labour?		in delivery
		In labour1	room 2-3
	How many toilets are there available to		for other
	women in post natal wards	Post natal 2-3	women off
	_		ward near
			wash area
			for patients
20	Here would you describe the tailets?	Voru Ovita Avaraga Paar	
20	How would you describe the toilets?	Very Quite Average Poor	
	Select appropriate responses	Convenient [very for delivery - not for labour]	
-		Clean X	
21	How many handbasins are there attached to the toilets?	Total number of handbasins	
22	Do all the handbasins have soap easily	Yes	
	available?	No, only a few X	
	Select appropriate response	No, none at all	
23	Who is primarily responsible for the	State position/s: Sister in charge	
	running of the labour room/s?		
24	Are all beds in labour room/delivery room	Labour Room Delivery Room	
	accessible from both sides?	Yes, all of them X X	
		Yes, some of them	
		Yes, but only a few	
	Select appropriate responses	No, none at all (one side only)	

No	QUESTIONS	RESPONSES	NOTES
25	How would you rate the level of privacy	Good	
	afforded a woman in labour? (i.e. well-	Reasonable	
	shielded from other women during labour, if	Not very good	
	desired, vs no means of covering/providing	Poor X	
	private space for labouring woman)		
	Select appropriate response		
Del	ivery Room and Equipment		
26	Is the delivery room the same room as the	Yes	
	labour room?	No X	
	Select appropriate response	Sometimes	

Equipment Ross Question 27	CHECK EQUIPMENT	QUANTITY/UNITS	COMMENTS
<b>Carrar</b> = .	AVAILABLE FOR HOSPITAL		
	STAFF		
	(if not able to do this in detail run	Usually in stock	eg. Stocks low/broken/por quality/visibly not
	through list with staff member	No supply problems	clean/sterile
	responsible for stock checks and get an	Occassional supply problems Frequent supply problems	
	idea if usually in stock, no problem with supplies, sometimes problems with	Not routinely kept in stock	
	supplies or not kept in stock)		
Equipment	a) Vacuum extractor	a) 1	a)
	b) IV infusion sets	b) usually	b)IV metrogyl – problem with supplies at
			times temporary lack of it
	c) IV fluids	c) yes	(c)
	d) Ovum forceps	d) 2	(d)
	e) Vaginal speculum	e) 2	(e)
	f) Artery forceps	f) 6	f)
	g) Needles	g) yes	(g)
	h) Sutures	h) yes	h) catgut 1.0
	i) Syringes	i) yes	i) disposable
	j) Scissors	j) 3 suture cutting, 2 for episiotomy	j)
	k)Curette	k) 1	k)
	l) Sphygomomanometer	1) 2	1)
	m) Suction equipment	$  m \rangle \theta$	m)
	Note how easily accessible m, n & o are in different	,	
	areas	n) 1	n)
	n) Defilbrillator	0)	(o)
	o) Intubator equipment		

ТҮРЕ	EQUIPMENT AVAILABLE FOR HOSPITAL STAFF	QUANTITY/UNITS	COMMENTS
Key Drugs	a) Oxytocics	a) generally – drip	a)
Tity Drugs	b) Anticonvulsants	b) outside	b) use magnesium sulphate but send relative to pharmacy (not open 24 hours)
	c) Procaine Penicillin	c) if on the shelf	(c)
	d) Crystalline Penicillin	d) if on the shelf	d)
	e) Gentamycin	e) from outside	e)
	f) Metronidazole	f) generally – but from outside sometimes	f)
	g) Ampicillin	g) yes	g) basic antibiotic used – need to develop stock of this and other two – residents
	1) I 1	1.)	usually have emergency stores
	h) Local anaesthetics	h) yes i) most available	h)
	i) General anaesthetics	j) yes	i) j) once in a while must go and get some
	j) Oxygen k) Adrenaline	k) <i>yes</i>	k)
	l) Epinephine	1) do not use	1)
Laboratory Equipment	a) Microscope	a) yes	a)
	b) Test-tubes	b) yes	(b)
	c) Slides	c) yes	(c)
Blood Bank	a) Blood bags	a) Not on site – have	a)
	, ,	refrigeration in case of	(b)
		elective surgery	(c)
	b) Anti-sera	b)	
	c) Storage capacity	(c)	
Operating Theatre	a) Caeasrean section	a) yes	
, ··· •	b) Laparotomy set	b) yes	
	c) Neo-natal intubation set	c) yes	

ТҮРЕ	COMMENTS
Sterilisation Procedure Note procedure –delays in getting sterile equipment back? – enough sets?	
Blood Supplies Briefly describe stock/procedures for replenishing supplies etc	Briefly describe stock/procedures for replenishing supplies etc. Staff are afraid of bleeds as no blood supplies on site, rely on private blood bank near Rajawadi (problem of traffic, cost and opening hours). With case of high risk they can reserve it in advance and they have refrigeration for elective surgery.

No	QUESTIONS	NOTES
Ma	nagement Information System Stationary/Forms	
28	What information is routinely collected and stored by the hospital about each admission/delivery?  If possible copy forms (NB: information here is replicated from proformas used at Shtabdi, these are standard for all municipal hospitals)	Detail (note time stored eg. Past five years)  Booked/unbooked very often where no Date of admission intervntion laboutr notes consist of FTND (full term normal delivery) with no other information about labor or delivery Time of admission Name of woman Address Age in completed years Parity Number of children alive Length of labourComplication —diagnosis Treatment given Surgical intervention on delivery - Forceps/vacuum extractor/c-section/episiotomy Treatment given Weight of baby Condition of baby at birth Condition of mother at birth Sex of baby Condition of perineum Post-natal complications
29	Does the facility maintain patient records throughout labour and delivery?  Request tenplate as below - detail what is required by hospital and/or what is done, observe examples	Yes, comprehensive Yes, basic X Only in complicated cases No, not routinely

No	QUESTIONS	RESPONSES
30	Does the facility keep a copy of these records or give them to the woman on discharge? Select as appropriate	Yes, keeps a copy X Yes gives them to the woman X Both Neither
		Notes: Gives woman discharge card
31	What kinds of record keeping systems exist in the hospital/wards? Take examples of forms/tenplates if possible	Refer to Q28
32	Is there some kind of 'Facility Data Summary Form' ie. A form that records obstetric complications on a monthly basis? Request template for above	Yes X No
33	Who is responsible for ensuring that these records are accurately maintained?	State position/s: No one
34	How many C-sections were performed over last 3 yrs?  Note total deliveries for these periods if possible -full 12 month periods	7%
35	What number/percentage of C-sections are performed under general anasthetic or epidural/spinal? Clarify whether percentage or number: note data source	Mostly spinal
36	What percentage/number of C-sections performed in this hospital are elective? That is not emergency C-sections – performed before labour has begun and for which woman has been prepared.	Number/percentage (clarify) On average annually (verbal estimate)  Elective when high risk of CPD, if primi breech unless woman presents fully dilated, or two previous c-sections

No	QUESTIONS	RESPONSES
37	How many 'emergency cases' do you deal with on	Number
	average each week?	Refer to hospital records
	Emergency refers to a situation regarded as potentially life threatening by senior obstetrician – for which specialist medical attention is required and which cannot be handled by midwives and junior doctors alone.	Details available?

No QUESTIONS	RESPONSI	ES			NOTES
Procedures, policies and guidelines					1
Which of the following procedures would you say applicable to the management of labour in this	y are Routinely	Most of the time	Some of the time	Never	
hospital?					
a) Use of enema	X				
b) Pubic shaving (for non C-section delivery)	X				
c) Use of intravenous infusion		X			
d) Use of prophylactic insertion of intravenous can	nula		X		
e) Use of supine position during labour			X		
f) Rectal examination				X	
g) Xray pelvimetry			X	1.	
h) Use of lithotomy position with or without strirru	ps for				
delivery (probe if routine – why do they prefer the	nis?) X				
i) Sustained, directed bearing down movements					
(valsalva manoeuvere) during second stage labor	ur	X			
j) The use of oral tablets of ergometrine in the third	d				
stage of labour to prevent or control haemorrhag	e X				
k) Lavage of the uterus after delivery			X		
l) Revision (manual exploration) of uterus after de	livery				
m) The use of third stage oxytocic drug?		X			
n) Vertical caesarean cut (navel down)				X	
o) Horizontal caesarean cut	X				
p) Rhesus Blood Test (note when used)					
q) Episiotomy for first births	X				
r) Episiotomy for subsequent births (probe)			X		
If routine for any group ask why – and probe explan	ation.				
s) Use of magnesium sulphate for preeclampsia – dr	ug of				
first choice?					

No	QUESTIONS	RESPONSES	NOTES
39	Is blood testing available on site or outside the	On site X	basic tests- until
	hospital premises?	Outside hospital (give details)	6pm
40	How long does it usually take to receive the results of	HB Rhesus Typing	Not verified
	a routine blood test (eg. Hb levels)?	Minutes 30	
	How long does it usually take to receive the results of	Hours	
	a Rhesus Test?	Days	
41	In the case an emergency how long does it usually	HB Rhesus Typing	Not verified
	take to receive the results of a blood test (eg. Typing	Minutes 30	
	and Hb)	Hours	
		Days	
		Comment on blood	
42	Are blood testing facilities available on a 24 hour	Yes	only until 6pm after
	basis?	No (detail) X	that either send test
			outside of transfer
			patient
43	Are blood supplies available on a 24 hour basis?	Yes X	only until 6pm after
		No (detail) X	that either send test
			outside of transfer
			patient
44	Do you ask women who you believe to be at risk of a	Yes X	
	complication to arrange make blood available for her	No	
	confinement?		

No	QUESTIONS	RESPONSES	NOTES
45	Is anasthesia (and someone to administer it) available on a 24 hour basis?	Yes	pool of 5-6 employed in private
		No (detail) X	practice – charge
	Probe availability of anaethetists		per call out.
			Difficult to access
			particularly at
			night
46	Is the baby routinely taken away from the mother	Apgar checked by paediatrician/staff nurse	suturing – shifted
	directly after birth for any of the following?	Cleaning X	out once sutured
		Other reasons X	unless problem
47	Is early (within first few hours of delivery)	Yes X	Staff nurses – more
	breastfeeding actively encouraged by staff?	No	embarrassed with
			male staff
	Probe about breastfeeding/priority placed on it etc and observe		Many Muslims –
			not a problem –
			once in a while
			woman wants to
			give baby cows
			milk or honey
48	If yes, do you have any written policy guidelines	Yes – not seen	
	available to staff about breastfeeding?	Yes – verified	
F		No	
	Are they Baby Friendly certified?	Baby friendly certified	
49	Is there a trained member of staff responsible for	Yes (if so state position)	all/most midwives
•	aiding women with breastfeeding?	No X	and ANMs are
	many o-mon yran brondering.		responsible for this

No	QUESTIONS	RESPONSES	NOTES
50	If yes what is the recommended length of stay for	Recommended length of stay	
	women who have had deliveries that are not	3 days for primis with episiotomy and multi 2 days	
	considered complicated?	and c-section at least 7 days	
51	In practice what is the average length of stay for a	1 day	Verified using case
	woman whose delivery was not considered	2-3 days X	notes and exit
	complicated?	4-5 days	interviews
		6-8 days	
		9 days+	
52	In practice what is the average length of stay for a	3-5 days X	Verified using case
	woman who has a c-section?	6-8 days	notes and exit
		9-12 days	interviews
		13-15 days	
	use supporting information if available	16 days+	
Post	Natal Care		
53	On postnatal wards how often are women and their	Once only	
	infants routinely examined by a	Once a day	
	doctor/paediatrician?	Twice a day X	
		Three+ times a day	
		Every 4-6 hours	
		Whenever necessary	
54	On postnatal wards how often are women and their	Once only	
	infants examined by a midwife/anm?	Once a day	
		Twice a day	
		Three times a day	
		Every 4-6 hours	
		Whenever necessary	
55	Whose decision is it to allow women to be dischrged?	State position/s Resident doctor or honorary	

No	QUESTIONS RESPONSES				NOTES		
56	Does the woman have to be examined by anyone particular before being discharged?	State position/s Resident doctor					
57	On postnatal ward how often do midwives/anms	Routinely every 4 hrs	Once a day	About once during stay	Sometimes but not	It was not possible to verfy the responses	
	Take women's temperatures?				usually	to this question – not	
	Inspect lochia?					consideredreliable	
	Feel uterine fundus?						
	Check infant feeding patterns/problems?						
	Check Hb levels?						
	Check stitches?						
	Take Blood Pressure						
58	How much do you charge women for the following in	Food/drink					
	Rupees?	Laundry Medication prostaglandins, if shortage					
		Medication					
	Ask to have see and keep copy of current price list						
		Use of bed					
		Routine exa					
		Blood testing					
		Blood transfusion					
		Anaesthesia					
		Baby formu					
		X ray pelvi	•				
		Sonography	•	achine breaks clinics (their	_		
			•	broken at tim	-		
		Other (spec	•	third delivery			
l				e and woman	refuses to be		
			sterilised	<u> </u>			

No	QUESTIONS	RESPONSES	NOTES
59	Are women encouraged to have a person or persons of their choice to support them during labour?	Yes No – if no, state reason given (eg. not hospital policy): <i>no not hospital policy</i>	
60	Are women who have had a previous C-section actively considered for a subsequent vaginal delivery?	Yes, usually X No, not normally	unless indication known (e.g. CPD)
61	Are prophylactic antibiotics used for emergency c-sections?	Yes, always X No Sometimes Usually	
62	Are prophylactic antibiotics used for elective c-sections?	Yes, always X No Sometimes Usually	tell women to bring them with them – In fact all women are given prescription for antibiotics even after normal delivery (5 days) – even if no tear.
63	For the induction of a primiparous woman with an unripe cervix do you usually manage this by prostaglandins or artificial rupture of the membranes or oxytocin?  Tick all that apply or describe preferred process – which one first etc	Prostaglandins Artificial Rupture of the membranes Oxytocin	Protocol – if  posterior – unripe  – use  prostaglandins – if  cervix open ARM  then oxytocin
64	When pereneal trauma occurs what is the suturing method of first choice?	Subcuticular Don't know	Vertical mattress – absorbable suture material

No	QUESTIONS	RESPONSES	NOTES
65	What is your suture material of first choice?	Polyglycolic acid suture	
		Catgut	
		Other (specify) Chromic – catgut no. 1-0	
		Why is this so? Freely available from Municipal	
		corporation of greater Mumbai	
66	What do you encourage a women to do when in	Stay mobile	
	labour?	Lie down (left lateral)	
		Lie down (supine)	
	Tick all that apply	Breathe	
		Advise on pain relief	
		Other (specify) walk to toilet alone, lie down -	
		left lateral – advise them to move	
67	What position to you encourage to be in for delivery?	Lie on back – why – advocated by doctors "easier	
		for doctors"	
	Probe – what if they want to deliver in a different		
	position – do you advise otherwise?		

### MUMBAI SAFE MOTHERHOOD STUDY PART III

#### **HOSPITAL RECORD SHEET**

Hospital Name:ChemburYear of Record:1996/97/98

	1996	1997	1998
	1,7,0		
Totals			
Confinements	2518	2732	3079
Deliveries	1840	2326	2394
Complications			
Number of deliveries			
Booked			
Unbooked			
Total			
Transferred deliveries			
Booked			
Unbooked			
Age of mother			
< 20			
20 - 35			
35 >			
Religion			
Hindu			
Muslim			
Buddhist/			
Scheduled caste			
Principal attendant		_	
Midwife			
Staff nurse			
Doctor			
Sex of child			
Male	943	1298	1245
Female	880	1072	1159
Birth weight	- 1		
< 2.5kg			
2.5kg +			
Parity			
Prima-gravida	414	736	650
Multi-gravida	1326	1550	1744
Multi Births			
Twins	6	2	20
Total number			
Term			
Full-term			
Pre-term	44	62	66

Delivery/labour type				
Normal	1723			
Complicated				
labour	125			
Referred patients				
Number		18		
Delivery method				
Emergency				
lower segment				
cesarian section				
Elective lower				
segment cesarian section				
Forceps				
Vacuum				
Vertex				
Breech		26	20	
Episiotomy	431	507	564	
Normal				
Abortions				
Complete				
Total				
Required blood transfusion				
Yes				
Maternal deaths				
During delivery				
Within the 6				
weeks after				
delivery			_	
Within the 20				
weeks prior to delivery				
Total				
· · · · · · · · · · · · · · · · · · ·				$\dashv$
Infant deaths				
Neo-natal 0-6				
Neo-natal 2-26				
Total neo-natal	9	7	12	
Medically terminated preg'				
During delivery Mascerated still				
birth	9	9	7	
Fresh still birth	10	10	10	
Still births		10	10	
Complications				
Haemorrhage	1			
PP/AP				
Prolonged/obstru				
cted labour	6	5		
Cephalo – pelvic				
disproportion	1			
Post-partum				
sepsis				_
Pre-eclampsia				_
Eclampsia				

Pregnancy   Ruptured uterus   Anaemia   14	Ectopic			_
Ruptured uterus				
Anaemia 14 Toxemia High BP (ANC & PIH) 126 58  PPH/Low BP 8 Agpar <7 Hand prolapse 1 Face 5 Bleeding per vagina Abnormal delivery 7 Fever patients Abnormal baby Awaiting report Abortion related Complete curettage  Contraception  Tubal ligation Copper T  External deliveries  Referrals Rickshaws 15 5			*	
High BP (ANC & PIH)   126   58	_	14		_
& PIH)       126       58         PPH/Low BP       8         Agpar <7	Toxemia			
PPH/Low BP	High BP (ANC			•
Agpar <7 Hand prolapse Face Bleeding per vagina Abnormal delivery 7 Fever patients Abnormal baby Awaiting report Abortion related Complete curettage  Contraception  Tubal ligation Copper T  External deliveries  Referrals Rickshaws  10  11  12  13  30  30  30  4  4  5  6  7  6  7  7  8  8  8  8  8  8  8  8  8  8  8	& PIH)	126	58	
Hand prolapse   1	PPH/Low BP	8		_
Face   5	Agpar <7			
Bleeding per vagina Abnormal delivery Fever patients Abnormal baby Awaiting report Abortion related Complete curettage  Contraception  Tubal ligation Copper T  External deliveries  Referrals Rickshaws  15  5	Hand prolapse	1		
vagina Abnormal delivery 7 Fever patients Abnormal baby Abnormal baby Awaiting report Abortion related Complete curettage  Contraception  Tubal ligation Copper T  External deliveries  Referrals Rickshaws  15  S	Face	5		_
Abnormal delivery 7 Fever patients 12 Abnormal baby 13 30 Awaiting report Abortion related Complete curettage  Contraception  Tubal ligation Copper T  External deliveries  Referrals Rickshaws 15 5				
delivery   7				
Fever patients				
Abnormal baby Awaiting report Abortion related Complete curettage  Contraception  Tubal ligation Copper T  External deliveries  Referrals Rickshaws  15  13  30  30  Complete		7		
Awaiting report Abortion related Complete curettage  Contraception  Tubal ligation Copper T  External deliveries  Referrals Rickshaws  15  5				
Abortion related			13	30
Complete curettage  Contraception  Tubal ligation Copper T  External deliveries  Referrals Rickshaws 15 5				
Contraception Tubal ligation Copper T  External deliveries Referrals Rickshaws 15 5				
Contraception           Tubal ligation				
Tubal ligation Copper T  External deliveries  Referrals Rickshaws 15  5				
Copper T  External deliveries  Referrals Rickshaws 15 5				
External deliveriesReferrals155				
Referrals Rickshaws 15 5	Copper T			
Rickshaws 15 5	External deliveries			
	Referrals			
	Rickshaws	15	5	
External transfers	External transfers			
Women 30 38 69	Women	30	38	69
Babies 16 23 27	Babies	16	23	27

Applica.

Hospital Name:	<u>Rajawadi</u>	
Year of Record:	1995-96	

	April – June	July - Sept	Oct – Dec	Jan – Mar
Totals				
Confinements	1675	1755	1659	1291
Deliveries	1802	1494	1503	1193
Complications				
Number of deliveries		,	,	
Booked				
Unbooked				
Total				
Transferred deliveries	-			
Booked				
Unbooked				
Age of mother		•		
< 20				
20 – 35				
35 >				_
Religion	'			
Hindu				
Muslim				
Buddhist/				
Scheduled caste				
Principal attendant		•		
Midwife				
Staff nurse				
Doctor				
Sex of child		4	•	
Male				
Female				
Birth weight		-	-	
< 2.5kg	152	195	140	83
2.5kg +	1374	1315	1341	960
Parity	<del>-</del>		* * *	
Prima-gravida				
Multi-gravida				
Multi Births	·			*. ,
Twins				
Total number				
Term			1	
Full-term				
Pre-term	_	_		-
		1	1	

Delivery/labour type				
Normal				
Complicated				
labour				
Referred patients				
Number				
Delivery method				
Emergency				
lower segment				100
cesarian section		-		100
Elective lower segment cesarian				
segment cesarian				
Forceps				
Vacuum				
Vertex				
Breech				
Episiotomy				
Normal				
Abortions				
Complete				
Total				
Required blood transfusion				
Yes				58
Maternal deaths				30
During delivery	_			
Within the 6				
weeks after				
delivery	1	5	2	0
Within the 20				
weeks prior to				
delivery	0	1	1	3
Total	1	6	6	3
Infant deaths				
Neo-natal 0-6	98	50	25	40
Neo-natal 2-26	11	16	10	17
Total neo-natal	_			
Medically				10.5
terminated preg'	94	87	77	106
During delivery				
Mascerated still birth				
Fresh still birth	_			
Still births	53	90	-	61
Complications	<u> </u>	90	59	01
Haemorrhage				
PP/AP	0	2	2	1
Prolonged/obstru				-
cted labour				
Post-partum				
sepsis	_			
Cephalo – pelvic				
disproportion				
Pre-eclampsia				
Eclampsia	_			

Ectopic		1		
pregnancy				
Ruptured uterus	 			
Anaemia			1 _	
Toxemia				
High BP (ANC & PIH)				
PPH/Low BP			_	
PPH/Low BP				
Hand prolapse				
Agpar <7				
Face				
Abnormal				
delivery			_	
Fever patients				
Abnormal baby				
Awaiting report				
Abortion related				
Complete				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
curettage				
Contraception			T	
Tubal ligation				
Copper T				
External deliveries	 		<u> </u>	
Referrals			_	
Rickshaws				
External transfers	 ,			
Women				
Babies				

Hospital Name:	<u>Rajawadi</u>	
Year of Record:	1996-97	

	April – June	July - Sept	Oct – Dec	Jan – Mar
Totals				
Confinements	1398	1696	1778	1470
Deliveries	1198	1510	1631	1190
Complications	20			47
Number of deliveries				
Booked				
Unbooked				
Total				
Transferred deliveries				
Booked				
Unbooked				
Age of mother				
< 20				
20 - 35				
35 >				
Religion	<u> </u>	•		
Hindu				
Muslim				
Buddhist/				
Scheduled cast	e			
Principal attendant				
Midwife				
Staff nurse				
Doctor				
Sex of child				
Male				
Female				
Birth weight				
< 2.5kg	111	137	128	96
2.5kg +	1080	1316	1450	1131
Parity		:	<u> </u>	
Prima-gravida				
Multi-gravida				
Multi Births		-		
Twins				
Total number				
Term				
Full-term				
Pre-term				

D.1					
Delivery/labour type					
Normal			-		
Complicated					
labour					
Referred patients				1	
Number					
Delivery method					
Emergency					
lower segment					
cesarian section	108	125	131	123	
Elective lower					
segment cesarian					
section					
Forceps					
Vacuum					
Vertex					
Breech					
Episiotomy					
Normal					
Abortions	1				
Complete					
Total					
Required blood transfusion			<u></u>		
Yes	112	72		(5	
···	113	72	65	65	
Maternal deaths					
During delivery					
Within the 6					
weeks after					
delivery	0	1	3	0	
Within the 20					
weeks prior to delivery	2	0		1	
Total	3		0	1	
	3	1	3	1	
Infant deaths					
Neo-natal 0-6	31	51	42	32	
Neo-natal 2-26	18	9	10	5	
Total neo-natal					
Medically					
terminated preg'	95	80	137	184	
During delivery					
Mascerated still				l e	
birth					
Fresh still birth					
Still births	61	76	68	65	
Complications					
Haemorrhage					
PP/AP	2	1	2	0	
Prolonged/obstru					
cted labour					
Cephalo – pelvic					
disproportion			_		
Post-partum					
sepsis					
Pre-eclampsia					
Eclampsia					
_					-

Ectopic				
pregnancy				
Ruptured uterus				
Anaemia	0	0	1	0
Toxemia	0	0	0	0
High BP (ANC				
& PIH)				
PPH/Low BP	_			
Agpar <7				
Hand prolapse				
Face				
Bleeding per				
vagina				
Abnormal				
delivery				
Fever patients				
Abnormal baby				
Awaiting report Abortion related				
Complete				
curettage				
Contraception				
Tubal ligation				
Copper T				
External deliveries				
Referrals	-			
Rickshaws				
External transfers		<u> </u>		
Women			<u> </u>	
Babies				
Davies				
Cc				
Msb	<u>.</u>			
Fsb			-	_
1 30				

Hospital Name:	Rajawadi
Year of Record:	1997-98

			·· 1		
		April – June	July - Sept	Oct – Dec	Jan – Mar
Totals					
	Confinements	1442	1562	1852	1674
	Deliveries	1253	1393	1701	1421
	Complications	3	11	15	20
Number of	deliveries				
	Booked				
	Unbooked				
	Total				
Transferred	deliveries			-	-
	Booked				
	Unbooked				
Age of moth	ier		<u>'</u>	<u> </u>	
	< 20			_	
	20 – 35				
	35 >	-			
Religion					
	Hindu				
	Muslim				_
	Buddhist/				
	Scheduled caste				
Principal att	tendant				
]	Midwife				
9	Staff nurse				
]	Doctor				
Sex of child					
1	Male				
I	Female				
Birth weight					
<	< 2.5kg	86	98	114	111
2	2.5kg +	1160	1295	1592	1057
Parity					
F	Prima-gravida				
N	Aulti-gravida				
Aulti Births			, , , , , , , , , , , , , , , , , , , ,		
Τ	wins				
Т	otal number			_	
rerm .			-		<u> </u>
	full-term				
P	re-term		_		

Delivery/labour type					
Normal					
Complicated					
labour					
Referred patients					
Number					
Delivery method					
Emergency					
lower segment	1.52	124	140	160	
cesarian section Elective lower	153	134	149	159	
segment cesarian					
section					
Forceps					
Vacuum			****		
Vertex					
Breech					
Episiotomy					
Normal					
Abortions	<u> </u>				
Complete					
Total					
Required blood transfusion					
Yes	69	76	107	76	
Maternal deaths			107	10	
During delivery	0	0	5	0	
Within the 6	-	U	<u> </u>	U	
weeks after					
delivery	2	1	0	4	
Within the 20					
weeks prior to					
delivery	0	0	5	1	
Total	2	1	5	5	
Infant deaths	_				
Neo-natal 0-6	39	66	60	32	
Neo-natal 2-26	6	6	6	5	
Total neo-natal					
Medically					
terminated preg'	161	129	75	165	
During delivery					
Mascerated still birth					
*					
Fresh still birth	40		0.0		
Still births	49	65	86	68	
Complications Haemorrhage					
PP/AP	2	1	3	2	
Prolonged/obstru		1	<u> </u>		
cted labour					
Cephalo – pelvic					
disproportion					
Post-partum					
sepsis					
Pre-eclampsia					
Eclampsia					

Ectopic pregnancy					
Ruptured uterus					
Anaemia	0	0	0	1	
Toxemia	0	0	0	1	
High BP (ANC					
& PIH)			_		
PPH/Low BP					
Agpar <7					
Hand prolapse					_
Face					
Bleeding per					
vagina					
Abnormal		Į.			
delivery					
Fever patients					
Abnormal baby					
Awaiting report			_		
Abortion related					
Complete curettage					
Contraception					
Tubal ligation					
Copper T			-		
External deliveries			I		
Referrals					
Rickshaws					
External transfers					
Women					
Babies					
Davies					

## MUMBAI SAFE MOTHERHOOD STUDY HOSPITAL RECORD

Hospital Name:	Rajawadi
Year of Record:	1998-99

	April – June	July - Sept	Oct – Dec	Jan	Feb	Mar
Totals						
Confinements	1409	1339	1374	390	344	413
Deliveries	1179	1226	1445			
Complications	1	2	3			
Number of deliveries						
Booked						
Unbooked						
Total						
Transferred deliveries	-					
Booked						
Unbooked						
Age of mother				•		
< 20	-					
20 - 35						
35 >						
Religion					•	
Hindu						
Muslim						
Buddhist/						
Scheduled caste						
Principal attendant						1
Midwife						
Staff nurse						
Doctor						
Sex of child					<u> </u>	
Male						
Female						
Birth weight						
< 2.5kg	101	106	109			
2.5kg +	1091	1145	1100			
Parity						
Prima-gravida				128	145	158
Multi-gravida				154	199	259
Multi Births						
Twins				48	7	2
Total number						
Term						
Full-term				262	208	344
Pre-term				47	244	25

_						-
Delivery/labour type			1			
Normal						
Complicated						
labour						
Referred patients	_					
Number						
Delivery method						
Emergency						
lower segment						
cesarian section	80	116	98	36	51	52
Elective lower						
segment cesarian section					_	8
				9	6	
Forceps				9	6	8
Vacuum				5	4	4
Vertex						
Breech				11	6	8
Episiotomy						
Normal						
Abortions						
Complete				4	5	7
Total						
Required blood transfu	ısion			<del></del>		
Yes	77	66	103			
Maternal deaths					-	
During delivery	0	0	0			
Within the 6						
weeks after						
delivery	2	2	0			
Within the 20						
weeks prior to						
delivery	0	1	1			-
Total	2	3	1			
Infant deaths	-					_
Neo-natal 0-6	52	54	40			1
Neo-natal 2-26	7	8	6	3	0	0
Total neo-natal						
Medically						
terminated preg'	122	56	88			
During delivery						
Mascerated still						
birth				14	9	8
Fresh still birth				9	8	8
Still births						
Complications	T			<del> </del>		
Haemorrhage						
PP/AP	1	3	1		-	
Prolonged/obstru		1				
cted labour						
Cephalo – pelvic		Ì				
disproportion						
Post-partum sepsis						
ŀ					1	
Pre-eclampsia						
Eclampsia						<u> </u>

	1	 					
Ectopic	t						
pregnancy				 		_	
Ruptured uterus							
Anaemia							
Toxemia	1						
High BP (ANC							
& PIH)							
PPH/Low BP			-				
Agpar <7							
Hand prolapse							
Face							
Bleeding per							
vagina					34	23	44
Abnormal					1		
delivery							
Fever patients							
Abnormal baby							
Awaiting report							
Abortion related							
Complete							
curettage					52	37	70
Contraception				 			
Tubal ligation							
Copper T							
External deliveries							
Referrals							
Rickshaws							
External transfers							
Women							
Babies							

## **MUMBAI SAFE MOTHERHOOD STUDY HOSPITAL RECORD**

Hospital Name:ShtabdiYear of Record:1995-96

			1	7	1	1	1	1		1	1	T	Т
		April	May	June	July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar
Totals													
	Confinements	164	195	169	207	208	239	258	233	145	166	144	171
	Deliveries												
	Complications												
Number	of deliveries												
	Booked												
	Unbooked				T								
	Total												
Transfer	red deliveries			-									
	Booked												
	Unbooked	***											
Age of m	other				-								
	< 20												
	20 - 35												
	35 >												
Religion					·				•				
	Hindu		_										
	Muslim												
	Buddhist/												
	Scheduled caste												
<b>Principal</b>	attendant										_		
	Midwife												
	Staff nurse		_										
	Doctor				_								
Sex of chi	ild										_		
	Male	66	91	72	90	87	93	102	75	58	73	79	98
	Female	95	105	97	112	113	140	153	154	84	90	62	71
Birth wei	ght		_				-						
	< 2.5kg												
	2.5kg +												
Parity													
	Prima-gravida	56	54	39	58	45	54	66	58	15	28	29	59
	Multi-gravida	108	141	130	149	163	185	192	175	130	138	115	112
Multi Bir							'		<u> </u>				
	Twins												
_	Total number												
Term									-				
	Full-term	126	176	158	188	179	200	235	200	138	146	129	149
	Pre-term	16	5	4	10	6	6	4	2	1	2	54	5

Delivery/labour type												
			1						_			
Normal												
Complicated												
labour												
Referred patients												
Number												
Delivery method												
Emergency	10	6	3	3	6	11	11	13	2	4	4	8
lower segment												
cesarian section												
Elective lower	2	1	0	0	2	3	2	3	0	1	0	1
segment cesarian					1							
section												
Forceps	3	1	0	0	5	6	8	5	0	5	1	4
Vacuum	4	4	2	0	0	1	0	2	0	1	2	1
Vertex	_ · ·					-		† <del>-</del>		<del></del> -		
Breech	0	0	2	1	0	2	1	4	2	3	0	0
Episiotomy									+-		+	
Normal												
Abortions												
	1		Λ.	1	0			1	0	0	1	Λ.
Complete Total	1	0	0	1	0	0	0	1	U	- U	1	0
Required blood transfusion	1							- T				
Yes												
Maternal deaths										_		
During delivery												
Within the 6						1		1				
weeks after												
delivery												
Within the 20		1										
weeks prior to												
delivery												
Total	0	0	0	0	0	0	0	0	0	0	0	0
Infant deaths							•					
Neo-natal 0-6												
Neo-natal 2-26												
Total neo-natal	4	10	3	4	11	7	2	2	5	7	10	3
Medically	46	25	25	27	20	31	34	33	14	33	31	36
terminated preg'												
During delivery												
Mascerated still	4	8	6	9	6	2	8	6	7	5	1	5
birth						-			'		1	
Fresh still birth	3	0	0	1	3	2	0	0	0	0	0	0
Still births		<u> </u>	<del> </del>	1			<del>_</del>		+	+	<u> </u>	
Complications								1	1			
Haemorrhage				T					1		1	
PP/AP												
Prolonged/obstru					_							
cted labour												
Post-partum		-					-					
sepsis						+		-			-	1
Cephalo – pelvic												
disproportion									-			
Pre-eclampsia											-	
Eclampsia					<del></del>							
Ectopic												
pregnancy												
Ruptured uterus												

Anaemia												
Toxemia	_											
High BP (ANC												
& PIH)												
PPH/Low BP												
Agpar <7												<u> </u>
Hand prolapse												
Face												
Bleeding per												
vagina												
Abnormal												
delivery												
Fever patients												
Abnormal baby												
Awaiting report												
Abortion related	0	0	1	0	0	1	0	0	0	1	0	0
Complete	19	12	12	13	11	9	9	10	0	0	0	10
curettage												
Contraception												
Tubal ligation												
Copper T												
External deliveries												
Referrals							_					
Rickshaws												
External transfers												
Women												
Babies												

## MUMBAI SAFE MOTHERHOOD STUDY HOSPITAL RECORD

Hospital Name:ShtabdiYear of Record:1996-97

				1		1	T					
	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar
Totals												
Confinements	164	195	169	207	208	239	258	233	145	166	144	171
Deliveries												
Complications												
Number of deliveries												
Booked												
Unbooked												
Total												
Transferred deliveries				1					1			
Booked												
Unbooked												
Age of mother							1.			L		
< 20						_						-
20 – 35								-				
35 >												
Religion							<u> </u>					
Hindu		-			l							
Muslim												
Buddhist/												
Scheduled caste												
Principal attendant												
Midwife												
Staff nurse												
Doctor	-											
Sex of principal attendant												
Male	66	91	72	90	87	93	102	75	58	73	79	98
Female	95	105	97	112	113	140	153	154	84	90	62	71
Birth weight												
< 2.5kg		_										_
2.5kg +				-								
Parity												
Prima-gravida	56	54	39	58	45	54	66	58	15	28	29	59
Multi-gravida	108	141	130	149	163	185	192	175	130	138	115	112
Multi Births	1											
Twins												_
Total number												
Term												
Full-term	126	176	158	188	179	200	235	200	138	146	129	149
Pre-term	16	5	4	10	6	6	4	2	1	2	5	5
110-101111	10	ر	7	10	U	V	7	4	1	۷	<u> </u>	J

Delivery/l	abour type												
Denver y/1	Normal												
	Complicated				+			_		-			
	labour												
Referred		L											
	Number												T
Delivery r		1							_L				
	Emergency						$\overline{}$	1				T	
	lower segment												
	cesarian section	10	6	3	3	6	11	11	13	2	4	4	8
	Elective lower		1						1				
	segment cesarian										١.		
	section	2	1	0	0	2	3	2	3	0	1	0	1
	Forceps	3	1	0	0	5	6	8	5	0	5	1	4
	Vacuum	4	4	2	0	0	1	0	2	0	1	2	1
	Vertex												
	Breech	0	0	2	1	0	2	1	4	2	3	0	0
	Episiotomy												1
	Normal												
Abortions													
	Complete	0	1	0	0	1	2	0	3	0	2	0	1
	Total												
Required l	blood transfusion							:					
	Yes												
Maternal o	deaths												
	During delivery												
	Within the 6												
	weeks after												
	delivery											_	
	Within the 20		1										
	weeks prior to												
	delivery	_	1	10			<del>                                     </del>	+				-	<del> </del>
T C	Total	0	1	0	0	0	1	0	0	1	0	0	0
Infant deat			T	_	т			Т	1			1	
	Neo-natal 0-6								_	-		-	
	Neo-natal 2-26			1	1	+	-	+		ļ	1	-	+
	Total neo-natal	0	1	1	10	7	2	4	2	3	10	5	7
	Medically	15	25	27	1.5	1.0	30	1 27	2.1	26	26	22	24
	terminated preg'	45	25	27	15	16	30	37	31	36	26	33	24
	During delivery Mascerated still		1			-	-						-
	birth	4	8	6	9	6	2	8	6	7	5	1	5
	Fresh still birth	0	1	0	1	0	0	2	0	1	0	1	1
	Still births	<u> </u>	1	U	1	+ 0 -	10	+2	U	1	+ 0	1	1
Complication			<u> </u>										
Computati	Haemorrhage				Τ	7 -		Т					]
	PP/AP										1		
	Prolonged/obstru			-								1	
	cted labour												
	Post-partum												
	sepsis												
	Cephalo – pelvic												
	disproportion			1				<u> </u>					
	Pre-eclampsia												
	Eclampsia												

P												
Ectopic												
pregnancy									_			+
Ruptured uterus				_							-	
Anaemia												
Toxemia												
High BP (ANC												
& PIH)										_		_
PPH/Low BP					-							
Agpar <7												
Hand prolapse												
Face												
Bleeding per												
vagina												
Abnormal												
delivery												
Fever patients												
Abnormal baby												
Awaiting report												
Abortion related	0	1	0	0	0	1	2	0	0	0	1	0
Complete												
curettage	16	14	17	14	11	6	14	8	13	15	11	22
Contraception												
Tubal ligation												
Copper T												
External deliveries			_									
Referrals												
Rickshaws												
External transfers												
Women												
Babies												

## MUMBAI SAFE MOTHERHOOD STUDY HOSPITAL RECORD

Hospital Name: Shtabdi
Year of Record: 1997 - 98

							1			T		l	]
		April	May	June	July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar
Totals							,	_				l	
	Confinements	180	200	187	190	239	247	228	138				
	Deliveries	180	200	187	190	239	247	228	138				
	Complications				_							_	
Number	of deliveries									,			
	Booked	167	184	1510	172	209	227	204	125			_	
	Unbooked	13	16	37	18	30	20	24	13				
	Total												
Transferi	red deliveries								_				
	Booked												
	Unbooked												
Age of mo	other												
	< 20	6	9	8	8	10	15	11	12				
	20 - 35	170	189	173	181	225	239	217	136				
	35 >	4	2	6	1	4	3	0	0				
Religion													
	Hindu	124		143		184							
	Muslim	49		35		40							
	Buddhist/		1										
	Scheduled caste	7		12		4							
Principal												-	
	Midwife	1.0											
	Staff nurse	163			176	_		202					
	Doctor	17			14			26			_		
Sex of chil			1	T									
	Male	73	93	103	83	94	106	103	55		-		
	Female	108	104	74	107	143	138	116	80				
Birth weig		1		Т									
	< 2.5kg	100	103	118	141	129	134	127	80				
	2.5kg +	83	93	72	51	112	113	101	58				
Parity _													
	Prima-gravida	62		64	57	64	59	43	33				
36 34 35	Multi-gravida	118	ł	123	133	175	188	185	105	l			
Multi Birt				Г	T		· · · · · · · · · · · · · · · · · · ·			Т			
	Twins			_			_						
ro.	Total number	3	3	2	0	2	1	1	1				
Term	F-11 4	155	155	1.61	100							<del></del>	
	Full-term	155	177	161	166	222	223	198	117	_			
	Pre-term	4	5	6	6	8	4	4	1				

Delivery/labour type												
Normal								1				
Complicated												_
labour												
Referred patients												!
Number												
Delivery method												
Emergency									1			
lower segment												
cesarian section	3	4	8	1	0	3	6	5				
Elective lower												
segment cesarian												
section										_		
Forceps	5	0	1 1	1	0	1	4	1				
Vacuum	0	0	0	0	0	0	0	3				_
Vertex	163		185	185	235	238	226	137				
Breech	7	3	1	5	5	9	2	1				
Episiotomy	64		1	55		35						
Normal	172	196	178	188	239	243	224	137				
Abortions												
Complete												
Total												
Required blood transfusion					,							
Yes												
Maternal deaths						•						
During delivery												
Within the 6												
weeks after			1						1			
delivery												
Within the 20												
weeks prior to												
delivery			l .								+	
Total									•			
Infant deaths								_			1	
Neo-natal 0-6					-	_	_					
Neo-natal 2-26											-	
Total neo-natal		-	-					_	-	-		-
Medically terminated preg'	14	18	30	26	0	42	40	40	31	28	18	
During delivery	14	10	30	20	8	42	40	40	31	20	10	
Mascerated still									+			
birth	2	5	8	0	2	2	9	2				
Fresh still birth	0	1	2	0	0	1	0	1				
Still births		+ *			+	1	+ "	1		-		
Complications								L			_1	
Haemorrhage										T	T	I
PP/AP	5	3	4	4	7	5	4	3				
Prolonged/obstru					·	-						
cted labour	2	2	1	2	3	1	1	3				
Post-partum												
sepsis	0	0	0	0	1	0	0	2				
Cephalo – pelvic								1				
disproportion			-	1							-	ļ
Pre-eclampsia	2_	3	2	1	4	2	3	5				
Eclampsia				<u></u>					<u></u>			

Ectopic												
pregnancy	1	0	0	1_	0	0	1	0				
Ruptured uterus												
Anaemia								_				
Toxemia			_									
High BP (ANC & PIH)			f 									
PPH/Low BP												
Agpar <7												
Hand prolapse								-				
Face				_								ь-
Bleeding per				_				_				
vagina												
Abnormal								1				
delivery												
Fever patients											<u> </u>	
Abnormal baby												
Awaiting report												
Abortion related												
Complete	-											
curettage	7	0	0	0	0	0	0	0				
Tear in delivery												
Tear	18			22			37					
Intact	98			113			150					
Contraception												
Tubal ligation	68	85	50	59	64	87	83	63				
Copper T	29	23	11	12	24	18	18	5	11	14	11	
External deliveries												
Referrals												
Rickshaws												
External transfers						•	•		•	·	,	,
Women												
Babies							1					