

## CORRECTION

# Correction: Cardiometabolic outcomes of women exposed to hyperglycaemia first detected in pregnancy at 3–6 years post-partum in an urban South African setting

The *PLOS ONE* Staff

## Notice of republication

This article was republished on July 31, 2023, to correct for errors in the Data Availability statement. The publisher apologizes for the errors. Please download this article again to view the correct version. The originally published, uncorrected article and the republished, corrected article are provided here for reference.

## Supporting information

**S1 File. Originally published, uncorrected article.**


(PDF)

**S2 File. Republished, corrected article.**

(PDF)

## Reference

1. Nicolaou V, Soepnel L, Huddle K, Klipstein-Grobusch K, Levitt NS, Norris SA (2022) Cardiometabolic outcomes of women exposed to hyperglycaemia first detected in pregnancy at 3–6 years post-partum in an urban South African setting. *PLoS ONE* 17(2): e0263529. <https://doi.org/10.1371/journal.pone.0263529> PMID: 35139085



## OPEN ACCESS

**Citation:** The *PLOS ONE* Staff (2023) Correction: Cardiometabolic outcomes of women exposed to hyperglycaemia first detected in pregnancy at 3–6 years post-partum in an urban South African setting. *PLoS ONE* 18(8): e0289985. <https://doi.org/10.1371/journal.pone.0289985>

**Published:** August 8, 2023

**Copyright:** © 2023 The PLOS ONE Staff. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.