

Review

Inequality in Childhood Immunization Coverage: A Scoping Review of Data Sources, Analyses, and Reporting Methods

Carrie Lyons, Devaki Nambiar , Nicole E. Johns , Adrien Allorant, Nicole Bergen 
and Ahmad Reza Hosseinpour * 

Department of Data and Analytics, World Health Organization, 20 Avenue Appia, 1211 Geneva, Switzerland; lyonsc@who.int (C.L.); nambiard@who.int (D.N.); johnsn@who.int (N.E.J.); alloranta@who.int (A.A.); bergenn@who.int (N.B.)

* Correspondence: hosseinpoura@who.int; Tel.: +41-22-791-3205



Citation: Lyons, C.; Nambiar, D.; Johns, N.E.; Allorant, A.; Bergen, N.; Hosseinpour, A.R. Inequality in Childhood Immunization Coverage: A Scoping Review of Data Sources, Analyses, and Reporting Methods. *Vaccines* **2024**, *12*, 850. <https://doi.org/10.3390/vaccines12080850>

Academic Editor: Pedro Plans-Rubió

Received: 14 June 2024

Revised: 12 July 2024

Accepted: 20 July 2024

Published: 29 July 2024



Copyright: © World Health Organization 2024. Licensee MDPI. This article is distributed under the terms of the Creative Commons Attribution IGO License. (<https://creativecommons.org/licenses/by/3.0/igo/>) which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. In any reproduction of this article there should not be any suggestion that WHO or this article endorse any specific organization or products. The use of the WHO logo is not permitted.

Abstract: Immunization through vaccines among children has contributed to improved childhood survival and health outcomes globally. However, vaccine coverage among children is unevenly distributed across settings and populations. The measurement of inequalities is essential for understanding gaps in vaccine coverage affecting certain sub-populations and monitoring progress towards achieving equity. Our study aimed to characterize the methods of reporting inequalities in childhood vaccine coverage, inclusive of the settings, data source types, analytical methods, and reporting modalities used to quantify and communicate inequality. We conducted a scoping review of publications in academic journals which included analyses of inequalities in vaccination among children. Literature searches were conducted in PubMed and Web of Science and included relevant articles published between 8 December 2013 and 7 December 2023. Overall, 242 publications were identified, including 204 assessing inequalities in a single country and 38 assessing inequalities across more than one country. We observed that analyses on inequalities in childhood vaccine coverage rely heavily on Demographic Health Survey (DHS) or Multiple Indicator Cluster Surveys (MICS) data (39.3%), and papers leveraging these data had increased in the last decade. Additionally, about half of the single-country studies were conducted in low- and middle-income countries. We found that few studies analyzed and reported inequalities using summary measures of health inequality and largely used the odds ratio resulting from logistic regression models for analyses. The most analyzed dimensions of inequality were economic status and maternal education, and the most common vaccine outcome indicator was full vaccination with the recommended vaccine schedule. However, the definition and construction of both dimensions of inequality and vaccine coverage measures varied across studies, and a variety of approaches were used to study inequalities in vaccine coverage across contexts. Overall, harmonizing methods for selecting and categorizing dimensions of inequalities as well as methods for analyzing and reporting inequalities can improve our ability to assess the magnitude and patterns of inequality in vaccine coverage and compare those inequalities across settings and time.

Keywords: health inequalities; infant and child health; immunization; vaccination; scoping review

1. Introduction

Vaccine development and distribution for children has contributed to improved childhood survival and health outcomes globally [1–4]. Immunization through vaccines in childhood serves not only as a vital intervention for disease prevention for individuals but also as an effective community intervention for controlling infectious diseases among populations. Unfortunately, progress in childhood vaccination coverage in the last decade has stalled, with over 14 million children worldwide remaining completely unvaccinated and substantially higher levels of children not receiving all recommended vaccines [5–9].

In response, the Immunization Agenda 2030 (IA2030) was developed as a global strategy for vaccines and immunization coverage [10].

Vaccine coverage among children is unevenly distributed across settings and populations. Globally, 60% of those children who have not received any vaccines reside in 10 low- or middle-income countries (Nigeria, India, Pakistan, Indonesia, Ethiopia, the Philippines, the Democratic Republic of Congo, Brazil, Angola, and Vietnam). This is indicative of inequalities, or observable differences, in vaccine coverage between countries [8]. Variations in vaccine coverage have also been widely observed within countries. In low- and middle-income countries, inequalities in vaccination coverage have been associated with socioeconomic status, rural vs. urban residence, and maternal education [11]. Although high-income countries generally have higher overall vaccine coverage, inequalities in childhood vaccination based on socioeconomic status have also been observed [12,13]. Across settings, marginalized or devalued communities are consistently disproportionately unvaccinated and under-vaccinated [14]. Not only do inequalities experienced in early childhood result in adverse health outcomes for children, but these inequalities will also likely be perpetuated or amplified throughout the life course. Given the existing evidence on inequalities in vaccination coverage and the implications for health outcomes, IA2030 has incorporated goals for the reduction in global inequities in vaccine coverage [10]. Specifically, IA2023 aims to extend immunization services to under-immunized children and communities and improve immunization coverage nationally and sub-nationally in a sustainable manner.

The measurement of inequalities allows for the understanding of the magnitude, context, and trends in inequalities across settings and populations and is also essential for monitoring progress towards achieving equity [15–17]. However, the methods used to assess and report inequalities vary, given the diverse data available, the multiple disciplines conducting research on inequalities, and the wide range of potential audiences and applications for inequality evidence [18]. Social inequalities measure how a health indicator varies between subgroups, which are defined by different dimensions of inequality such as socio-economic status. Inequalities can be assessed quantitatively using disaggregated data or summary measures, which can capture either absolute or relative inequalities. The World Health Organization recommends reporting both absolute and relative measures for tracking health inequalities [19–23]. The literature about the use and application of health inequality summary measures highlights that the selection of measures may influence the interpretation of results about trends over time and the level of inequalities based on settings, populations, or health conditions [24–26]. A systematic review found that health inequalities overall are most commonly reported using only relative measures, although this has not been formally assessed specifically for childhood vaccine coverage inequalities [27]. The ability to improve childhood immunization relies on having an accurate and comprehensive understanding of inequalities affecting populations based on socioeconomic, demographic or geographic dimensions. Therefore, assessing the landscape of inequality analyses and reporting for childhood vaccination will provide insight into the quality of evidence and identify opportunities for improvement.

In response, the objectives of the paper are to characterize the methods of reporting inequalities in childhood vaccine coverage, inclusive of the settings, data source types, analysis methods, and reporting modalities used to quantify and communicate inequality.

2. Materials and Methods

2.1. Protocol Development

We conducted a scoping review of publications in academic journals which included analyses of inequalities in vaccine coverage among children. The search strategy was developed using Medical Subject Headings (MeSH) and key terms focused on three concepts related to inequality, immunization, and children/infants. The literature searches were conducted in PubMed and Web of Science. The protocol was developed in adherence with the JBI Manual for Evidence Synthesis, and we followed the Preferred Reporting Items

for Systematic reviews and Meta-Analyses extension for Scoping Reviews (PRISMA-ScR) Checklist [28,29]. This protocol can be accessed in File S1.

2.2. Inclusion and Exclusion Criteria

Articles were included if published between 8 December 2013 and 7 December 2023. Studies were eligible for inclusion if the study population was children under 5 years of age; the outcome was vaccine coverage; inequalities in vaccine coverage were examined by one or more socioeconomic, demographic, or geographic dimension; and the study reported an objective of assessing inequalities. No language restrictions were applied; however, only English search terms were used within primarily English databases. The full inclusion and exclusion criteria are included in Table 1.

Table 1. Inclusion and exclusion criteria for articles obtained through the search for inequality analyses in childhood vaccine coverage.

Inclusion Criteria	Exclusion Criteria
Study population of children under the age of 5 years. Peer-reviewed research articles and research reports with the use of primary or secondary data published in academic journals. Studies examining an outcome of vaccination coverage or lack of coverage, including dropout and partial/incomplete vaccination. Reporting vaccination coverage by one or more socioeconomic, demographic, or geographic dimension(s) of inequality. Assessed within-country inequality.	Study population did not include results specific to children <5 years. The following document types: Short communications, comments, letters, editorials, biographies, reference materials, interviews, conference proceedings, news articles, pre-prints and systematic, scoping, and other reviews. Studies that exclusively used a qualitative methodology. Articles published more than 10 years before the search date. Only evaluates inequalities in vaccination coverage by medical factors, diagnoses, or comorbidities. Study includes multiple childhood health or related development outcomes, of which immunization is only one (e.g., includes immunization, nutrition, and education outcomes). Evaluates only between-country inequalities. Full text is not available.

2.3. Screening Process

The results from the literature search were reviewed using Covidence software (www.covidence.org, accessed on 18 March 2024) [30]. Title and abstract screening were conducted by one researcher (NJ), and the full text review was conducted by three reviewers (NJ, CL, AA). At the full text review stage, conflicts between reviewers were settled by a separate reviewer. Data extraction was carried out by four reviewers (NJ, CL, AA, DN). The flow chart of the review process is outlined in Figure 1.

2.4. Data Extraction and Synthesis

The data extraction tool was developed using the Covidence data extraction template. The template was designed to extract basic study characteristics, outcomes, dimensions of inequality, and results.

The summary measures of inequality used in this review are defined based on the World Health Organization Health Equity Assessment Toolkit [26]. Dimensions of inequality were reported using PROGRESS-Plus-defined categories of place; race, ethnicity, culture, and language; occupation; gender and sex; religion; education; socioeconomic status; social capital; and additional context-specific dimensions, such as subnational region [31]. Data on the specific vaccines for each article were extracted, as well as outcomes reporting full vaccination (either of a single vaccine or multiple vaccines); vaccination initiation (at least one dose); non-vaccination (with one vaccine or multiple vaccines) or zero-dose (as defined by the study); drop-out, partial vaccination, or incomplete vaccination; and age-appropriate vaccination receipt. Data sources for vaccine outcomes were identified and extracted.




Figure 1. PRISMA flow diagram showing literature identification and screening.

Demographic and Health Surveys (DHS) and/or Multiple Indicator Cluster Surveys (MICS) are large multi-country household surveys that provide publicly available data. The DHS Program is funded primarily through the United States Agency for International Development (USAID) and is designed to collect key population, health, and nutrition information for the entire population of a country. MICS are implemented through support by UNICEF and designed specifically to assess the health of women and children. Additional data sources were administrative surveys and other surveys including households or schools.

We described the number of publications over time and the distribution of studies using different data sources on vaccine coverage indicators over time. We further explored the landscape of publications selected in our review using Multiple Correspondence Analysis (MCA), which is a data visualization technique used to identify and illustrate underlying patterns in categorical data [32]. Each axis represents a dimension along which the data variability is maximized. Typically, the first two axes capture the most significant patterns of variation among the variables. MCA was performed using the FactoMineR package version 2.11 in R version 4.4.1.

3. Results

A total of 5057 potential studies were identified through the literature search, and 1731 duplicates were removed before screening. Titles and abstracts for 3326 studies were screened. Of these, 386 met the inclusion criteria for full-text evaluation. Finally, 242 studies underwent extraction. The full list of articles included is in Table S1.

Overall, we observed an increase in the number of publications on inequalities in childhood vaccine coverage over the period of this review (Figure 2). There was a peak of 42 publications in 2022, noting that the literature search for years 2013 and 2023 did not include the entire calendar year. Differential increases in publications on inequalities in

childhood vaccination by the data source of the vaccine indicators were observed over the review period. The number of publications using administrative or health surveillance data was relatively constant over the period, as were the publications based on other sources such as non-routine, study-specific, or small-scale surveys. However, publications utilizing DHS/MICS have increased in absolute numbers, as well as the overall proportion of manuscripts published since 2019. Across the entire period of the review, a total of 95 (39.3%) papers had utilized DHS/MICS data.




Figure 2. Publications of studies of inequalities in childhood vaccine coverage between 2013 and 2023 by data source for vaccine indicators (N = 242).

We described clusters of studies based on different categorical attributes in the MCA presented in Figure S1. Broadly, we observed a cluster of studies from low-income and lower-middle-income countries utilizing data from DHS/MICS. These studies primarily focus on full vaccination and zero-dose scenarios. In contrast, we observed another cluster of studies from high-income countries that use cohort data derived from administrative records.

Across all studies identified in this review (see Table 2), 15.7% (N = 38) of those included were multi-country studies, ranging from comparative studies of two countries within [33] or across regions [33,34] to a study that included 95 low- and middle-income countries [35] (Table 2). Most studies were cross-sectional in design (82.3% of all studies), followed by cohort (N = 39; 16.1%), as well as one study which was a randomized controlled trial. Of the studies with cohort study design, 87.2% of these used routine or administrative data sources (34 out of 39 studies). Most studies utilized DHS or MICS (53.3% of all studies) as well as survey data (25.6% of all studies) for the vaccine outcome. The study population was reported as the general population for 72.7% (N = 176) of all studies, while approximately one in five studies (22.3%) were focused on specific geographic regions. We also found that 223 out of 242 studies (92.1%) measured individual vaccine coverage as the outcome, while 15 studies (6.2%) computed vaccine coverage in small area units.

Table 2. Characteristics of studies on inequalities in childhood vaccination conducted between 2013 and 2023 (N = 242).

Country	N	%
Single-country	204	84.3%
Multi-country	38	15.7%
Study design		
Randomized control trial	1	0.4%
Cohort study	39	16.1%
Cross-sectional study	199	82.3%
Other	3	1%
Sources of data for vaccine indicator		
DHS or MICS	129	53.3%
Other surveys (household, school, etc.)	62	25.6%
Administrative	51	21.1%
Other	4	1.7%
Vaccine indicator classification		
Full vaccination of multiple vaccines	141	58.3%
Full vaccination of a specific vaccine	89	36.8%
Vaccination initiation (at least one dose of a multi-dose vaccine series)	27	11.2%
Non-vaccination (with one or multiple vaccines)/zero dose	45	19.0%
Drop-out, partial vaccination, or incomplete vaccination	36	14.9%
Age-appropriate vaccination receipt	16	6.6%
Other	8	3.3%

A range of indicators were used to characterize childhood vaccination. Over two-thirds of the studies (N = 163/242; 67.4%) used a single indicator, while the remaining used multiple indicators to report on vaccination. Overall, we found that the most commonly reported vaccine indicator was full coverage of multiple vaccines (58.3%), such as the coverage of WHO-recommended basic vaccine doses or the coverage of all countries' Essential Programme on Immunization-recommended vaccine doses. The second most common indicator, reported in 36.8% of studies, was full vaccination of a specific vaccine series, including pentavalent or DTP vaccines (57 studies), measles or MMR vaccines (50 studies), and polio vaccines (42 studies). Drop-out was reported as an outcome in just under 15% of studies. Notably, zero-dose or non-vaccination was reported in about a fifth of studies, appearing more prominently in studies published after 2022 [36,37]. The most common type of vaccine (78.5%, 190/242) analyzed among studies was the pentavalent (Diphtheria, Pertussis, Tetanus, Hepatitis B, and Hib) vaccine or DPT (Diphtheria, Pertussis, and Tetanus) vaccine.


We did not see great variation in the summary measures used to characterize inequality (see Table 3). The most common analysis was a regression-based measure: odds ratios resulting from multivariate or multivariable logistic regression (N = 150; 62% of studies). A third of studies (36.8% N = 89) employed simple summary measures of health inequality: over a quarter (25.6%; N = 62) of studies reported the ratio, while over one in ten (11.2%; N = 27) reported the difference. Relative Concentration Index measures were reported in 19.8% of studies (N = 48). Overall, 19.0% (N = 46) studies reported absolute summary measures; 50.0% (N = 212) reported relative summary measures; and about 8.3% (N = 20) reported both absolute and relative summary measures. For studies that reported more than one summary measure, all were included in Table 2.

Table 3. Summary measures or effect estimates of inequality used in studies on inequalities in childhood vaccination conducted between 2013 and 2023.

Type of Summary Measures or Regression Method	N	%
Regression-based odds ratios	150	62.0%
Ratio	62	25.6%
Relative concentration index	48	19.8%
Difference	27	11.2%
Slope Index of Inequality	13	5.4%
Population Attributable Risk	6	2.5%
Relative Index of Inequality	4	1.7%
Population Attributable Fraction	5	2.1%
Index of Disparity	1	0.4%
Theil Index	1	0.4%

3.1. Single-Country Studies

A total of 204 publications reported on inequalities in childhood vaccination in a single-country context (see Figure 3). Across these studies, 46 countries were represented. India had the largest number of papers, with a total of 34 publications in this period, followed by Ethiopia (N = 16), United Kingdom (N = 14), United States (N = 14), China (N = 12), and Nigeria (N = 12). Countries including Canada, Bangladesh, Ghana, and Nepal were featured in 5–10 publications in this period. We also found that 19 other countries had a single study published on this topic in the period studied.

**Figure 3.** Global map of countries where studies on inequalities in childhood vaccination have been conducted between 2013 and 2023.

In single-country studies, the most commonly reported dimension of inequality overall was socioeconomic status (71.9% of studies; see Table 4). The measures used to define socioeconomic status varied based on whether the variable was measured at the individual, household, regional, or country level. Of these studies, the most commonly reported measure for socioeconomic status was the wealth index, which was treated as a quantile, as a tertile, and as continuous. Other proxies for socioeconomic status were personal income, type of household, deprivation index, poverty level, and GDP per capita at the subnational level.

Table 4. Dimensions of inequality assessed and reported in single-country studies on inequalities in childhood vaccination conducted between 2013 and 2023 (N = 204).

	Overall (N = 204)		2023 World Bank Group Country Income Category							
			Low Income (N = 30)		Lower-Middle Income (N = 102)		Upper Middle Income (N = 26)		High Income (N = 46)	
PROGRESS-Plus characteristic	N	%	N	%	N	%	N	%	N	%
Place of residence (rural/urban)	118	58.1%	21	70.0%	71	69.6%	18	69.2%	8	17.4%
Race, ethnicity, culture, language	89	43.8%	6	20.0%	48	47.1%	8	30.8%	27	58.7%
Occupation (maternal)	53	25.6%	11	36.7%	30	29.4%	10	38.5%	2	4.3%
Gender and sex (Child's sex)	133	65.0%	18	60.0%	79	77.4%	21	80.8%	15	32.6%
Religion	60	29.6%	8	26.7%	48	47.1%	1	3.8%	3	6.5%
Education (maternal)	138	67.5%	25	83.3%	84	82.42%	18	69.2%	11	23.9%
Socioeconomic status	146	71.9%	25	83.3%	76	75.2%	21	80.8%	24	52.2%
Subnational region	99	48.8%	16	53.3%	58	57.4%	10	38.5%	15	32.6%
+ Vulnerability index)	21	10.3%	0	0.0%	4	4.0%	1	3.8%	16	34.8%

The next more commonly reported dimension of inequality overall was maternal education (67.5% of studies), followed by child's sex (65.0%). This pattern was seen in countries across World Bank classification categories, although among high-income countries, there was a greater relative quantity of studies looking at race, ethnicity, culture, or language (58.7% of studies). Further, vulnerability indices were much more commonly applied in high-income country contexts. Religion as a dimension of inequality was much more commonly used in low- (N = 8) and lower-middle-income (N = 48) countries compared to in upper-middle-income (N = 1) and high-income (N = 3) countries. Lastly, we found that about a quarter of the single-country papers (N = 50) looked at multiple dimensions of inequality, and 28 used multiple disaggregation of inequality dimensions.

We also found an increasing use of vaccination indicators that may serve as proxies of inequity and disadvantage: zero-dose or non-vaccination was measured in 34 (or 16.7% of single-country) studies. Among these studies, the most commonly reported dimension of inequality was maternal education (76.5% of single-country studies reporting non-vaccination or zero-dose), followed closely by socioeconomic inequality (67.6% of single-country studies reporting non-vaccination or zero-dose), place of residence (64.7% of single-country studies reporting on this indicator), as well as gender and sex (58.5% of single-country studies reporting on this indicator). No studies examining zero-dose or non-vaccination utilized a vulnerability index. The findings broadly matched the patterns seen in full vaccine coverage studies, meaning that higher education and socio-economic statuses were associated with a lower zero-dose prevalence. Further, minoritized racial and ethnic groups, as well as religious groups, reported a higher zero-dose prevalence. However, for certain dimensions of inequality, like gender and sex as well as place of residence, a number of studies reported no association or associations that became insignificant in the multivariate analysis. The full results of the evidence for single-country studies are included in Table S2.

3.2. Multi-Country Studies

Of the 38 multi-country studies identified in our review, the most commonly reported dimension of inequality was socioeconomic status, defined as the wealth index, household wealth, or household disposable income. Of the multi-country studies, 20 had data on full coverage of multiple vaccines. Among multi-country studies, 94.7% (N = 36) used DHS/MICS data. Four studies (10.5%) used multiple disaggregation, and over a quarter of the studies (N = 10) looked at inequality trends over time. Finally, subnational inequalities in vaccination were reported in a number of multi-country studies [38–40]. The full results of evidence for single-country studies are included in Table S3.

4. Discussion

Our scoping review aimed to characterize the methods of reporting inequalities in childhood vaccine coverage, inclusive of the settings, data source types, analysis methods, and reporting modalities used to quantify and communicate inequality. We observed that analyses on inequalities in childhood vaccination rely heavily on DHS or MICS data and that papers leveraging these data had increased in the last decade. We found that few studies analyzed and reported inequalities using summary measures and instead largely used multivariate or multivariable logistic regression models for analyses. The most commonly analyzed dimensions of inequality were economic status and maternal education, and the most common vaccine outcome indicator was full vaccination of multiple vaccines. However, the definition and construction of both dimensions of inequality and outcome measures varied across studies.

Summary measures allow inequalities to be described by a single number and can be useful in describing, monitoring, and comparing inequality across settings and over time [26]. However, a low proportion of studies identified in this review used summary measures of inequalities. Overwhelmingly, the studies used multivariable or multivariate logistic regression models. While these models provide valuable insights by simultaneously examining the influence of multiple factors on the outcome of interest, they do not strictly qualify as summary measures of inequality. Estimates from logistic regression provide an estimate of the direct effect of a dimension of inequality, while summary measures of inequality provide a measure of the total effect of a dimension of inequality. By accounting for various potential confounders, these models offer a more nuanced understanding of the association between socioeconomic status and vaccine coverage. However, their reliance on specific sets of covariates, which are tailored to the author's conceptual framework and the available data, complicates the comparability of effect estimates between studies. This variability in model specifications can lead to inconsistencies in findings and hinder efforts to synthesize evidence across diverse research endeavors. Additionally, the construction of models may come with limitations, especially when not accounting for the study design and sampling approaches. For example, several studies identified in our review leveraged DHS or MICS data and included the place of residence but not regions in the regression models. DHS and MICS use both the place of residence and regions as strata for survey sampling and therefore oversample certain regions as needed [41,42]. Thus, if vaccine coverage is greater in certain regions than others, then this omission of both place of residence and regions as potential confounders would likely introduce a bias into the estimate. Multivariate and multivariable logistic regression models serve an important purpose; however, there is a need for more studies reporting summary measures to inform the monitoring and tracking of inequalities across countries and over time.

Among the studies identified in this review, approximately one in five reported absolute summary measures, while half reported relative summary measures and about one-tenth reported both absolute and relative summary measures [19–23]. The selection of reporting absolute vs. relative summary measures may influence the interpretation, conclusions, and implications of the study results [24–26]. For example, one study used multiple inequality summary measures, which all led to fairly consistent findings for the presence of inequalities but inconsistent findings for trends of inequality over time [43]. Although eight percent of studies reported both absolute and relative summary measures, there is an opportunity for more studies to leverage both types of measures to provide more meaningful and informative results and reduce reporting bias. Simple measures of inequality, such as the difference and ratio, were used in a large proportion of analyses identified in this review and allow for comparisons of vaccination outcomes in two population subgroups. However, the selection of only two subgroups may not reflect the level of inequalities across diverse subgroups in the population. Conversely, complex measures allow for comparison with more than two population subgroups and were used in about one-third of the studies identified in this review. Most of the complex summary measures reported in this review leveraged disproportionality measures such as the relative concentration index, which is a

measure of inequality that shows the gradient across population subgroups and indicates the extent to which inequality is concentrated among certain subgroups.

Impact summary measures are used to estimate the potential benefits of addressing inequalities in childhood vaccination coverage. Overall, only 2% of studies ($N = 4$) identified in this review used impact measures—specifically, the population attributable fraction—to show the potential improvement that could be achieved if all population subgroups had the same level of vaccine coverage as a reference subgroup. Several other studies were focused on assessing the potential for inequality reduction. For example, one study used an equity outcome in program evaluation [44] and another study aimed at evaluating changes in inequalities as a result of a policy [45]. Although measuring the state of inequalities and monitoring inequalities are essential, there is a need for more studies to look forward towards how to reduce inequalities and improve childhood vaccination coverage.

This review highlighted that the most commonly analyzed dimensions of inequality were economic status and maternal education. However, the distribution of the use of these varied based on country-level income, as a higher proportion of studies in low- and middle-income settings utilized these dimensions than in high-income settings. Conversely, race and ethnicity were explored in a high proportion of studies in high-income settings compared to those in lower- and middle-income settings. The selection of dimensions of inequalities may reflect the differences in the drivers and conceptual pathways in inequalities in high-income settings compared to those in lower- and middle-income settings. Importantly, the definitions and categorizations of the dimensions differed, with over ten different ways in which economic status was defined and the measure was constructed. Studies may have leveraged data-driven or conceptual approaches for categorizing dimensions of inequalities; however, using conceptual approaches for categorization may allow for uniform measures across different settings and datasets.

Across studies identified in this scoping review, vaccine outcome indicators varied in how they were constructed. For example, the most commonly reported vaccine indicator was full vaccination of multiple vaccines. However, not all of these studies utilized the same set of vaccines in their definition of full vaccination coverage. Almost half of the studies in this review used non-vaccination as a vaccine outcome, and this was defined as non-vaccination with one specific vaccine, non-vaccination of multiple vaccines, or as ‘zero dose’ (children who have not received any routine vaccinations). The choice and construction of vaccine outcomes may influence the inequality observed, the interpretation of the results, and the utility of the findings. For example, analyzing full coverage in vaccination may provide insight into inequalities in subgroups who are not achieving the recommended vaccination coverage and provide insight into how programs may fill gaps in reaching goals for full coverage. Conversely, assessing inequalities in non-vaccination or zero coverage provides insights into the sub-populations that may be most marginalized and not obtaining any vaccine coverage, highlighting subgroups with a severe need for interventions.

Our scoping review highlights the patterns in data sources used for assessing inequalities among children. Across studies, DHS or MICS were the most commonly used data source for vaccine indicators. Importantly, the utilization of DHS or MICS appears to have increased over the last decade and is contributing to a larger proportion of the literature on inequalities in childhood vaccinations. Notably, almost all the multi-country studies utilized DHS or MICS data, highlighting the reliance on these data for regional and global analyses of inequalities. Therefore, the quality of this body of literature is heavily tied to the quality of these data. Both DHS and MICS are household surveys and are designed to be nationally representative samples. Given that DHS and MICS use consistent indicators across countries, and the recruitment methods are standardized, cross-country comparisons are feasible. Both DHS and MICS have publicly available datasets and are therefore accessible to researchers who wish to analyze and report on disaggregated data. However, there are some limitations of using these data, such as the lack of control over the selection and measurement of the dimensions of inequalities available. Additionally, there is generally a large lag in the release of data and reports from when the data are collected.

Lastly, DHS/MICS may have limited data on marginalized populations of interest for inequality studies.

Our scoping review highlights that there are challenges in comparing results of inequalities in childhood vaccination across settings and over time. These challenges arise from the differences in the data used for analyses, indicator definitions for vaccinations as well as dimensions of inequalities, and summary measures. Although the goal of our review was not to summarize the evidence of studies, we explored the evidence in Table S2 for the purpose of understanding the patterns and potential implications of the methods used. Given the differences in the data, indicators, methods, and summary measures used, we expect to observe inconsistencies in the results across settings. For example, studies assessing residence using rural vs. urban settings as the dimension of inequality varied in terms of inequalities favoring either urban or rural. One may conclude that these findings highlight that rural–urban inequalities are likely very context- and setting-dependent and that this variation likely depends on the funding and programmatic priorities and efforts towards vaccination in either setting. However, the variation in results may alternatively be a product of the methods used for assessment, including definitions of vaccine coverage or of urbanicity, rather than actual inequalities. Despite challenges and limitations, some consistencies in the results were observed across studies. For example, maternal education and economic status are widely used dimensions of inequality for assessing vaccination among children, with more than half of the studies identified in this review analyzing at least one of these dimensions. Across studies, the results were largely consistent with inequalities favoring higher education and a higher economic status. This may highlight the persistent and universal role that education and economic statuses may serve in inequalities in childhood vaccines, regardless of the country, setting, or methods used. However, harmonizing methods used in assessing inequalities will improve our ability to accurately compare across countries, across populations, and over time.

There are several limitations that should be considered for this scoping review. The results from this search strategy are subject to how the manuscripts were indexed into each database. Therefore, relevant manuscripts may not have been detected in the search. For our search strategy, only predominately English-language databases were searched, and therefore, relevant articles in non-English databases may not have been identified in the search. Our search was limited to articles published in academic journals, and therefore, literature such as project reports, normative agency reports, or other studies may not have been identified in our search strategy.

5. Conclusions

Measuring and monitoring inequalities in childhood immunization is essential to achieving health equity. Currently, the evidence on inequalities in childhood vaccination in academic journals relies on the use of various approaches including data, analytical methods, and measures of results, which makes comparisons across settings and time difficult. The harmonization of approaches may allow for improved monitoring through academic studies.

Supplementary Materials: The following supporting information can be downloaded at: <https://www.mdpi.com/article/10.3390/vaccines12080850/s1>, File S1: Search Protocol; Table S1. Full list of articles identified in the scoping review on inequality in childhood immunization coverage; Figure S1: Multiple Correspondence Analysis of Article Characteristics on Child Vaccine Coverage Inequalities; Table S2. Summary of findings of single-country studies on inequalities in child vaccine coverage conducted between 2013 and 2023; Table S3. Summary of findings of multi-country studies on inequalities in child vaccine coverage conducted between 2013 and 2023 [46–157].

Author Contributions: The conceptualization was led by A.R.H., N.E.J., and N.B. The methodology was led by A.R.H., N.E.J., N.B., D.N., C.L., and A.A. The analysis was led by D.N. and supported by C.L. and A.A. The writing was led by C.L. and supported by D.N. and N.E.J. All authors contributed to the review and finalization of the manuscript (A.R.H., N.E.J., N.B., D.N., C.L., and A.A.). All authors

have read and agreed to the published version of the manuscript. NEJ is affiliated with University of California San Diego, San Diego, USA at the time of publication of the article.

Funding: This research was funded by Gavi, the Vaccine Alliance. The funders had no role in the design of the study; in the collection, analyses, or interpretation of the data; in the writing of the manuscript; or in the decision to publish the results.

Institutional Review Board Statement: Not applicable.

Informed Consent Statement: Not applicable.

Data Availability Statement: Not applicable.

Conflicts of Interest: The authors declare that they have no conflicts of interest. The authors are staff of the World Health Organization. The authors alone are responsible for the views expressed in this publication, and they do not necessarily represent the views, decisions, or policies of the World Health Organization.

References

- McGovern, M.E.; Canning, D. Vaccination and all-cause child mortality from 1985 to 2011: Global evidence from the Demographic and Health Surveys. *Am. J. Epidemiol.* **2015**, *182*, 791–798. [\[CrossRef\]](#) [\[PubMed\]](#)
- Patel, M.K.; Goodson, J.L.; Alexander, J.P., Jr.; Kretsinger, K.; Sodha, S.V.; Steulet, C.; Gacic-Dobo, M.; Rota, P.A.; McFarland, J.; Menning, L.; et al. Progress Toward Regional Measles Elimination—Worldwide, 2000–2019. *MMWR Morb. Mortal. Wkly. Rep.* **2020**, *69*, 1700–1705. [\[CrossRef\]](#) [\[PubMed\]](#)
- Li, X.; Mukandavire, C.; Cucunubá, Z.M.; Echeverria Londono, S.; Abbas, K.; Clapham, H.E.; Jit, M.; Johnson, H.L.; Papadopoulos, T.; Vynnycky, E.; et al. Estimating the health impact of vaccination against ten pathogens in 98 low-income and middle-income countries from 2000 to 2030: A modelling study. *Lancet* **2021**, *397*, 398–408. [\[CrossRef\]](#) [\[PubMed\]](#)
- Chang, A.Y.; Riumallo-Herl, C.; Perales, N.A.; Clark, S.; Clark, A.; Constenla, D.; Garske, T.; Jackson, M.L.; Jean, K.; Jit, M.; et al. The Equity Impact Vaccines May Have On Averting Deaths And Medical Impoverishment In Developing Countries. *Health Aff. (Proj. Hope)* **2018**, *37*, 316–324. [\[CrossRef\]](#) [\[PubMed\]](#)
- Measuring routine childhood vaccination coverage in 204 countries and territories, 1980–2019: A systematic analysis for the Global Burden of Disease Study 2020, Release 1. *Lancet* **2021**, *398*, 503–521. [\[CrossRef\]](#) [\[PubMed\]](#)
- Verrier, F.; de Lauzanne, A.; Diouf, J.N.; Zo, A.Z.; Ramblière, L.; Herindrainy, P.; Sarr, F.D.; Sok, T.; Vray, M.; Collard, J.M.; et al. Vaccination Coverage and Risk Factors Associated With Incomplete Vaccination Among Children in Cambodia, Madagascar, and Senegal. *Open Forum Infect. Dis.* **2023**, *10*, ofad136. [\[CrossRef\]](#) [\[PubMed\]](#)
- Yendewa, G.A.; James, P.B.; Mohareb, A.; Barrie, U.; Massaquoi, S.P.E.; Yendewa, S.A.; Ghazzawi, M.; Bockarie, T.; Cummings, P.E.; Diallo, I.S.; et al. Determinants of incomplete childhood hepatitis B vaccination in Sierra Leone, Liberia, and Guinea: Analysis of national surveys (2018–2020). *Epidemiol. Infect.* **2023**, *151*, e193. [\[CrossRef\]](#) [\[PubMed\]](#)
- Peck, M.; Gacic-Dobo, M.; Diallo, M.S.; Nedelec, Y.; Sodha, S.V.; Wallace, A.S. Global Routine Vaccination Coverage, 2018. *MMWR Morb. Mortal. Wkly. Rep.* **2019**, *68*, 937–942. [\[CrossRef\]](#) [\[PubMed\]](#)
- Cata-Preta, B.O.; Santos, T.M.; Mengistu, T.; Hogan, D.R.; Barros, A.J.D.; Victora, C.G. Zero-dose children and the immunisation cascade: Understanding immunisation pathways in low and middle-income countries. *Vaccine* **2021**, *39*, 4564–4570. [\[CrossRef\]](#)
- World Health Organization. *Immunization Agenda 2030: A Global Strategy to Leave No One Behind*; World Health Organization: Geneva, Switzerland, 2020.
- Ali, H.A.; Hartner, A.M.; Echeverria-Londono, S.; Roth, J.; Li, X.; Abbas, K.; Portnoy, A.; Vynnycky, E.; Woodruff, K.; Ferguson, N.M.; et al. Vaccine equity in low and middle income countries: A systematic review and meta-analysis. *Int. J. Equity Health* **2022**, *21*, 82. [\[CrossRef\]](#)
- Bocquier, A.; Ward, J.; Raude, J.; Peretti-Watel, P.; Verger, P. Socioeconomic differences in childhood vaccination in developed countries: A systematic review of quantitative studies. *Expert Rev. Vaccines* **2017**, *16*, 1107–1118. [\[CrossRef\]](#)
- Bergen, N.; Cata-Preta, B.O.; Schlottheuber, A.; Santos, T.M.; Danovaro-Holliday, M.C.; Mengistu, T.; Sodha, S.V.; Hogan, D.R.; Barros, A.J.D.; Hosseinpoor, A.R. Economic-Related Inequalities in Zero-Dose Children: A Study of Non-Receipt of Diphtheria-Tetanus-Pertussis Immunization Using Household Health Survey Data from 89 Low- and Middle-Income Countries. *Vaccines* **2022**, *10*, 633. [\[CrossRef\]](#)
- Lai, X.; Zhang, H.; Pouwels, K.B.; Patenaude, B.; Jit, M.; Fang, H. Estimating global and regional between-country inequality in routine childhood vaccine coverage in 195 countries and territories from 2019 to 2021: A longitudinal study. *EClinicalMedicine* **2023**, *60*, 102042. [\[CrossRef\]](#)
- Hosseinpoor, A.R.; Bergen, N. Health Inequality Monitoring: A Practical Application of Population Health Monitoring. In *Population Health Monitoring: Climbing the Information Pyramid*; Verschuuren, M., van Oers, H., Eds.; Springer International Publishing: Cham, Switzerland, 2019; pp. 151–173.
- Hosseinpoor, A.R.; Bergen, N.; Schlottheuber, A.; Grove, J. Measuring health inequalities in the context of sustainable development goals. *Bull. World Health Organ.* **2018**, *96*, 654–659. [\[CrossRef\]](#) [\[PubMed\]](#)

17. Health Inequality Monitoring. *Harnessing Data to Advance Health Equity (In Development)*; World Health Organization: Geneva, Switzerland, 2023.
18. O'Donnell, O.; Van Doorslaer, E.; Wagstaff, A.; Lindelow, M. *Analyzing Health Equity Using Household Survey Data: A Guide to Techniques and Their Implementation*; World Bank Group: Washington, DC, USA, 2018.
19. Kelly, M.P.M.A.; Bonnefoy, J.; Butt, J.; Bergmann, V. *The Social Determinants of Health: Developing an Evidence Base for Action*; World Health Organization Commission on Social Determinants of Health: Geneva, Switzerland, 2007.
20. *Handbook on Health Inequality Monitoring: With a Special Focus on Low- and Middle-Income Countries*; The World Health Organization: Geneva, Switzerland, 2013.
21. *Inequality Monitoring in Immunization: A Step-by-Step Manual*; The World Health Organization: Geneva, Switzerland, 2019.
22. Kjellsson, G.; Gerdtham, U.G.; Petrie, D. Lies, Damned Lies, and Health Inequality Measurements: Understanding the Value Judgments. *Epidemiology* **2015**, *26*, 673–680. [[CrossRef](#)]
23. Asada, Y. On the choice of absolute or relative inequality measures. *Milbank Q.* **2010**, *88*, 616–622; discussion 623–627. [[CrossRef](#)] [[PubMed](#)]
24. Houweling, T.A.; Kunst, A.E.; Huisman, M.; Mackenbach, J.P. Using relative and absolute measures for monitoring health inequalities: Experiences from cross-national analyses on maternal and child health. *Int. J. Equity Health* **2007**, *6*, 15. [[CrossRef](#)] [[PubMed](#)]
25. Moser, K.; Frost, C.; Leon, D.A. Comparing health inequalities across time and place—rate ratios and rate differences lead to different conclusions: Analysis of cross-sectional data from 22 countries 1991–2001. *Int. J. Epidemiol.* **2007**, *36*, 1285–1291. [[CrossRef](#)]
26. Schlotheuber, A.; Hosseinpoor, A.R. Summary Measures of Health Inequality: A Review of Existing Measures and Their Application. *Int. J. Environ. Res. Public Health* **2022**, *19*, 3697. [[CrossRef](#)]
27. King, N.B.; Harper, S.; Young, M.E. Use of relative and absolute effect measures in reporting health inequalities: Structured review. *BMJ (Clin. Res. Ed)* **2012**, *345*, e5774. [[CrossRef](#)] [[PubMed](#)]
28. Aromataris, E.; Munn, Z. (Eds.) Chapter 11. Scoping reviews. In *JBIManual for Evidence Synthesis*; JBI: Miami, FL, USA, 2017; Available online: <https://jbi-global-wiki.refined.site/space/MANUAL/4687342/Chapter+11:+Scoping+reviews> (accessed on 18 March 2024).
29. Tricco, A.C.; Lillie, E.; Zarin, W.; O'Brien, K.K.; Colquhoun, H.; Levac, D.; Moher, D.; Peters, M.D.J.; Horsley, T.; Weeks, L.; et al. PRISMA Extension for Scoping Reviews (PRISMA-ScR): Checklist and Explanation. *Ann. Intern. Med.* **2018**, *169*, 467–473. [[CrossRef](#)] [[PubMed](#)]
30. *Covidence Systematic Review Software*; Veritas Health Innovation: Melbourne, Australia, 2020.
31. O'Neill, J.; Tabish, H.; Welch, V.; Petticrew, M.; Pottie, K.; Clarke, M.; Evans, T.; Pardo Pardo, J.; Waters, E.; White, H.; et al. Applying an equity lens to interventions: Using progress ensures consideration of socially stratifying factors to illuminate inequities in health. *J. Clin. Epidemiol.* **2014**, *67*, 56–64. [[CrossRef](#)] [[PubMed](#)]
32. Le Roux, B.; Rouanet, H. *Multiple Correspondence Analysis*; Series: Quantitative Applications in the Social Sciences; SAGE: Thousand Oaks, CA, USA, 2010; Volume 163.
33. Alaba, O.A.; Hongoro, C.; Thulare, A.; Lukwa, A.T. Leaving No Child Behind: Decomposing Socioeconomic Inequalities in Child Health for India and South Africa. *Int. J. Environ. Res. Public Health* **2021**, *18*, 7114. [[CrossRef](#)]
34. Siddiqui, N.T.; Owais, A.; Agha, A.; Karim, M.S.; Zaidi, A.K. Ethnic disparities in routine immunization coverage: A reason for persistent poliovirus circulation in Karachi, Pakistan? *Asia Pac. J. Public Health* **2014**, *26*, 67–76. [[CrossRef](#)] [[PubMed](#)]
35. Wendt, A.; Hellwig, F.; Saad, G.E.; Faye, C.; Mokomane, Z.; Boerma, T.; Barros, A.J.D.; Victora, C. Are children in female-headed households at a disadvantage? An analysis of immunization coverage and stunting prevalence: In 95 low- and middle-income countries. *SSM Popul. Health* **2021**, *15*, 100888. [[CrossRef](#)] [[PubMed](#)]
36. Sissoko, D.; Trottier, H.; Malvy, D.; Johri, M. The Influence of Compositional and Contextual Factors on Non-Receipt of Basic Vaccines among Children of 12–23-Month Old in India: A Multilevel Analysis. *PLoS ONE* **2014**, *9*, e106528. [[CrossRef](#)]
37. Prusty, R.K.; Kumar, A. Socioeconomic dynamics of gender disparity in childhood immunization in India, 1992–2006. *PLoS ONE* **2014**, *9*, e104598. [[CrossRef](#)]
38. Dimitrova, A.; Carrasco-Escobar, G.; Richardson, R.; Benmarhnia, T. Essential childhood immunization in 43 low- and middle-income countries: Analysis of spatial trends and socioeconomic inequalities in vaccine coverage. *PLoS Med.* **2023**, *20*, e1004166. [[CrossRef](#)]
39. Fullman, N.; Correa, G.C.; Ikilezi, G.; Phillips, D.E.; Reynolds, H.W. Assessing Potential Exemplars in Reducing Zero-Dose Children: A Novel Approach for Identifying Positive Outliers in Decreasing National Levels and Geographic Inequalities in Unvaccinated Children. *Vaccines* **2023**, *11*, 647. [[CrossRef](#)]
40. Gao, Y.; Kc, A.; Chen, C.; Huang, Y.; Wang, Y.; Zou, S.; Zhou, H. Inequality in measles vaccination coverage in the “big six” countries of the WHO South-East Asia region. *Hum Vaccin Immunother* **2020**, *16*, 1485–1497. [[CrossRef](#)] [[PubMed](#)]
41. DHS Methodology. Available online: <https://dhsprogram.com/Methodology/Survey-Types/DHS-Methodology.cfm> (accessed on 1 February 2024).
42. MICS7 TOOLS. Available online: <https://mics.unicef.org/tools#survey-design> (accessed on 1 February 2024).

43. Zegeye, B.; El-Khatib, Z.; Oladimeji, O.; Ahinkorah, B.O.; Ameyaw, E.K.; Seidu, A.A.; Budu, E.; Yaya, S. Demographic and health surveys showed widening trends in polio immunisation inequalities in Guinea. *Acta Paediatr.* **2021**, *110*, 3334–3342. [[CrossRef](#)] [[PubMed](#)]
44. Katz, A.; Enns, J.E.; Chateau, D.; Lix, L.; Jutte, D.; Edwards, J.; Brownell, M.; Metge, C.; Nickel, N.; Taylor, C.; et al. Does a pay-for-performance program for primary care physicians alleviate health inequity in childhood vaccination rates? *Int. J. Equity Health* **2015**, *14*, 114. [[CrossRef](#)] [[PubMed](#)]
45. Sowe, A.; Namatovu, F.; Cham, B.; Gustafsson, P.E. Does a pay-for-performance health service model improve overall and rural-urban inequity in vaccination rates? A difference-in-differences analysis from the Gambia. *Vaccine X* **2022**, *12*, 100206. [[CrossRef](#)]
46. Shenton, L.M.; Wagner, A.L.; Carlson, B.F.; Mubarak, M.Y.; Boulton, M.L. Vaccination status of children aged 1–4 years in Afghanistan and associated factors, 2015. *Vaccine* **2018**, *36*, 5141–5149. [[CrossRef](#)]
47. Boulton, M.L.; Carlson, B.F.; Power, L.E.; Wagner, A.L. Socioeconomic factors associated with full childhood vaccination in Bangladesh, 2014. *Int. J. Infect. Dis.* **2018**, *69*, 35–40. [[CrossRef](#)]
48. Budu, E.; Ahinkorah, B.O.; Guets, W.; Ameyaw, E.K.; Essuman, M.A.; Yaya, S. Socioeconomic and residence-based related inequality in childhood vaccination in Sub-Saharan Africa: Evidence from Benin. *Health Sci. Rep.* **2023**, *6*, e1198. [[CrossRef](#)]
49. Zhang, H.; Lai, X.; Mak, J.; Sriudomporn, S.; Fang, H.; Patenaude, B. Coverage and Equity of Childhood Vaccines in China. *JAMA Netw. Open* **2022**, *5*, e2246005. [[CrossRef](#)] [[PubMed](#)]
50. Dheresa, M.; Dessie, Y.; Negash, B.; Balis, B.; Getachew, T.; Ayana, G.M.; Merga, B.T.; Regassa, L.D. Child Vaccination Coverage, Trends and Predictors in Eastern Ethiopia: Implication for Sustainable Development Goals. *J. Multidiscip. Healthc.* **2021**, *14*, 2657–2667. [[CrossRef](#)]
51. Tola, H.H.; Gamtesa, D.F. High Inequality and Slow Services Improvement in Newborn and Child Health Interventions in Ethiopia. *Pediatr. Health Med. Ther.* **2020**, *11*, 513–523. [[CrossRef](#)]
52. Asmare, G.; Madalicho, M.; Sorsa, A. Disparities in full immunization coverage among urban and rural children aged 12–23 months in southwest Ethiopia: A comparative cross-sectional study. *Hum. Vaccin. Immunother.* **2022**, *18*, 2101316. [[CrossRef](#)] [[PubMed](#)]
53. Debie, A.; Lakew, A.M.; Tamirat, K.S.; Amare, G.; Tesema, G.A. Complete vaccination service utilization inequalities among children aged 12–23 months in Ethiopia: A multivariate decomposition analyses. *Int. J. Equity Health* **2020**, *19*, 65. [[CrossRef](#)] [[PubMed](#)]
54. Yibeltal, K.; Tsegaye, S.; Zelealem, H.; Worku, W.; Demissie, M.; Worku, A.; Berhane, Y. Trends, projection and inequalities in full immunization coverage in Ethiopia: In the period 2000–2019. *BMC Pediatr.* **2022**, *22*, 193. [[CrossRef](#)] [[PubMed](#)]
55. Budu, E.; Opoku Ahinkorah, B.; Okyere, J.; Seidu, A.A.; Ofori Duah, H. Inequalities in the prevalence of full immunization coverage among one-year-olds in Ghana, 1993–2014. *Vaccine* **2022**, *40*, 3614–3620. [[CrossRef](#)] [[PubMed](#)]
56. Sharma, S.; Maheshwari, S.; Jaiswal, A.K.; Mehra, S. Income-based inequality in full immunization coverage of children aged 12–23 months in Eastern India: A decomposition analysis. *Clin. Epidemiol. Glob. Health* **2021**, *11*, 100738. [[CrossRef](#)]
57. Goli, S.; James, K.S.; Pallikadavath, S.; Mishra, U.S.; Irudaya Rajan, S.; Prasad, R.D.; Salve, P.S. Perplexing condition of child full immunisation in economically better off Gujarat in India: An assessment of associated factors. *Vaccine* **2020**, *38*, 5831–5841. [[CrossRef](#)] [[PubMed](#)]
58. Bettampadi, D.; Carlson, B.F.; Mathew, J.L. Impact of Multiple Risk Factors on Vaccination Inequities: Analysis in Indian Infants Over 2 Decades. *Am. J. Prev. Med.* **2021**, *60* (Suppl. S1), S34–S43. [[CrossRef](#)] [[PubMed](#)]
59. Bettampadi, D.; Lepkowski, J.M.; Sen, A.; Power, L.E.; Boulton, M.L. Vaccination Inequality in India, 2002–2013. *Am. J. Prev. Med.* **2021**, *60* (Suppl. S1), S65–S76. [[CrossRef](#)] [[PubMed](#)]
60. Francis, M.R.; Nohynek, H.; Larson, H.; Balraj, V.; Mohan, V.R.; Kang, G.; Nuorti, J.P. Factors associated with routine childhood vaccine uptake and reasons for non-vaccination in India: 1998–2008. *Vaccine* **2018**, *36*, 6559–6566. [[CrossRef](#)]
61. Holroyd, T.A.; Wahl, B.; Gupta, M.; Sauer, M.; Blunt, M.; Gerste, A.K.; Erchick, D.J.; Santosham, M.; Limaye, R.J. Characterizing mothers and children at risk of being under-immunized in India: A latent class analysis approach. *Int. J. Infect. Dis.* **2020**, *100*, 59–66. [[CrossRef](#)]
62. Khan, N.; Saggurti, N. Socioeconomic inequality trends in childhood vaccination coverage in India: Findings from multiple rounds of National Family Health Survey. *Vaccine* **2020**, *38*, 4088–4103. [[CrossRef](#)] [[PubMed](#)]
63. Herliana, P.; Douiri, A. Determinants of immunisation coverage of children aged 12–59 months in Indonesia: A cross-sectional study. *BMJ Open* **2017**, *7*, e015790. [[CrossRef](#)]
64. Win, Z.M.; Traill, T.; Kyaw, Z.L.; Hnin, K.T.; Chit, P.T.; La, T.; Deshpande, A.S.; Ogbuoi, O.; Mao, W. Equity assessment of childhood immunisation at national and subnational levels in Myanmar: A benefit incidence analysis. *BMJ Glob. Health* **2022**, *7*, e007800. [[CrossRef](#)] [[PubMed](#)]
65. Kc, A.; Nelin, V.; Raaijmakers, H.; Kim, H.J.; Singh, C.; Målvqvist, M. Increased immunization coverage addresses the equity gap in Nepal. *Bull. World Health Organ.* **2017**, *95*, 261–269. [[CrossRef](#)] [[PubMed](#)]
66. Chidiebere, O.D.I.; Uchenna, E.; Kenechi, O.S. Maternal sociodemographic factors that influence full child immunisation uptake in Nigeria. *S. Afr. J. Child. Health* **2014**, *8*, 138–142. [[CrossRef](#)]

67. Ogundele, O.A.; Ogundele, T.; Fehintola, F.O.; Fagbemi, A.T.; Beloved, O.O.; Osunmakinwa, O.O. Determinants of incomplete vaccination among children 12–23 months in Nigeria: An analysis of a national sample. *Tzu Chi Med. J.* **2022**, *34*, 448–455. [\[CrossRef\]](#) [\[PubMed\]](#)
68. Seck, I.; Diop, B.; Leyé, M.M.; Mboup, B.M.; Ndiaye, A.; Seck, P.A.; Doucoure, A.; Ba, T.A.; Diongue, M.; Faye, A.; et al. Social determinants of routine immunization coverage of children aged 72 to 23 months in the Kaolack region of Senegal. *Sante Publique* **2016**, *28*, 807–815. [\[CrossRef\]](#) [\[PubMed\]](#)
69. Jammeh, A.; Muhoozi, M.; Kulane, A.; Kajungu, D. Comparing full immunisation status of children (0–23 months) between slums of Kampala City and the rural setting of Iganga District in Uganda: A cross-sectional study. *BMC Health Serv. Res.* **2023**, *23*, 856. [\[CrossRef\]](#) [\[PubMed\]](#)
70. Ataguba, J.E.; Ojo, K.O.; Ichoku, H.E. Explaining socio-economic inequalities in immunization coverage in Nigeria. *Health Policy Plan.* **2016**, *31*, 1212–1224. [\[CrossRef\]](#)
71. Asif, A.M.; Akbar, M.; Tahir, M.R.; Arshad, I.A. Role of Maternal Education and Vaccination Coverage: Evidence From Pakistan Demographic and Health Survey. *Asia Pac. J. Public Health* **2019**, *31*, 679–688. [\[CrossRef\]](#)
72. Al-Kassab-Córdova, A.; Silva-Perez, C.; Maguiña, J.L. Spatial distribution, determinants and trends of full vaccination coverage in children aged 12–59 months in Peru: A subanalysis of the Peruvian Demographic and Health Survey. *BMJ Open* **2022**, *12*, e050211. [\[CrossRef\]](#) [\[PubMed\]](#)
73. Debnath, A.; Bhattacharjee, N. Wealth-Based Inequality In Child Immunization In India: A Decomposition Approach. *J. Biosoc. Sci.* **2018**, *50*, 312–325. [\[CrossRef\]](#)
74. Mishra, P.S.; Choudhary, P.K.; Anand, A. Migration and child health: Understanding the coverage of child immunization among migrants across different socio-economic groups in India. *Child. Youth Serv. Rev.* **2020**, *119*, 105684. [\[CrossRef\]](#)
75. Hu, Y.; Wang, Y.; Chen, Y.; Li, Q. Determinants of inequality in the up-to-date fully immunization coverage among children aged 24–35 months: Evidence from Zhejiang province, East China. *Hum. Vaccin. Immunother.* **2017**, *13*, 1902–1907. [\[CrossRef\]](#) [\[PubMed\]](#)
76. Lu, X.; Fu, C.; Wang, Q.; He, Q.; Hee, J.; Takesue, R.; Tang, K. Women’s Empowerment and Children’s Complete Vaccination in the Democratic Republic of the Congo: A Cross-Sectional Analysis. *Vaccines* **2021**, *9*, 1117. [\[CrossRef\]](#)
77. Tesfa, G.A.; Yehualashet, D.E.; Getnet, A.; Bimer, K.B.; Seboka, B.T. Spatial distribution of complete basic childhood vaccination and associated factors among children aged 12–23 months in Ethiopia. A spatial and multilevel analysis. *PLoS ONE* **2023**, *18*, e0279399. [\[CrossRef\]](#) [\[PubMed\]](#)
78. Asuman, D.; Ackah, C.G.; Enemark, U. Inequalities in child immunization coverage in Ghana: Evidence from a decomposition analysis. *Health Econ. Rev.* **2018**, *8*, 9. [\[CrossRef\]](#)
79. Moran, E.B.; Wagner, A.L.; Asiedu-Bekoe, F.; Abdul-Karim, A.; Schroeder, L.F.; Boulton, M.L. Socioeconomic characteristics associated with the introduction of new vaccines and full childhood vaccination in Ghana, 2014. *Vaccine* **2020**, *38*, 2937–2942. [\[CrossRef\]](#)
80. Singh, C.M.; Mishra, A.; Agarwal, N.; Ayub, A.; Mishra, S.; Lohani, P. Gender discrimination and other factors affecting Full Immunization Coverage (FIC) in 59 low performing blocks of Bihar. *Indian J. Community Health* **2020**, *32*, 101–107. [\[CrossRef\]](#)
81. Saikia, N.; Kumar, K.; Bora, J.K.; Mondal, S.; Phad, S.; Agarwal, S. What Determines the District-Level Disparities in Immunization Coverage in India: Findings from Five Rounds of the National Family Health Survey. *Vaccines* **2023**, *11*, 851. [\[CrossRef\]](#)
82. Kumar, C.; Singh, P.K.; Singh, L.; Rai, R.K. Socioeconomic disparities in coverage of full immunisation among children of adolescent mothers in India, 1990–2006: A repeated cross-sectional analysis. *BMJ Open* **2016**, *6*, e009768. [\[CrossRef\]](#)
83. Chu, H.; Rammohan, A. Childhood immunization and age-appropriate vaccinations in Indonesia. *BMC Public Health* **2022**, *22*, 2023. [\[CrossRef\]](#) [\[PubMed\]](#)
84. Setiawan, M.S.; Wijayanto, A.W. Determinants of immunization status of children under two years old in Sumatera, Indonesia: A multilevel analysis of the 2020 Indonesia National Socio-Economic Survey. *Vaccine* **2022**, *40*, 1821–1828. [\[CrossRef\]](#)
85. Joseph, N.K.; Macharia, P.M.; Ouma, P.O.; Mumo, J.; Jalang’o, R.; Wagacha, P.W.; Achieng, V.O.; Ndung’u, E.; Okoth, P.; Muñiz, M.; et al. Spatial access inequities and childhood immunisation uptake in Kenya. *BMC Public Health* **2020**, *20*, 1407. [\[CrossRef\]](#)
86. Sowe, A.; Johansson, K. Disentangling the rural-urban immunization coverage disparity in The Gambia: A Fairlie decomposition. *Vaccine* **2019**, *37*, 3088–3096. [\[CrossRef\]](#) [\[PubMed\]](#)
87. Shrivastwa, N.; Gillespie, B.W.; Kolenic, G.E.; Lepkowski, J.M.; Boulton, M.L. Predictors of vaccination in India for children aged 12–36 months. *Vaccine* **2015**, *33*, D99–D105. [\[CrossRef\]](#)
88. Gram, L.; Soremekun, S.; ten Asbroek, A.; Manu, A.; O’Leary, M.; Hill, Z.; Danso, S.; Amenga-Etego, S.; Owusu-Agyei, S.; Kirkwood, B.R. Socio-economic determinants and inequities in coverage and timeliness of early childhood immunisation in rural Ghana. *Trop. Med. Int. Health* **2014**, *19*, 802–811. [\[CrossRef\]](#)
89. Wahl, B.; Gupta, M.; Erchick, D.J.; Patenaude, B.N.; Holroyd, T.A.; Sauer, M.; Blunt, M.; Santosham, M.; Limaye, R.J. Change in full immunization inequalities in Indian children 12–23 months: An analysis of household survey data. *BMC Public Health* **2021**, *21*, 841. [\[CrossRef\]](#) [\[PubMed\]](#)
90. Utazi, C.E.; Pannell, O.; Aheto, J.M.K.; Wigley, A.; Tejedor-Garavito, N.; Wunderlich, J.; Hagedorn, B.; Hogan, D.; Tatem, A.J. Assessing the characteristics of un- and under-vaccinated children in low- and middle-income countries: A multi-level cross-sectional study. *PLOS Glob. Public Health* **2022**, *2*, e0000244. [\[CrossRef\]](#)
91. Allan, S.; Adetifa, I.M.O.; Abbas, K. Inequities in childhood immunisation coverage associated with socioeconomic, geographic, maternal, child, and place of birth characteristics in Kenya. *BMC Infect. Dis.* **2021**, *21*, 553. [\[CrossRef\]](#)

92. Devkota, S.; Butler, C. Caste-ethnic disparity in vaccine use among 0- to 5-year-old children in Nepal: A decomposition analysis. *Int. J. Public Health* **2016**, *61*, 693–699. [[CrossRef](#)] [[PubMed](#)]
93. Ali, A.; Zar, A.; Wadood, A. Factors associated with incomplete child immunization in Pakistan: Findings from Demographic and Health Survey 2017–18. *Public Health* **2022**, *204*, 43–48. [[CrossRef](#)] [[PubMed](#)]
94. Marek, L.; Hobbs, M.; McCarthy, J.; Wiki, J.; Tomintz, M.; Campbell, M.; Kingham, S. Investigating spatial variation and change (2006–2017) in childhood immunisation coverage in New Zealand. *Soc. Sci. Med.* **2020**, *264*, 113292. [[CrossRef](#)] [[PubMed](#)]
95. Oliveira, M.F.; Martinez, E.Z.; Rocha, J.S. Factors associated with vaccination coverage in children < 5 years in Angola. *Rev. Saude Publica* **2014**, *48*, 906–915. [[PubMed](#)]
96. Zhao, Y.; Mak, J.; de Broucker, G.; Patenaude, B. Multivariate Assessment of Vaccine Equity in Cambodia: A Longitudinal VERSE Tool Case Study Using Demographic and Health Survey 2004, 2010, and 2014. *Vaccines* **2023**, *11*, 795. [[CrossRef](#)] [[PubMed](#)]
97. Yakum, M.N.; Atanga, F.D.; Ajong, A.B.; Eba Ze, L.E.; Shah, Z. Factors associated with full vaccination and zero vaccine dose in children aged 12–59 months in 6 health districts of Cameroon. *BMC Public Health* **2023**, *23*, 1693. [[CrossRef](#)]
98. Nda'chi Deffo, R.; Fomba Kamga, B. Do the dynamics of vaccine programs improve the full immunization of children under the age of five in Cameroon? *BMC Health Serv. Res.* **2020**, *20*, 953. [[CrossRef](#)] [[PubMed](#)]
99. Geweniger, A.; Abbas, K.M. Childhood vaccination coverage and equity impact in Ethiopia by socioeconomic, geographic, maternal, and child characteristics. *Vaccine* **2020**, *38*, 3627–3638. [[CrossRef](#)] [[PubMed](#)]
100. Patenaude, B.; Odihi, D.; Sriudomporn, S.; Mak, J.; Watts, E.; de Broucker, G. A standardized approach for measuring multivariate equity in vaccination coverage, cost-of-illness, and health outcomes: Evidence from the Vaccine Economics Research for Sustainability & Equity (VERSE) project. *Soc. Sci. Med.* **2022**, *302*, 114979.
101. Siramaneerat, I.; Agushybana, F. Inequalities in immunization coverage in Indonesia: A multilevel analysis. *Rural Remote Health* **2021**, *21*, 6348. [[CrossRef](#)]
102. Masters, N.B.; Wagner, A.L.; Carlson, B.F.; Muuo, S.W.; Mutua, M.K.; Boulton, M.L. Childhood vaccination in Kenya: Socioeconomic determinants and disparities among the Somali ethnic community. *Int. J. Public Health* **2019**, *64*, 313–322. [[CrossRef](#)]
103. Ntenda, P.A.M.; Chuang, K.Y.; Tiruneh, F.N.; Chuang, Y.C. Analysis of the effects of individual and community level factors on childhood immunization in Malawi. *Vaccine* **2017**, *35*, 1907–1917. [[CrossRef](#)]
104. Nozaki, I.; Hachiya, M.; Kitamura, T. Factors influencing basic vaccination coverage in Myanmar: Secondary analysis of 2015 Myanmar demographic and health survey data. *BMC Public Health* **2019**, *19*, 242. [[CrossRef](#)] [[PubMed](#)]
105. Song, I.H.; Palley, E.; Atteraya, M.S. Inequalities in complete childhood immunisation in Nepal: Results from a population-based cross-sectional study. *BMJ Open* **2020**, *10*, e037646. [[CrossRef](#)]
106. Patel, P.N.; Hada, M.; Carlson, B.F.; Boulton, M.L. Immunization status of children in Nepal and associated factors, 2016. *Vaccine* **2021**, *39*, 5831–5838. [[CrossRef](#)]
107. Acharya, K.; Paudel, Y.R.; Dharel, D. The trend of full vaccination coverage in infants and inequalities by wealth quintile and maternal education: Analysis from four recent demographic and health surveys in Nepal. *BMC Public Health* **2019**, *19*, 1673. [[CrossRef](#)]
108. Mak, J.; Odihi, D.; Wonodi, C.; Ali, D.; de Broucker, G.; Sriudomporn, S.; Patenaude, B. Multivariate assessment of vaccine equity in Nigeria: A VERSE tool case study using demographic and health survey 2018. *Vaccine X* **2023**, *14*, 100281. [[CrossRef](#)] [[PubMed](#)]
109. Uthman, O.A.; Adedokun, S.T.; Olukade, T.; Watson, S.; Adetokunboh, O.; Adeniran, A.; Oyetoyan, S.A.; Gidado, S.; Lawoko, S.; Wiysonge, C.S. Children who have received no routine polio vaccines in Nigeria: Who are they and where do they live? *Hum. Vaccin. Immunother.* **2017**, *13*, 2111–2122. [[CrossRef](#)]
110. Al-Kassab-Córdova, A.; Silva-Perez, C.; Mendez-Guerra, C.; Sangster-Carrasco, L.; Arroyave, I.; Cabieses, B.; Mezones-Holguin, E. Inequalities in infant vaccination coverage during the COVID-19 pandemic: A population-based study in Peru. *Vaccine* **2023**, *41*, 564–572. [[CrossRef](#)] [[PubMed](#)]
111. Sarker, A.R.; Akram, R.; Ali, N.; Chowdhury, Z.I.; Sultana, M. Coverage and Determinants of Full Immunization: Vaccination Coverage among Senegalese Children. *Medicina* **2019**, *55*, 480. [[CrossRef](#)]
112. Vo, H.L.; Huynh, L.T.; Anh, H.N.S.; Do, D.A.; Doan, T.N.; Nguyen, T.H.; Nguyen Van, H. Trends in Socioeconomic Inequalities in Full Vaccination Coverage among Vietnamese Children aged 12–23 Months, 2000–2014: Evidence for Mitigating Disparities in Vaccination. *Vaccines* **2019**, *7*, 188. [[CrossRef](#)] [[PubMed](#)]
113. Kriss, J.L.; Goodson, J.; Machekanyanga, Z.; Shibeshi, M.E.; Daniel, F.; Masresha, B.; Kaiser, R. Vaccine receipt and vaccine card availability among children of the apostolic faith: Analysis from the 2010–2011 Zimbabwe demographic and health survey. *Pan Afr. Med. J.* **2016**, *24*, 47. [[CrossRef](#)] [[PubMed](#)]
114. Hu, Y.; Liang, H.; Wang, Y.; Chen, Y. Inequities in Childhood Vaccination Coverage in Zhejiang, Province: Evidence from a Decomposition Analysis on Two-Round Surveys. *Int. J. Environ. Res. Public Health* **2018**, *15*, 2000. [[CrossRef](#)] [[PubMed](#)]
115. Rahman, A.; Reza, A.A.S.; Bhuiyan, B.A.; Alam, N.; Dasgupta, S.K.; Mostari, S.; Anwar, I. Equity and determinants of routine child immunisation programme among tribal and non-tribal populations in rural Tangail subdistrict, Bangladesh: A cohort study. *BMJ Open* **2018**, *8*, e022634. [[CrossRef](#)] [[PubMed](#)]
116. Roy, D.; Debnath, A.; Sarma, M.; Das, K. A Decomposition Analysis to Understand the Wealth-Based Inequalities in Child Vaccination in Rural Southern Assam: A Cross-Sectional Study. *Indian J. Community Med.* **2023**, *48*, 112–125. [[CrossRef](#)] [[PubMed](#)]
117. Oyefara, J.L. Mothers' Characteristics and Immunization Status of Under-Five Children in Ojo Local Government Area, Lagos State, Nigeria. *SAGE Open* **2014**, *4*, 2158244014545474. [[CrossRef](#)]

118. Bryden, G.M.; Browne, M.; Rockloff, M.; Unsworth, C. The privilege paradox: Geographic areas with highest socio-economic advantage have the lowest rates of vaccination. *Vaccine* **2019**, *37*, 4525–4532. [[CrossRef](#)] [[PubMed](#)]
119. Hu, Y.; Wang, Y.; Chen, Y.; Liang, H. Analyzing the Urban-Rural Vaccination Coverage Disparity through a Fair Decomposition in Zhejiang Province, China. *Int. J. Environ. Res. Public Health* **2019**, *16*, 4575. [[CrossRef](#)] [[PubMed](#)]
120. Adebawale, A.; Obembe, T.; Bamgboye, E. Relationship between household wealth and childhood immunization in core-North Nigeria. *Afr. Health Sci.* **2019**, *19*, 1582–1593. [[CrossRef](#)]
121. Hu, Y.; Chen, Y.; Wang, Y.; Liang, H.; Lv, H. The trends of socioeconomic inequities in full vaccination coverage among children aged 12–23 months from 2000 to 2017: Evidence for mitigating disparities in vaccination service in Zhejiang province. *Hum. Vaccin. Immunother.* **2021**, *17*, 810–817. [[CrossRef](#)]
122. Doherty, E.; Walsh, B.; O'Neill, C. Decomposing socioeconomic inequality in child vaccination: Results from Ireland. *Vaccine* **2014**, *32*, 3438–3444. [[CrossRef](#)] [[PubMed](#)]
123. Xeuatvongsa, A.; Hachiya, M.; Miyano, S.; Mizoue, T.; Kitamura, T. Determination of factors affecting the vaccination status of children aged 12–35 months in Lao People's Democratic Republic. *Heliyon* **2017**, *3*, e00265. [[CrossRef](#)] [[PubMed](#)]
124. Adedokun, S.T.; Uthman, O.A.; Adekanmbi, V.T.; Wiysonge, C.S. Incomplete childhood immunization in Nigeria: A multilevel analysis of individual and contextual factors. *BMC Public Health* **2017**, *17*, 236. [[CrossRef](#)] [[PubMed](#)]
125. Adokiya, M.N.; Baguune, B.; Ndago, J.A. Evaluation of immunization coverage and its associated factors among children 12–23 months of age in Techiman Municipality, Ghana, 2016. *Arch Public Health* **2017**, *75*, 28. [[CrossRef](#)] [[PubMed](#)]
126. Ahuja, R.; Rajpurohit, A.C. Gender inequalities in immunization of children in a rural population of Barabanki, Uttar Pradesh. *Indian J. Community Health* **2014**, *26*, 370–373.
127. Pal, R. Decomposing Inequality of Opportunity in Immunization by Circumstances: Evidence from India. *Eur. J. Dev. Res.* **2016**, *28*, 431–446. [[CrossRef](#)]
128. Shrivastwa, N.; Wagner, A.L.; Boulton, M.L. Analysis of State-Specific Differences in Childhood Vaccination Coverage in Rural India. *Vaccines* **2019**, *7*, 24. [[CrossRef](#)] [[PubMed](#)]
129. Devasenapathy, N.; Ghosh Jerath, S.; Sharma, S.; Allen, E.; Shankar, A.H.; Zodpey, S. Determinants of childhood immunisation coverage in urban poor settlements of Delhi, India: A cross-sectional study. *BMJ Open* **2016**, *6*, e013015. [[CrossRef](#)]
130. Joe, W. Intersectional inequalities in immunization in India, 1992–1993 to 2005–06: A progress assessment. *Health Policy Plan* **2015**, *30*, 407–422. [[CrossRef](#)]
131. Obanewa, O.A.; Newell, M.L. The role of place of residency in childhood immunisation coverage in Nigeria: Analysis of data from three DHS rounds 2003–2013. *BMC Public Health* **2020**, *20*, 123. [[CrossRef](#)]
132. Shanawaz, M.; Sundar, J.S. An Evaluation of Primary Immunization Coverage Among Icds Children Under Urban Field Practice Area of Osmania Medical College, Hyderabad. *J. Evol. Med. Dent. Sci. -Jemds* **2014**, *3*, 1012–1019.
133. Srivastava, S.; Fledderjohann, J.; Upadhyay, A.K. Explaining socioeconomic inequalities in immunisation coverage in India: New insights from the fourth National Family Health Survey (2015–16). *BMC Pediatr.* **2020**, *20*, 295. [[CrossRef](#)] [[PubMed](#)]
134. Asresie, M.B.; Fekadu, G.A.; Dagnew, G.W. Urban-rural disparities in immunization coverage among children aged 12–23 months in Ethiopia: Multivariate decomposition analysis. *BMC Health Serv. Res.* **2023**, *23*, 969. [[CrossRef](#)] [[PubMed](#)]
135. Kattan, J.A.; Kudish, K.S.; Cadwell, B.L.; Soto, K.; Hadler, J.L. Effect of vaccination coordinators on socioeconomic disparities in immunization among the 2006 Connecticut birth cohort. *Am J Public Health* **2014**, *104*, e74–e81. [[CrossRef](#)] [[PubMed](#)]
136. Michels, S.Y.; Niccolai, L.M.; Hadler, J.L.; Freeman, R.E.; Albers, A.N.; Glanz, J.M.; Daley, M.F.; Newcomer, S.R. Failure to Complete Multidose Vaccine Series in Early Childhood. *Pediatrics* **2023**, *152*, e2022059844. [[CrossRef](#)] [[PubMed](#)]
137. Santorelli, G.; West, J.; Mason, D.; Cartwright, C.; Inamdar, L.; Tomes, C.; Wright, J. Factors associated with the uptake of the UK routine childhood immunization schedule in a bi-ethnic population. *Eur. J. Public Health* **2020**, *30*, 697–702. [[CrossRef](#)] [[PubMed](#)]
138. Wondimu, A.; van der Schans, J.; van Hulst, M.; Postma, M.J. Inequalities in Rotavirus Vaccine Uptake in Ethiopia: A Decomposition Analysis. *Int. J. Environ. Res. Public Health* **2020**, *17*, 2696. [[CrossRef](#)] [[PubMed](#)]
139. Khan, J.; Shil, A.; Prakash, R. Exploring the spatial heterogeneity in different doses of vaccination coverage in India. *PLoS ONE* **2018**, *13*, e0207209. [[CrossRef](#)] [[PubMed](#)]
140. Atteraya, M.S.; Song, I.H.; Ebrahim, N.B.; Gnawali, S.; Kim, E.; Dhakal, T. Inequalities in Childhood Immunisation in South Asia. *Int. J. Environ. Res. Public Health* **2023**, *20*, 1755. [[CrossRef](#)]
141. Fenta, S.M.; Biresaw, H.B.; Fentaw, K.D.; Gebremichael, S.G. Determinants of full childhood immunization among children aged 12–23 months in sub-Saharan Africa: A multilevel analysis using Demographic and Health Survey Data. *Trop. Med. Health* **2021**, *49*, 29. [[CrossRef](#)]
142. Hajizadeh, M. Decomposing socioeconomic inequality in child vaccination in the Gambia, the Kyrgyz Republic and Namibia. *Vaccine* **2019**, *37*, 6609–6616. [[CrossRef](#)] [[PubMed](#)]
143. Cata-Preta, B.O.; Santos, T.M.; Wendt, A.; Hogan, D.R.; Mengistu, T.; Barros, A.J.D.; Victora, C.G. Ethnic disparities in immunisation: Analyses of zero-dose prevalence in 64 countries. *BMJ Glob. Health* **2022**, *7*, e008833. [[CrossRef](#)] [[PubMed](#)]
144. Ameyaw, E.K.; Kareem, Y.O.; Ahinkorah, B.O.; Seidu, A.A.; Yaya, S. Decomposing the rural-urban gap in factors associated with childhood immunisation in sub-Saharan Africa: Evidence from surveys in 23 countries. *BMJ Glob. Health* **2021**, *6*, e003773. [[CrossRef](#)] [[PubMed](#)]
145. Arat, A.; Norredam, M.; Baum, U.; Jónsson, S.H.; Gunlaugsson, G.; Wallby, T.; Hjærn, A. Organisation of preventive child health services: Key to socio-economic equity in vaccine uptake? *Scand. J. Public Health* **2020**, *48*, 491–494. [[CrossRef](#)] [[PubMed](#)]

146. Singh, P.K.; Parsuraman, S. Sibling composition and child immunization in India and Pakistan, 1990–2007. *World J. Pediatr.* **2014**, *10*, 145–150. [[CrossRef](#)] [[PubMed](#)]
147. Singh, A. Gender based within-household inequality in immunization status of children: Some evidence from South Asian countries. *Econ. Bull.* **2015**, *35*, 911–923.
148. Arsenault, C.; Harper, S.; Nandi, A.; Mendoza Rodríguez, J.M.; Hansen, P.M.; Johri, M. Monitoring equity in vaccination coverage: A systematic analysis of demographic and health surveys from 45 Gavi-supported countries. *Vaccine* **2017**, *35*, 951–959. [[CrossRef](#)] [[PubMed](#)]
149. Restrepo-Méndez, M.C.; Barros, A.J.; Wong, K.L.; Johnson, H.L.; Pariyo, G.; França, G.V.; Wehrmeister, F.C.; Victora, C.G. Inequalities in full immunization coverage: Trends in low- and middle-income countries. *Bull. World Health Organ.* **2016**, *94*, 794B–805B. [[CrossRef](#)] [[PubMed](#)]
150. Santos, T.M.; Cata-Preta, B.O.; Wendt, A.; Arroyave, L.; Hogan, D.R.; Mengistu, T.; Barros, A.J.D.; Victora, C.G. Religious affiliation as a driver of immunization coverage: Analyses of zero-dose vaccine prevalence in 66 low- and middle-income countries. *Front. Public Health* **2022**, *10*, 977512. [[CrossRef](#)]
151. Acharya, K.; Dharel, D.; Subedi, R.K.; Bhattarai, A.; Paudel, Y.R. Inequalities in full vaccination coverage based on maternal education and wealth quintiles among children aged 12–23 months: Further analysis of national cross-sectional surveys of six South Asian countries. *BMJ Open* **2022**, *12*, e046971. [[CrossRef](#)]
152. Bobo, F.T.; Asante, A.; Woldie, M.; Dawson, A.; Hayen, A. Child vaccination in sub-Saharan Africa: Increasing coverage addresses inequalities. *Vaccine* **2022**, *40*, 141–150. [[CrossRef](#)] [[PubMed](#)]
153. Donfouet, H.P.P.; Agesa, G.; Mutua, M.K. Trends of inequalities in childhood immunization coverage among children aged 12–23 months in Kenya, Ghana, and Côte d’Ivoire. *BMC Public Health* **2019**, *19*, 988. [[CrossRef](#)] [[PubMed](#)]
154. Soura, A.B.; Mberu, B.; Elungata, P.; Lankoande, B.; Millogo, R.; Beguy, D.; Compaore, Y. Understanding inequities in child vaccination rates among the urban poor: Evidence from Nairobi and Ouagadougou health and demographic surveillance systems. *J. Urban. Health* **2015**, *92*, 39–54. [[CrossRef](#)] [[PubMed](#)]
155. Wariri, O.; Edem, B.; Nkereuwem, E.; Nkereuwem, O.O.; Umeh, G.; Clark, E.; Idoko, O.T.; Nomhwange, T.; Kampmann, B. Tracking coverage, dropout and multidimensional equity gaps in immunisation systems in West Africa, 2000–2017. *BMJ Glob Health* **2019**, *4*, e001713. [[CrossRef](#)] [[PubMed](#)]
156. Wendt, A.; Santos, T.M.; Cata-Preta, B.O.; Arroyave, L.; Hogan, D.R.; Mengistu, T.; Barros, A.J.D.; Victora, C.G. Exposure of Zero-Dose Children to Multiple Deprivation: Analyses of Data from 80 Low- and Middle-Income Countries. *Vaccines* **2022**, *10*, 1568. [[CrossRef](#)]
157. Tur-Sinai, A.; Gur-Arie, R.; Davidovitch, N.; Kopel, E.; Glazer, Y.; Anis, E.; Grotto, I. Vaccination uptake and income inequalities within a mass vaccination campaign. *Isr. J. Health Policy Res.* **2019**, *8*, 63. [[CrossRef](#)]

Disclaimer/Publisher’s Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.